







# Phyre<sup>2</sup>

Email	mdejesus@rockefeller.edu
Description	RVBD0166_(fadD5)_194991_196655
Date	Tue Jul 23 14:50:21 BST 2019
Unique Job ID	c6614c8569df5143

Detailed template information

#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">c6egoB_</a>			100.0	25	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> acetyl-coenzyme a synthetase; <b>PDBTitle:</b> tri-functional propionyl-coa synthase of erythrobacter sp. nap1 with2 bound nadp+ and phosphomethylphosphonic acid adenylate ester
2	<a href="#">c5ses8A_</a>			100.0	22	<b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> linear gramicidin synthetase subunit a; <b>PDBTitle:</b> crystal structure of the initiation module of lgra in the thiolation2 state
3	<a href="#">c6p1jA_</a>			100.0	23	<b>PDB header:</b> biosynthetic protein <b>Chain:</b> A: <b>PDB Molecule:</b> txo2; <b>PDBTitle:</b> the structure of condensation and adenylation domains of teixobactin-2 producing nonribosomal peptide synthetase txo2 serine module
4	<a href="#">c5u89A_</a>			100.0	23	<b>PDB header:</b> hydrolase/inhibitor <b>Chain:</b> A: <b>PDB Molecule:</b> amino acid adenylation domain protein; <b>PDBTitle:</b> crystal structure of a cross-module fragment from the dimodular nrps2 dhbf
5	<a href="#">c5ifia_</a>			100.0	22	<b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> acetyl-coenzyme a synthetase; <b>PDBTitle:</b> crystal structure of acetyl-coa synthetase in complex with adenosine-2 5'-propylphosphate from cryptococcus neoformans h99
6	<a href="#">c5gxdA_</a>			100.0	24	<b>PDB header:</b> lyase <b>Chain:</b> A: <b>PDB Molecule:</b> amp-dependent synthetase and ligase; <b>PDBTitle:</b> structure of acryloyl-coa lyase prpe from dinoroseobacter shibae dfl12
7	<a href="#">d1pg4a_</a>			100.0	22	<b>Fold:</b> Acetyl-CoA synthetase-like <b>Superfamily:</b> Acetyl-CoA synthetase-like <b>Family:</b> Acetyl-CoA synthetase-like
8	<a href="#">c2vsqA_</a>			100.0	23	<b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> surfactin synthetase subunit 3; <b>PDBTitle:</b> structure of surfactin a synthetase c (srfa-c), a nonribosomal peptide2 synthetase termination module
9	<a href="#">c5ja2A_</a>			100.0	20	<b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> enterobactin synthase component f; <b>PDBTitle:</b> entf, a terminal nonribosomal peptide synthetase module bound to the2 non-native mbth-like protein pa2412
10	<a href="#">c4wv3A_</a>			100.0	27	<b>PDB header:</b> ligase/ligase inhibitor <b>Chain:</b> A: <b>PDB Molecule:</b> anthranilate-coa ligase; <b>PDBTitle:</b> crystal structure of the anthranilate coa ligase auaeii in complex2 with anthranoyl-amp
11	<a href="#">d1ry2a_</a>			100.0	23	<b>Fold:</b> Acetyl-CoA synthetase-like <b>Superfamily:</b> Acetyl-CoA synthetase-like <b>Family:</b> Acetyl-CoA synthetase-like

12	<a href="#">c5wmmA</a>	Alignment		100.0	21	<b>PDB header:</b> biosynthetic protein <b>Chain:</b> A: <b>PDB Molecule:</b> nrps; <b>PDBTitle:</b> crystal structure of an adenylation domain interrupted by a2 methylation domain (ama4) from nonribosomal peptide synthetase tios
13	<a href="#">c4wd1A</a>	Alignment		100.0	18	<b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> acetoacetate-coa ligase; <b>PDBTitle:</b> acetoacetyl-coa synthetase from streptomyces lividans
14	<a href="#">c4eatB</a>	Alignment		100.0	25	<b>PDB header:</b> ligase <b>Chain:</b> B: <b>PDB Molecule:</b> benzoate-coenzyme a ligase; <b>PDBTitle:</b> crystal structure of a benzoate coenzyme a ligase
15	<a href="#">d1mdba</a>	Alignment		100.0	22	<b>Fold:</b> Acetyl-CoA synthetase-like <b>Superfamily:</b> Acetyl-CoA synthetase-like <b>Family:</b> Acetyl-CoA synthetase-like
16	<a href="#">c3e7wA</a>	Alignment		100.0	20	<b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> d-alanine--poly(phosphoribitol) ligase subunit 1; <b>PDBTitle:</b> crystal structure of dltA: implications for the reaction mechanism of non-ribosomal peptide synthetase (nrps) adenylation domains
17	<a href="#">c5ie2A</a>	Alignment		100.0	26	<b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> oxalate--coa ligase; <b>PDBTitle:</b> crystal structure of a plant enzyme
18	<a href="#">c3vngA</a>	Alignment		100.0	24	<b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> nrps adenylation protein cytc1; <b>PDBTitle:</b> co-crystal structure of nrps adenylation protein cytc1 with atp from streptomyces
19	<a href="#">c5msdA</a>	Alignment		100.0	24	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> carboxylic acid reductase; <b>PDBTitle:</b> structure of the a domain of carboxylic acid reductase (car) from nocardia iowensis in complex with amp and benzoic acid
20	<a href="#">c4zxjA</a>	Alignment		100.0	21	<b>PDB header:</b> biosynthetic protein <b>Chain:</b> A: <b>PDB Molecule:</b> enterobactin synthase component f; <b>PDBTitle:</b> crystal structure of holo-entA nonribosomal peptide synthetase in2 in the thioester-forming conformation
21	<a href="#">c5wm7A</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> salicylate-amp ligase; <b>PDBTitle:</b> crystal structure of cahj in complex with amp
22	<a href="#">c3eynB</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> ligase <b>Chain:</b> B: <b>PDB Molecule:</b> acyl-coenzyme a synthetase acsm2a; <b>PDBTitle:</b> crystal structure of human acyl-coa synthetase medium-chain family member 2a (l64p mutation) in a complex with coa
23	<a href="#">c5x8gA</a>	Alignment	not modelled	100.0	29	<b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> 2-succinylbenzoate--coa ligase; <b>PDBTitle:</b> binary complex structure of a double mutant i454ra456k of o-2 succinylbenzoate coa synthetase (mene) from bacillus subtilis bound3 with its product analogue osb-ncoa at 1.90 angstrom
24	<a href="#">d3cw9a1</a>	Alignment	not modelled	100.0	27	<b>Fold:</b> Acetyl-CoA synthetase-like <b>Superfamily:</b> Acetyl-CoA synthetase-like <b>Family:</b> Acetyl-CoA synthetase-like
25	<a href="#">c3r44A</a>	Alignment	not modelled	100.0	30	<b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> fatty acyl coa synthetase fadd13 (fatty-acyl-coa) <b>PDBTitle:</b> mycobacterium tuberculosis fatty acyl coa synthetase
26	<a href="#">c4zxiA</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> biosynthetic protein <b>Chain:</b> A: <b>PDB Molecule:</b> tyrocidine synthetase 3; <b>PDBTitle:</b> crystal structure of holo-ab3403 a four domain nonribosomal peptide synthetase bound to amp and glycine
27	<a href="#">c3ni2A</a>	Alignment	not modelled	100.0	27	<b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> 4-coumarate:coa ligase; <b>PDBTitle:</b> crystal structures and enzymatic mechanisms of a populus tremontosa 4-2 coumarate:coa ligase
28	<a href="#">d1amua</a>	Alignment	not modelled	100.0	20	<b>Fold:</b> Acetyl-CoA synthetase-like <b>Superfamily:</b> Acetyl-CoA synthetase-like <b>Family:</b> Acetyl-CoA synthetase-like <b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> thioester reductase domain-containing

29	<a href="#">c5mstA</a>	Alignment	not modelled	100.0	21	protein; <b>PDBTitle:</b> structure of the a domain of carboxylic acid reductase (car) from2 segniliparus rugosus in complex with amp and a co-purified carboxylic3 acid
30	<a href="#">c5e7qB</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> acyl-coa synthetase; <b>PDBTitle:</b> acyl-coa synthetase ptma2 from streptomyces platensis
31	<a href="#">c5u2aA</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> amp-dependent synthetase and ligase; <b>PDBTitle:</b> crystal structure of brucella canis acyl-coa synthetase
32	<a href="#">c6h1bA</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> fatty acid coa ligase; <b>PDBTitle:</b> structure of amide bond synthetase mcba k483a mutant from2 marinactinospora thermotolerans
33	<a href="#">c5keiA</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> 2,3-dihydroxybenzoate-amp ligase; <b>PDBTitle:</b> mycobacterium smegmatis mbta apo structure
34	<a href="#">c5aplA</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> adenylation domain; <b>PDBTitle:</b> structure of the adenylation domain thr1 involved in the biosynthesis2 of 4-chlorothreonine in streptomyces sp. oh-5093, apo structure
35	<a href="#">c3etcB</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> ligase <b>Chain:</b> B: <b>PDB Molecule:</b> amp-binding protein; <b>PDBTitle:</b> 2.1 a structure of acyl-adenylate synthetase from methanosaclina2 acetivorans containing a link between lys256 and cys298
36	<a href="#">c1amuB</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> peptide synthetase <b>Chain:</b> B: <b>PDB Molecule:</b> gramicidin synthetase 1; <b>PDBTitle:</b> phenylalanine activating domain of gramicidin synthetase 12 in a complex with amp and phenylalanine
37	<a href="#">c3rg2H</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> ligase <b>Chain:</b> H: <b>PDB Molecule:</b> enterobactin synthase component e (ente), 2,3-dihydro-2,3- <b>PDBTitle:</b> structure of a two-domain nrps fusion protein containing the ente2 adenylation domain and entb aryl-carrier protein from enterobactin3 biosynthesis
38	<a href="#">c5mssA</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> thioester reductase domain-containing protein; <b>PDBTitle:</b> structure of the a-pcp didomain of carboxylic acid reductase (car)2 from segniliparus rugosus in complex with amp
39	<a href="#">c6ijbA</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> amp-binding domain protein; <b>PDBTitle:</b> structure of 3-methylmercaptopropionate coa ligase mutant k523a in2 complex with amp and mmpa
40	<a href="#">c4dg8A</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> pa1221; <b>PDBTitle:</b> structure of pa1221, an nrps protein containing adenylation and pcp2 domains
41	<a href="#">c4oxiA</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> enterobactin synthetase component f-related protein; <b>PDBTitle:</b> crystal structure of vibrio cholerae adenylation domain alme in2 complex with glycyl-adenosine-5'-phosphate
42	<a href="#">c4fuqD</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> ligase <b>Chain:</b> D: <b>PDB Molecule:</b> malonyl coa synthetase; <b>PDBTitle:</b> crystal structure of apo matb from rhodopseudomonas palustris
43	<a href="#">c2d1tA</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> luciferin 4-monooxygenase; <b>PDBTitle:</b> crystal structure of the thermostable japanese firefly luciferase red-color emission s286n mutant complexed with3 high-energy intermediate analogue
44	<a href="#">c2v7bB</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> ligase <b>Chain:</b> B: <b>PDB Molecule:</b> benzoate-coenzyme a ligase; <b>PDBTitle:</b> crystal structures of a benzoate coa ligase from2 burkholderia xenovorans lb400
45	<a href="#">c3gqwB</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> ligase <b>Chain:</b> B: <b>PDB Molecule:</b> fatty acid amp ligase; <b>PDBTitle:</b> crystal structure of a fatty acid amp ligase from e. coli with an acyl2 adenylate product bound
46	<a href="#">c3dhvA</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> d-alanine-poly(phosphoribitol) ligase; <b>PDBTitle:</b> crystal structure of dltc protein in complex with d-alanine2 adenylate
47	<a href="#">c4dg9A</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> ligase/inhibitor <b>Chain:</b> A: <b>PDB Molecule:</b> pa1221; <b>PDBTitle:</b> structure of holo-pa1221, an nrps protein containing adenylation and2 pcp domains bound to vinylsulfonamide inhibitor
48	<a href="#">c3kxwA</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> saframycin mx1 synthetase b; <b>PDBTitle:</b> the crystal structure of fatty acid amp ligase from legionella2 pneumophila
49	<a href="#">c5ey8D</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> ligase <b>Chain:</b> D: <b>PDB Molecule:</b> acyl-coa synthase; <b>PDBTitle:</b> structure of fadd32 from mycobacterium smegmatis complexed to ampc20
50	<a href="#">c4ir7A</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> long chain fatty acid coa ligase fadd10; <b>PDBTitle:</b> crystal structure of mtb fadd10 in complex with dodecanoyl-amp
51	<a href="#">c4d56A</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> apnaa1; <b>PDBTitle:</b> understanding bi-specificity of a-domains
52	<a href="#">c6ac3B</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> luminescent protein <b>Chain:</b> B: <b>PDB Molecule:</b> red-bioluminescence eliciting luciferase; <b>PDBTitle:</b> structure of a natural red emitting luciferase from phrixothrix hirtus2 (p3121 crystal form)
						<b>PDB header:</b> ligase

53	<a href="#">c4r0mB</a>	Alignment	not modelled	100.0	19	<b>Chain: B: PDB Molecule:</b> mcyg protein; <b>PDBTitle:</b> structure of mcyg a-pcp complexed with phenylalanyl-adenylate <b>PDB header:</b> ligase, transferase <b>Chain: A: PDB Molecule:</b> fusion protein 4-coumarate--coa ligase 1, resveratrol <b>PDBTitle:</b> 4-coumaroyl-coa ligase:stilbene synthase fusion protein
54	<a href="#">c3tsyA</a>	Alignment	not modelled	100.0	25	<b>Fold:</b> Acetyl-CoA synthetase-like <b>Superfamily:</b> Acetyl-CoA synthetase-like <b>Family:</b> Acetyl-CoA synthetase-like
55	<a href="#">d1lcia</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> ligase
56	<a href="#">c6akdA</a>	Alignment	not modelled	100.0	18	<b>Chain: A: PDB Molecule:</b> amp-dependent synthetase and ligase; <b>PDBTitle:</b> crystal structure of idn17
57	<a href="#">c4r0mA</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> ligase <b>Chain: A: PDB Molecule:</b> mcyg protein; <b>PDBTitle:</b> structure of mcyg a-pcp complexed with phenylalanyl-adenylate
58	<a href="#">c3iteB</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> ligase <b>Chain: B: PDB Molecule:</b> sidn siderophore synthetase; <b>PDBTitle:</b> the third adenylation domain of the fungal sidn non-ribosomal peptide2 synthetase
59	<a href="#">c3l8cA</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> ligase <b>Chain: A: PDB Molecule:</b> d-alanine--poly(phosphoribitol) ligase subunit 1; <b>PDBTitle:</b> structure of probable d-alanine--poly(phosphoribitol) ligase subunit-12 from streptococcus pyogenes
60	<a href="#">c5jjqB</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> ligase <b>Chain: B: PDB Molecule:</b> amp-dependent synthetase and ligase; <b>PDBTitle:</b> crystal structure of idn1
61	<a href="#">c5bugA</a>	Alignment	not modelled	100.0	28	<b>PDB header:</b> ligase <b>Chain: A: PDB Molecule:</b> 2-succinylbenzoate--coa ligase; <b>PDBTitle:</b> unliganded form of o-succinylbenzoate coenzyme a synthetase (mene)2 from bacillus subtilis, solved at 1.98 angstroms
62	<a href="#">d1v25a</a>	Alignment	not modelled	100.0	28	<b>Fold:</b> Acetyl-CoA synthetase-like <b>Superfamily:</b> Acetyl-CoA synthetase-like <b>Family:</b> Acetyl-CoA synthetase-like
63	<a href="#">c3iplB</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> ligase <b>Chain: B: PDB Molecule:</b> 2-succinylbenzoate--coa ligase; <b>PDBTitle:</b> crystal structure of o-succinylbenzoic acid-coa ligase from staphylococcus aureus subsp. aureus mu50
64	<a href="#">c3nyrA</a>	Alignment	not modelled	100.0	28	<b>PDB header:</b> ligase <b>Chain: A: PDB Molecule:</b> malonyl-coa ligase; <b>PDBTitle:</b> malonyl-coa ligase ternary product complex with malonyl-coa and amp2 bound
65	<a href="#">c3g7sA</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> ligase <b>Chain: A: PDB Molecule:</b> long-chain-fatty-acid--coa ligase (fadd-1); <b>PDBTitle:</b> crystal structure of a long-chain-fatty-acid-coa ligase2 (fadd1) from archaeoglobus fulgidus
66	<a href="#">c5c5hA</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> ligase <b>Chain: A: PDB Molecule:</b> 2-succinylbenzoate--coa ligase; <b>PDBTitle:</b> r195k e. coli mene with bound osb-ams
67	<a href="#">c6ozvA</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> biosynthetic protein <b>Chain: A: PDB Molecule:</b> txo1; <b>PDBTitle:</b> the structure of condensation and adenylation domains of teixobactin-2 producing nonribosomal peptide synthetase txo1 serine module in3 complex with amp
68	<a href="#">c4gr5B</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> ligase <b>Chain: B: PDB Molecule:</b> non-ribosomal peptide synthetase; <b>PDBTitle:</b> crystal structure of slgn1deltaasub in complex with ampcpp
69	<a href="#">c3o82B</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> ligase <b>Chain: B: PDB Molecule:</b> peptide arylation enzyme; <b>PDBTitle:</b> structure of base n-terminal domain from acinetobacter baumannii bound2 to 5'-o-[n-(2,3-dihydroxybenzoyl)sulfamoyl] adenosine
70	<a href="#">c4w8oA</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> oxidoreductase <b>Chain: A: PDB Molecule:</b> luciferase-like enzymeamp-coa-ligase; <b>PDBTitle:</b> structure of the luciferase-like enzyme from the nonluminescent2 zophobas morio mealworm
71	<a href="#">c3o82A</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> ligase <b>Chain: A: PDB Molecule:</b> peptide arylation enzyme; <b>PDBTitle:</b> structure of base n-terminal domain from acinetobacter baumannii bound2 to 5'-o-[n-(2,3-dihydroxybenzoyl)sulfamoyl] adenosine
72	<a href="#">c3ivrA</a>	Alignment	not modelled	100.0	27	<b>PDB header:</b> ligase <b>Chain: A: PDB Molecule:</b> putative long-chain-fatty-acid coa ligase; <b>PDBTitle:</b> crystal structure of putative long-chain-fatty-acid coa ligase from2 rhodopseudomonas palustris cga009
73	<a href="#">c5jjpB</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> ligase <b>Chain: B: PDB Molecule:</b> nonribosomal peptide synthase; <b>PDBTitle:</b> crystal structure of cmis6
74	<a href="#">c5n81B</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> ligase <b>Chain: B: PDB Molecule:</b> tyrocidine synthase 1; <b>PDBTitle:</b> crystal structure of an engineered tyca variant in complex with an o-2 propargyl-beta-tyr-amp analog
75	<a href="#">c5oe3C</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> ligase <b>Chain: C: PDB Molecule:</b> anthranilate--coa ligase; <b>PDBTitle:</b> crystal structure of the n-terminal domain of pqsa in complex with2 anthraniloyl-amp (crystal form 1)
76	<a href="#">c3qyaA</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> oxidoreductase <b>Chain: A: PDB Molecule:</b> luciferase; <b>PDBTitle:</b> crystal structure of a red-emitter mutant of lampyris turkestanicus2 luciferase
77	<a href="#">c3t5cA</a>	Alignment	not modelled	100.0	27	<b>PDB header:</b> ligase <b>Chain: A: PDB Molecule:</b> probable chain-fatty-acid-coa ligase fadd13; <b>PDBTitle:</b> crystal structure of n-terminal domain of facl13 from mycobacterium2 tuberculosis in different space group c2

78	<a href="#">c3wv4B</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> ligase <b>Chain:</b> B: <b>PDB Molecule:</b> non-ribosomal peptide synthetase; <b>PDBTitle:</b> crystal structure of vinn
79	<a href="#">c4lgcA</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> bile acid-coenzyme a ligase; <b>PDBTitle:</b> crystal structure of a bile acid-coenzyme a ligase (baib) from2 clostridium scindens (vpi 12708) at 2.19 a resolution
80	<a href="#">c5burB</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> ligase <b>Chain:</b> B: <b>PDB Molecule:</b> 2-succinylbenzoate--coa ligase; <b>PDBTitle:</b> o-succinylbenzoate coenzyme a synthetase (mene) from bacillus subtilis, in complex with atp and magnesium ion
81	<a href="#">c6abhG</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> luminous protein <b>Chain:</b> G: <b>PDB Molecule:</b> red-bioluminescence eliciting luciferase; <b>PDBTitle:</b> structure of a natural red emitting luciferase from phrixothrix hirtus2 (p1 crystal form)
82	<a href="#">c5jjpC</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> ligase <b>Chain:</b> C: <b>PDB Molecule:</b> nonribosomal peptide synthase; <b>PDBTitle:</b> crystal structure of cmis6
83	<a href="#">c3e53A</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> fatty-acid-coa ligase fadd28; <b>PDBTitle:</b> crystal structure of n-terminal domain of a fatty acyl amp2 ligase faal28 from mycobacterium tuberculosis
84	<a href="#">c4gs5A</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> acyl-coa synthetase (amp-forming)/amp-acid ligase ii-like <b>PDBTitle:</b> the crystal structure of acyl-coa synthetase (amp-forming)/amp-acid2 ligase ii-like protein from dyadobacter fermentans dsm 18053
85	<a href="#">c2y4oA</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> phenylacetate-coenzyme a ligase; <b>PDBTitle:</b> crystal structure of paak2 in complex with phenylacetyl adenylate
86	<a href="#">c2y27B</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> ligase <b>Chain:</b> B: <b>PDB Molecule:</b> phenylacetate-coenzyme a ligase; <b>PDBTitle:</b> crystal structure of paak1 in complex with atp from burkholderia2 cenocepacia
87	<a href="#">c3qovD</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> ligase <b>Chain:</b> D: <b>PDB Molecule:</b> phenylacetate-coenzyme a ligase; <b>PDBTitle:</b> crystal structure of a hypothetical acyl-coa ligase (bt_0428) from2 bacteroides thetaiotaomicron vpi-5482 at 2.20 a resolution
88	<a href="#">c3laxA</a>	Alignment	not modelled	99.5	17	<b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> phenylacetate-coenzyme a ligase; <b>PDBTitle:</b> the crystal structure of a domain of phenylacetate-coenzyme2 a ligase from bacteroides vulgatus atcc 8482
89	<a href="#">c3hguB</a>	Alignment	not modelled	99.5	16	<b>PDB header:</b> biosynthetic protein <b>Chain:</b> B: <b>PDB Molecule:</b> ehpf; <b>PDBTitle:</b> structure of phenazine antibiotic biosynthesis protein
90	<a href="#">c5kodA</a>	Alignment	not modelled	97.7	12	<b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> indole-3-acetic acid-amido synthetase gh3.5; <b>PDBTitle:</b> crystal structure of gh3.5 acyl acid amido synthetase from arabiopsis2 thaliana
91	<a href="#">c6avhA</a>	Alignment	not modelled	97.2	11	<b>PDB header:</b> ligase, plant protein <b>Chain:</b> A: <b>PDB Molecule:</b> gh3.15 acyl acid amido synthetase; <b>PDBTitle:</b> gh3.15 acyl acid amido synthetase
92	<a href="#">c4b2gB</a>	Alignment	not modelled	97.0	13	<b>PDB header:</b> signaling protein <b>Chain:</b> B: <b>PDB Molecule:</b> gh3-1 auxin conjugating enzyme; <b>PDBTitle:</b> crystal structure of an indole-3-acetic acid amido synthetase from vitis2 vinifera involved in auxin homeostasis
93	<a href="#">c4ep1A</a>	Alignment	not modelled	96.7	8	<b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> jasmonic acid-amido synthetase jar1; <b>PDBTitle:</b> crystal structure of arabidopsis thaliana gh3.11 (jar1) in complex2 with ja-ile
94	<a href="#">c4ewvB</a>	Alignment	not modelled	94.9	9	<b>PDB header:</b> ligase <b>Chain:</b> B: <b>PDB Molecule:</b> 4-substituted benzoates-glutamate ligase gh3.12; <b>PDBTitle:</b> crystal structure of gh3.12 in complex with ampcpp
95	<a href="#">d2ayia1</a>	Alignment	not modelled	79.5	17	<b>Fold:</b> Thermophilic metalloprotease-like <b>Superfamily:</b> Thermophilic metalloprotease-like <b>Family:</b> Thermophilic metalloprotease (M29)
96	<a href="#">c3smaD</a>	Alignment	not modelled	66.8	27	<b>PDB header:</b> transferase <b>Chain:</b> D: <b>PDB Molecule:</b> frbf; <b>PDBTitle:</b> a new n-acetyltransferase fold in the structure and mechanism of the2 phosphonate biosynthetic enzyme frbf
97	<a href="#">d1z7wa1</a>	Alignment	not modelled	66.5	15	<b>Fold:</b> Tryptophan synthase beta subunit-like PLP-dependent enzymes <b>Superfamily:</b> Tryptophan synthase beta subunit-like PLP-dependent enzymes <b>Family:</b> Tryptophan synthase beta subunit-like PLP-dependent enzymes
98	<a href="#">c4lmaA</a>	Alignment	not modelled	62.3	11	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> cysteine synthase; <b>PDBTitle:</b> crystal structure analysis of o-acetylserine sulfhydrylase cysk1 from2 microcystis aeruginosa 7806
99	<a href="#">c6mb6A</a>	Alignment	not modelled	59.9	23	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> aac(3)-iiib protein; <b>PDBTitle:</b> aac-iiib binary with coash
100	<a href="#">c5ht0B</a>	Alignment	not modelled	58.2	18	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> aminoglycoside acetyltransferase hmb005; <b>PDBTitle:</b> crystal structure of an antibiotic_nat family aminoglycoside2 acetyltransferase hmb0038 from an uncultured soil metagenomic sample3 in complex with coenzyme a
101	<a href="#">c3ewbX</a>	Alignment	not modelled	57.3	9	<b>PDB header:</b> transferase <b>Chain:</b> X: <b>PDB Molecule:</b> 2-isopropylmalate synthase; <b>PDBTitle:</b> crystal structure of n-terminal domain of putative 2-isopropylmalate2 synthase from listeria monocytogenes
102	<a href="#">c5i7wA</a>	Alignment	not modelled	57.3	9	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> cysteine synthase a;

					<b>PDBTitle:</b> crystal structure of a cysteine synthase from brucella suis
103	<a href="#">d1piwa2</a>	Alignment	not modelled	57.2	17 <b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Alcohol dehydrogenase-like, C-terminal domain
104	<a href="#">c6bc3A</a>	Alignment	not modelled	56.8	30 <b>PDB header:</b> transferase/antibiotic <b>Chain:</b> A: <b>PDB Molecule:</b> aac 3-vi protein; <b>PDBTitle:</b> cryo x-ray structure of sisomicin bound aac-via
105	<a href="#">c2jwlB</a>	Alignment	not modelled	55.4	9 <b>PDB header:</b> membrane protein <b>Chain:</b> B: <b>PDB Molecule:</b> protein tolR; <b>PDBTitle:</b> solution structure of periplasmic domain of tolR from h.2 influenzae with sachs data
106	<a href="#">c5u18A</a>	Alignment	not modelled	54.9	27 <b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> n-3" methyltransferase; <b>PDBTitle:</b> crystal structure of a methyltransferase involved in the biosynthesis2 of gentamicin in complex with the geneticin
107	<a href="#">c5u3hA</a>	Alignment	not modelled	54.4	16 <b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> hmwp2 nonribosomal peptide synthetase; <b>PDBTitle:</b> solution structure of apo pcp1 from yersiniabactin synthetase
108	<a href="#">c3e4fB</a>	Alignment	not modelled	52.6	20 <b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> aminoglycoside n3-acetyltransferase; <b>PDBTitle:</b> crystal structure of ba2930- a putative aminoglycoside n3-2 acetyltransferase from bacillus anthracis
109	<a href="#">c6mn5A</a>	Alignment	not modelled	51.8	30 <b>PDB header:</b> transferase/antibiotic <b>Chain:</b> A: <b>PDB Molecule:</b> aminoglycoside n(3)-acetyltransferase, aac(3)-iva; <b>PDBTitle:</b> crystal structure of aminoglycoside acetyltransferase aac(3)-iva-2 h154a mutant, in complex with gentamicin c1a
110	<a href="#">c4z1oB</a>	Alignment	not modelled	51.2	16 <b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> phosphoribosyltransferase; <b>PDBTitle:</b> hypoxanthine-guanine-xanthine phosphoribosyltransferase (hxprt) from2 sulfolobus solfataricus in complex with alpha-3 phosphoribosylpyrophosphoric acid (prpp) and magnesium
111	<a href="#">c3ippA</a>	Alignment	not modelled	51.1	13 <b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> putative thiosulfate sulfurtransferase ynjE; <b>PDBTitle:</b> crystal structure of sulfur-free ynjE
112	<a href="#">d1pl8a2</a>	Alignment	not modelled	50.2	19 <b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Alcohol dehydrogenase-like, C-terminal domain
113	<a href="#">d2nyga1</a>	Alignment	not modelled	49.9	23 <b>Fold:</b> TTHA0583/YokD-like <b>Superfamily:</b> TTHA0583/YokD-like <b>Family:</b> Aminoglycoside 3-N-acetyltransferase-like
114	<a href="#">d1e3ja2</a>	Alignment	not modelled	49.3	13 <b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Alcohol dehydrogenase-like, C-terminal domain
115	<a href="#">d1llu2</a>	Alignment	not modelled	48.1	14 <b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Alcohol dehydrogenase-like, C-terminal domain
116	<a href="#">d1jvba2</a>	Alignment	not modelled	46.7	11 <b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Alcohol dehydrogenase-like, C-terminal domain
117	<a href="#">c2cw6B</a>	Alignment	not modelled	44.9	13 <b>PDB header:</b> lyase <b>Chain:</b> B: <b>PDB Molecule:</b> hydroxymethylglutaryl-coa lyase, mitochondrial; <b>PDBTitle:</b> crystal structure of human hmg-coa lyase: insights into2 catalysis and the molecular basis for3 hydroxymethylglutaric aciduria
118	<a href="#">d1iz0a2</a>	Alignment	not modelled	44.1	15 <b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Alcohol dehydrogenase-like, C-terminal domain
119	<a href="#">c3eegB</a>	Alignment	not modelled	42.9	16 <b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> 2-isopropylmalate synthase; <b>PDBTitle:</b> crystal structure of a 2-isopropylmalate synthase from2 cytophaga hutchinsonii
120	<a href="#">c4k2bA</a>	Alignment	not modelled	42.4	20 <b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> ntd biosynthesis operon protein ntDa; <b>PDBTitle:</b> crystal structure of ntDa from bacillus subtilis in complex with the2 internal aldimine