























# Phyre2

Email	mdejesus@rockefeller.edu
Description	RVBD0303 (-) _365234_366142
Date	Tue Jul 23 14:50:37 BST 2019
Unique Job ID	52bfd057df78667b

Detailed template information

#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">d1n5da_</a>	 Alignment		100.0	23	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
2	<a href="#">d1wmaa1</a>	 Alignment		100.0	21	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
3	<a href="#">c5ldgA_</a>	 Alignment		100.0	18	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> (-)-isopiperitenone reductase; <b>PDBTitle:</b> isopiperitenone reductase from mentha piperita in complex with2 isopiperitenone and nadp
4	<a href="#">c3rd5A_</a>	 Alignment		100.0	23	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> myppaa.01249.c; <b>PDBTitle:</b> crystal structure of a putative uncharacterized protein from2 mycobacterium paratuberculosis
5	<a href="#">d1w6ua_</a>	 Alignment		100.0	18	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
6	<a href="#">c4fn4A_</a>	 Alignment		100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> short chain dehydrogenase; <b>PDBTitle:</b> short-chain nad(h)-dependent dehydrogenase/reductase from sulfolobus2 acidocaldarius
7	<a href="#">c3o26A_</a>	 Alignment		100.0	21	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> salutaridine reductase; <b>PDBTitle:</b> the structure of salutaridine reductase from papaver somniferum.
8	<a href="#">d2bgka1</a>	 Alignment		100.0	19	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
9	<a href="#">d1yxma1</a>	 Alignment		100.0	17	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
10	<a href="#">c4fc6B_</a>	 Alignment		100.0	22	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> peroxisomal 2,4-dienoyl-coa reductase; <b>PDBTitle:</b> studies on dcr shed new light on peroxisomal beta-oxidation: crystal2 structure of the ternary complex of pdcr
11	<a href="#">d2ae2a_</a>	 Alignment		100.0	16	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases

12	<a href="#">c3toxG_</a>	Alignment		100.0	20	<b>PDB header:</b> oxidoreductase <b>Chain:</b> G: <b>PDB Molecule:</b> short chain dehydrogenase; <b>PDBTitle:</b> crystal structure of a short chain dehydrogenase in complex with2 nad(p) from sinorhizobium meliloti 1021
13	<a href="#">c6ci9D_</a>	Alignment		100.0	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> 3-oxoacyl-[acyl-carrier-protein] reductase; <b>PDBTitle:</b> rmm microcompartment-associated aminopropanol dehydrogenase nadp +2 aminoacetone holo-structure
14	<a href="#">c3ioyB_</a>	Alignment		100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> short-chain dehydrogenase/reductase sdr; <b>PDBTitle:</b> structure of putative short-chain dehydrogenase (saro_0793) from2 novosphingobium aromaticivorans
15	<a href="#">c5ojgB_</a>	Alignment		100.0	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> dehydrogenase/reductase sdr family member 4; <b>PDBTitle:</b> crystal strcture of the dehydrogenase/reductase sdr family member 42 (dhrs4) from caenorhabditis elegans
16	<a href="#">c4trrH_</a>	Alignment		100.0	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> H: <b>PDB Molecule:</b> putative d-beta-hydroxybutyrate dehydrogenase; <b>PDBTitle:</b> crystal structure of a putative putative d-beta-hydroxybutyrate2 dehydrogenase from burkholderia cenocepacia j2315
17	<a href="#">c5ig2B_</a>	Alignment		100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> short-chain dehydrogenase/reductase sdr; <b>PDBTitle:</b> crystal structure of a short chain dehydrogenase/reductase sdr from2 burkholderia phymatum in complex with nad
18	<a href="#">c5epoD_</a>	Alignment		100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> 7-alpha-hydroxysteroid dehydrogenase; <b>PDBTitle:</b> the three-dimensional structure of clostridium absonum 7alpha-2 hydroxysteroid dehydrogenase
19	<a href="#">c2zatC_</a>	Alignment		100.0	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> dehydrogenase/reductase sdr family member 4; <b>PDBTitle:</b> crystal structure of a mammalian reductase
20	<a href="#">c4nqzF_</a>	Alignment		100.0	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> F: <b>PDB Molecule:</b> enoyl-[acyl-carrier-protein] reductase [nadh] fabi; <b>PDBTitle:</b> crystal structure of the pseudomonas aeruginosa enoyl-acyl carrier2 protein reductase (fabi) in apo form
21	<a href="#">d1iy8a_</a>	Alignment	not modelled	100.0	15	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
22	<a href="#">c6ixjK_</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> cytosolic protein <b>Chain:</b> K: <b>PDB Molecule:</b> sulfoacetaldehyde reductase; <b>PDBTitle:</b> the crystal structure of sulfoacetaldehyde reductase from klebsiella2 oxytoca
23	<a href="#">c3rihB_</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> short chain dehydrogenase or reductase; <b>PDBTitle:</b> crystal structure of a putative short chain dehydrogenase or reductase2 from mycobacterium abscessus
24	<a href="#">c4urfB_</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> cyclohexanol dehydrogenase; <b>PDBTitle:</b> molecular genetic and crystal structural analysis of 1-(4-2 hydroxyphenyl)-ethanol dehydrogenase from aromatoleum aromaticum ebn1
25	<a href="#">c3lf2B_</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> short chain oxidoreductase q9hya2; <b>PDBTitle:</b> nadph bound structure of the short chain oxidoreductase q9hya2 from2 pseudomonas aeruginosa pao1 containing an atypical catalytic center
26	<a href="#">c5x8hA_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> short-chain dehydrogenase reductase; <b>PDBTitle:</b> crystal structure of the ketone reductase chkred20 from the genome of2 chryseobacterium sp. ca49
27	<a href="#">c5h5xH_</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> H: <b>PDB Molecule:</b> putative oxidoreductase; <b>PDBTitle:</b> crystal structure of nadh bound carbonyl reductase from streptomyces2 coelicolor
28	<a href="#">c4dqxB_</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> probable oxidoreductase protein; <b>PDBTitle:</b> crystal structure of a short chain dehydrogenase from

						rhizobium eti2 cfn 42
29	<a href="#">c3rkuC_</a>	Alignment	not modelled	100.0	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> oxidoreductase ymr226c; <b>PDBTitle:</b> substrate fingerprint and the structure of nadp+ dependent serine2 dehydrogenase from saccharomyces cerevisiae complexed with nadp+
30	<a href="#">c4egfA_</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> l-xylulose reductase; <b>PDBTitle:</b> crystal structure of a l-xylulose reductase from mycobacterium2 smegmatis
31	<a href="#">c3wtcB_</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> putative oxidoreductase; <b>PDBTitle:</b> crystal structure of gox2036
32	<a href="#">c6d9yB_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> short-chain dehydrogenase/reductase sdr; <b>PDBTitle:</b> crystal structure of a short chain dehydrogenase/reductase sdr from2 burkholderia phymatum with partially occupied nad
33	<a href="#">c4lvuB_</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> oxidoreductase, short chain dehydrogenase/reductase family; <b>PDBTitle:</b> crystal structure of a putative short chain dehydrogenase from2 burkholderia thailandensis
34	<a href="#">c4wuvB_</a>	Alignment	not modelled	100.0	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 2-hydroxycyclohexanecarboxyl-coa dehydrogenase; <b>PDBTitle:</b> crystal structure of a putative d-mannonate oxidoreductase from2 haemophilus influenza (avi_5165, target efi-513796) with bound nad
35	<a href="#">c3t7cC_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> carveol dehydrogenase; <b>PDBTitle:</b> crystal structure of carveol dehydrogenase from mycobacterium avium2 bound to nad
36	<a href="#">c5k9zB_</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> putative short-chain dehydrogenase/reductase; <b>PDBTitle:</b> crystal structure of putative short-chain dehydrogenase/reductase from2 burkholderia xenovorans lb400
37	<a href="#">d1fmca_</a>	Alignment	not modelled	100.0	17	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
38	<a href="#">c2c07A_</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-oxoacyl-(acyl-carrier protein) reductase; <b>PDBTitle:</b> oxoacyl-acyl reductase of plasmodium falciparum
39	<a href="#">d2c07a1</a>	Alignment	not modelled	100.0	15	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
40	<a href="#">d1xkqa_</a>	Alignment	not modelled	100.0	14	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
41	<a href="#">c31ljB_</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> oxidoreductase, short chain dehydrogenase/reductase family; <b>PDBTitle:</b> structure of a putative short chain dehydrogenase from pseudomonas2 syringae
42	<a href="#">c4nbvA_</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-oxoacyl-[acyl-carrier-protein] reductase <b>PDBTitle:</b> crystal structure of fabg from cupriavidus taiwanensis
43	<a href="#">c3svtA_</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> short-chain type dehydrogenase/reductase; <b>PDBTitle:</b> structure of a short-chain type dehydrogenase/reductase from2 mycobacterium ulcerans
44	<a href="#">d1ae1a_</a>	Alignment	not modelled	100.0	17	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
45	<a href="#">c6f9qC_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> biosynthetic protein <b>Chain:</b> C: <b>PDB Molecule:</b> 7s-cis-cis-nepetalactol cyclase; <b>PDBTitle:</b> binary complex of a 7s-cis-cis-nepetalactol cyclase from nepeta2 mussinii with nad+
46	<a href="#">c2p68A_</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-oxoacyl-[acyl-carrier-protein] reductase; <b>PDBTitle:</b> crystal structure of aq_1716 from aquifex aeolicus vf5
47	<a href="#">c4weoD_</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> putative acetoin(diacetyl) reductase; <b>PDBTitle:</b> crystal structure of a putative acetoin(diacetyl) reductase2 burkholderia cenocepacia
48	<a href="#">c4afnB_</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 3-oxoacyl-[acyl-carrier-protein] reductase fabg; <b>PDBTitle:</b> crystal structure of 3-ketoacyl-(acyl-carrier-protein) reductase2 (fabg) from pseudomonas aeruginosa at 2.3a resolution
49	<a href="#">d1xhla_</a>	Alignment	not modelled	100.0	13	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
50	<a href="#">c3k31B_</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> enoyl-(acyl-carrier-protein) reductase; <b>PDBTitle:</b> crystal structure of enoyl-(acyl-carrier-protein) reductase from2 anaplasma phagocytophilum in complex with nad at 1.9a resolution
51	<a href="#">c3o38D_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> short chain dehydrogenase; <b>PDBTitle:</b> crystal structure of a short chain dehydrogenase from mycobacterium2 smegmatis
						<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> fabg protein;

52	<a href="#">c4jroC_</a>	Alignment	not modelled	100.0	17	<b>PDBTitle:</b> crystal structure of 3-oxoacyl-[acyl-carrier protein]reductase (fabg)2 from listeria monocytogenes in complex with nadp+
53	<a href="#">c4gh5B_</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> short-chain dehydrogenase/reductase sdr; <b>PDBTitle:</b> crystal structure of s-2-hydroxypropyl coenzyme m dehydrogenase (s-2 hpcdh)
54	<a href="#">c3tzqD_</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> short-chain type dehydrogenase/reductase; <b>PDBTitle:</b> crystal structure of a short-chain type dehydrogenase/reductase from2 mycobacterium marinum
55	<a href="#">c3ak4C_</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> nadh-dependent quinuclidinone reductase; <b>PDBTitle:</b> crystal structure of nadh-dependent quinuclidinone reductase from2 agrobacterium tumefaciens
56	<a href="#">c4imrA_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-oxoacyl-(acyl-carrier-protein) reductase; <b>PDBTitle:</b> crystal structure of 3-oxoacyl (acyl-carrier-protein) reductase2 (target efi-506442) from agrobacterium tumefaciens c58 with nadp3 bound
57	<a href="#">c5jy1C_</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> putative short-chain dehydrogenase/reductase; <b>PDBTitle:</b> crystal structure of putative short-chain dehydrogenase/reductase from2 burkholderia xenovorans lb400 bound to nad
58	<a href="#">c4iboA_</a>	Alignment	not modelled	100.0	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> gluconate dehydrogenase; <b>PDBTitle:</b> crystal structure of a putative gluconate dehydrogenase from2 agrobacterium tumefaciens (target efi-506446)
59	<a href="#">c3cxtA_</a>	Alignment	not modelled	100.0	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> dehydrogenase with different specificities; <b>PDBTitle:</b> quaternary complex structure of gluconate 5-dehydrogenase from2 streptococcus suis type 2
60	<a href="#">d1zema1</a>	Alignment	not modelled	100.0	15	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
61	<a href="#">d1hxha_</a>	Alignment	not modelled	100.0	18	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
62	<a href="#">d1oaaa_</a>	Alignment	not modelled	100.0	17	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
63	<a href="#">d1edoa_</a>	Alignment	not modelled	100.0	15	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
64	<a href="#">c4j2hA_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> short chain alcohol dehydrogenase-related dehydrogenase; <b>PDBTitle:</b> crystal structure of a putative short-chain alcohol dehydrogenase from2 sinorhizobium meliloti 1021 (target nysgrc-011708)
65	<a href="#">d1xsea_</a>	Alignment	not modelled	100.0	15	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
66	<a href="#">c2qq5A_</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> dehydrogenase/reductase sdr family member 1; <b>PDBTitle:</b> crystal structure of human sdr family member 1
67	<a href="#">c5ff9C_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> noroxomaritidine/norcraugsodine reductase; <b>PDBTitle:</b> noroxomaritidine/norcraugsodine reductase in complex with nadp+ and2 tyramine
68	<a href="#">c3gvcB_</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> probable short-chain type dehydrogenase/reductase; <b>PDBTitle:</b> crystal structure of probable short-chain dehydrogenase-reductase from2 mycobacterium tuberculosis
69	<a href="#">d1bdba_</a>	Alignment	not modelled	100.0	13	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
70	<a href="#">c3imfA_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> short chain dehydrogenase; <b>PDBTitle:</b> 1.99 angstrom resolution crystal structure of a short chain2 dehydrogenase from bacillus anthracis str. 'ames ancestor'
71	<a href="#">d1xg5a_</a>	Alignment	not modelled	100.0	14	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
72	<a href="#">c3rkrC_</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> short chain oxidoreductase; <b>PDBTitle:</b> crystal structure of a metagenomic short-chain oxidoreductase (sdr) in2 complex with nadp
73	<a href="#">c3pk0B_</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> short-chain dehydrogenase/reductase sdr; <b>PDBTitle:</b> crystal structure of short-chain dehydrogenase/reductase sdr from2 mycobacterium smegmatis
74	<a href="#">c3ai3A_</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> nadh-ph-sorbose reductase; <b>PDBTitle:</b> the crystal structure of l-sorbose reductase from gluconobacter2 frateurii complexed with nadph and l-sorbose
75	<a href="#">d1k2wa_</a>	Alignment	not modelled	100.0	17	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
76	<a href="#">c5u9nB_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> gluconate 5-dehydrogenase;

76	<a href="#">c3u9pb</a>	Alignment	not modelled	100.0	17	<b>PDBTitle:</b> crystal structure of a gluconate 5-dehydrogenase from burkholderia2 cenocepacia j2315 in complex with nadp and tartrate
77	<a href="#">d1jtva</a>	Alignment	not modelled	100.0	19	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
78	<a href="#">c1fdvA</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> dehydrogenase <b>Chain:</b> A: <b>PDB Molecule:</b> 17-beta-hydroxysteroid dehydrogenase; <b>PDBTitle:</b> human 17-beta-hydroxysteroid-dehydrogenase type 1 mutant h221f2 complexed with nad+
79	<a href="#">c4g81A</a>	Alignment	not modelled	100.0	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> putative hexonate dehydrogenase; <b>PDBTitle:</b> crystal structure of a hexonate dehydrogenase ortholog (target efi-2 506402 from salmonella enterica, unliganded structure
80	<a href="#">c4npcA</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> sorbitol dehydrogenase; <b>PDBTitle:</b> crystal structure of an oxidoreductase, short-chain2 dehydrogenase/reductase family protein from brucella suis
81	<a href="#">d1geea</a>	Alignment	not modelled	100.0	19	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
82	<a href="#">c4cr8D</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> n-acylmannosamine 1-dehydrogenase; <b>PDBTitle:</b> crystal structure of the n-acetyl-d-mannosamine dehydrogenase2 with nad
83	<a href="#">c4z0tA</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> oxidoreductase, short-chain dehydrogenase/reductase family; <b>PDBTitle:</b> crystal structure of a putative oxoacyl-(acyl carrier protein)2 reductase from brucella ovis
84	<a href="#">c5unlA</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-ketoacyl-acp reductase; <b>PDBTitle:</b> crystal structure of a d-beta-hydroxybutyrate dehydrogenase from2 burkholderia multivorans
85	<a href="#">d1x1ta1</a>	Alignment	not modelled	100.0	17	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
86	<a href="#">c2pd6D</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> estradiol 17-beta-dehydrogenase 8; <b>PDBTitle:</b> structure of human hydroxysteroid dehydrogenase type 8, hsd17b8
87	<a href="#">d1hdca</a>	Alignment	not modelled	100.0	18	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
88	<a href="#">c1w4zA</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> antibiotic biosynthesis <b>Chain:</b> A: <b>PDB Molecule:</b> ketoacyl reductase; <b>PDBTitle:</b> structure of actinorhodin polyketide (actiii) reductase
89	<a href="#">d1q7ba</a>	Alignment	not modelled	100.0	18	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
90	<a href="#">d2ew8a1</a>	Alignment	not modelled	100.0	22	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
91	<a href="#">c6ds1C</a>	Alignment	not modelled	100.0	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> putative oxidoreductase; <b>PDBTitle:</b> crystal structure of cj0485 dehydrogenase in complex with nadp+
92	<a href="#">c4o5oA</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-hydroxyacyl-coa dehydrogenase; <b>PDBTitle:</b> x-ray crystal structure of a 3-hydroxyacyl-coa dehydrogenase from2 brucella suis
93	<a href="#">c2cfcB</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 2-(r)-hydroxypropyl-com dehydrogenase; <b>PDBTitle:</b> structural basis for stereo selectivity in the (r)- and2 (s)-hydroxypropylethane thiosulfonate dehydrogenases
94	<a href="#">d1y5ma1</a>	Alignment	not modelled	100.0	15	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
95	<a href="#">c4kzpC</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> oxidoreductase, short chain dehydrogenase/reductase family <b>PDBTitle:</b> crystal structure of a putative short chain dehydrogenase from2 mycobacterium smegmatis
96	<a href="#">d2rhca1</a>	Alignment	not modelled	100.0	22	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
97	<a href="#">c3grkE</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> E: <b>PDB Molecule:</b> enoyl-(acyl-carrier-protein) reductase (nadh); <b>PDBTitle:</b> crystal structure of short chain dehydrogenase reductase2 sdr glucose-ribitol dehydrogenase from brucella melitensis
98	<a href="#">d1zk4a1</a>	Alignment	not modelled	100.0	16	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
99	<a href="#">c2jahB</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> clavulanic acid dehydrogenase; <b>PDBTitle:</b> biochemical and structural analysis of the clavulanic acid2 dehydrogenase (cad) from streptomyces clavuligerus
100	<a href="#">c3lylB</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 3-oxoacyl-(acyl-carrier-protein) reductase; <b>PDBTitle:</b> structure of 3-oxoacyl-acylcarrier protein reductase, fabg2 from francisella tularensis
101	<a href="#">c5itvC</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> dihydroantcapsin 7-dehydrogenase; <b>PDBTitle:</b> crystal structure of bacillus subtilis bacc dihydroantcapsin 7-2 dehydrogenase in complex with nadh

102	<a href="#">c3ppiA_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-hydroxyacyl-coa dehydrogenase type-2; <b>PDBTitle:</b> crystal structure of 3-hydroxyacyl-coa dehydrogenase type-2 from2 mycobacterium avium
103	<a href="#">c3awdD_</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> putative polyol dehydrogenase; <b>PDBTitle:</b> crystal structure of gox2181
104	<a href="#">c3tscB_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> putative oxidoreductase; <b>PDBTitle:</b> crystal structure of short chain dehydrogenase map_2410 from2 mycobacterium paratuberculosis bound to nad
105	<a href="#">d1zbqa1</a>	Alignment	not modelled	100.0	16	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
106	<a href="#">c1zbqB_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 17-beta-hydroxysteroid dehydrogenase 4; <b>PDBTitle:</b> crystal structure of human 17-beta-hydroxysteroid dehydrogenase type 42 in complex with nad
107	<a href="#">c2jyD_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> enoyl-[acyl-carrier-protein] reductase; <b>PDBTitle:</b> crystal structure of francisella tularensis enoyl reductase2 (ftfabi) with bound nad
108	<a href="#">c3iccA_</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> putative 3-oxoacyl-(acyl carrier protein) reductase; <b>PDBTitle:</b> crystal structure of a putative 3-oxoacyl-(acyl carrier protein)2 reductase from bacillus anthracis at 1.87 a resolution
109	<a href="#">c5er6C_</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> oxidoreductase, short chain dehydrogenase/reductase family; <b>PDBTitle:</b> crystal structure of an oxidoreductase from brucella ovis
110	<a href="#">c4yacA_</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> c alpha-dehydrogenase; <b>PDBTitle:</b> crystal structure of ligo in complex with nadh from sphingobium sp.2 strain syk-6
111	<a href="#">d2o23a1</a>	Alignment	not modelled	100.0	18	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
112	<a href="#">c5o98A_</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> alcohol dehydrogenase 1; <b>PDBTitle:</b> binary complex of catharanthus roseus vitrosamine synthase with nadp+
113	<a href="#">c2uvdE_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> E: <b>PDB Molecule:</b> 3-oxoacyl-(acyl-carrier-protein) reductase; <b>PDBTitle:</b> the crystal structure of a 3-oxoacyl-(acyl carrier protein) reductase2 from bacillus anthracis (ba3989)
114	<a href="#">c3jirF_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> F: <b>PDB Molecule:</b> oxidoreductase, short chain dehydrogenase/reductase family; <b>PDBTitle:</b> 2.05 angstrom resolution crystal structure of a short chain2 dehydrogenase from bacillus anthracis str. 'ames ancestor' in complex3 with nad+
115	<a href="#">d1xu9a_</a>	Alignment	not modelled	100.0	15	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
116	<a href="#">c4m8sB_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> putative 3-oxoacyl-[acyl-carrier protein] reductase; <b>PDBTitle:</b> crystal structure of 3-ketoacyl -(acyl carrier protein) reductase2 (fabg) from neisseria meningitidis
117	<a href="#">c4mowB_</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> glucose 1-dehydrogenase; <b>PDBTitle:</b> crystal structure of a putative glucose 1-dehydrogenase from2 burkholderia cenocepacia j2315
118	<a href="#">c3nugA_</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-oxoacyl-(acyl-carrier protein) reductase; <b>PDBTitle:</b> crystal structure of wild type tetrameric pyridoxal 4-dehydrogenase2 from mesorhizobium loti
119	<a href="#">c5jc8C_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> putative short-chain dehydrogenase/reductase; <b>PDBTitle:</b> crystal structure of a putative short-chain dehydrogenase/reductase2 from burkholderia xenovorans
120	<a href="#">c4nbrA_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> hypothetical 3-oxoacyl-(acyl-carrier protein) reductase; <b>PDBTitle:</b> crystal structure of 3-oxoacyl-[acyl-carrier protein] reductase from2 brucella melitensis atcc 23457