

# Phyre<sup>2</sup>

Email	mdejesus@rockefeller.edu
Description	RVBD0312_(-)_380556_382418
Date	Tue Jul 23 14:50:38 BST 2019
Unique Job ID	eb6b2c294676c17f

Detailed template information

#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">c3d2fc</a>			100.0	21	<b>PDB header:</b> chaperone <b>Chain:</b> C; <b>PDB Molecule:</b> heat shock protein homolog sse1; <b>PDBTitle:</b> crystal structure of a complex of sse1p and hsp70
2	<a href="#">c5mb9B</a>			100.0	21	<b>PDB header:</b> chaperone <b>Chain:</b> B; <b>PDB Molecule:</b> putative heat shock protein; <b>PDBTitle:</b> crystal structure of the eukaryotic ribosome associated complex (rac),2 a unique hsp70/hsp40 pair
3	<a href="#">c5tkyA</a>			100.0	23	<b>PDB header:</b> chaperone <b>Chain:</b> A; <b>PDB Molecule:</b> putative uncharacterized protein; <b>PDBTitle:</b> crystal structure of the co-translational hsp70 chaperone ssb in the2 atp-bound, open conformation
4	<a href="#">c2v7yA</a>			100.0	21	<b>PDB header:</b> chaperone <b>Chain:</b> A; <b>PDB Molecule:</b> chaperone protein dnak; <b>PDBTitle:</b> crystal structure of the molecular chaperone dnak from2 geobacillus kaustophilus hta426 in post-atp hydrolysis3 state
5	<a href="#">c4j8fA</a>			100.0	21	<b>PDB header:</b> chaperone <b>Chain:</b> A; <b>PDB Molecule:</b> heat shock 70 kda protein 1a/1b, hsc70-interacting protein; <b>PDBTitle:</b> crystal structure of a fusion protein containing the nbd of hsp70 and2 the middle domain of hip
6	<a href="#">c3c7nB</a>			100.0	20	<b>PDB header:</b> chaperone/chaperone <b>Chain:</b> B; <b>PDB Molecule:</b> heat shock cognate; <b>PDBTitle:</b> structure of the hsp110:hsc70 nucleotide exchange complex
7	<a href="#">c2khoA</a>			100.0	22	<b>PDB header:</b> chaperone <b>Chain:</b> A; <b>PDB Molecule:</b> heat shock protein 70; <b>PDBTitle:</b> nmr-rdc / xray structure of e. coli hsp70 (dnak) chaperone (1-605)2 complexed with adp and substrate
8	<a href="#">c5e84B</a>			100.0	21	<b>PDB header:</b> chaperone <b>Chain:</b> B; <b>PDB Molecule:</b> 78 kda glucose-regulated protein; <b>PDBTitle:</b> atp-bound state of bip
9	<a href="#">c5obuA</a>			100.0	18	<b>PDB header:</b> chaperone <b>Chain:</b> A; <b>PDB Molecule:</b> chaperone protein dnak; <b>PDBTitle:</b> mycoplasma genitalium dnak deletion mutant lacking sbdalp in complex2 with amppnp.
10	<a href="#">c4gniA</a>			100.0	21	<b>PDB header:</b> chaperone <b>Chain:</b> A; <b>PDB Molecule:</b> putative heat shock protein; <b>PDBTitle:</b> structure of the ssz1 atpase bound to atp and magnesium
11	<a href="#">c4kboA</a>			100.0	24	<b>PDB header:</b> signaling protein <b>Chain:</b> A; <b>PDB Molecule:</b> stress-70 protein, mitochondrial; <b>PDBTitle:</b> crystal structure of the human mortalin (grp75) atpase domain in the2 apo form

12	<a href="#">c1dkgD</a>			100.0	23	<b>PDB header:</b> complex (hsp24/hsp70) <b>Chain:</b> D: <b>PDB Molecule:</b> molecular chaperone dnak; <b>PDBTitle:</b> crystal structure of the nucleotide exchange factor grpe2 bound to the atpase domain of the molecular chaperone dnak
13	<a href="#">c6gfaA</a>			100.0	22	<b>PDB header:</b> chaperone <b>Chain:</b> A: <b>PDB Molecule:</b> heat shock protein 105 kda; <b>PDBTitle:</b> structure of nucleotide binding domain of hsp110, atp and mg2+2 complexed
14	<a href="#">c1hpmA</a>			100.0	20	<b>PDB header:</b> hydrolase (acting on acid anhydrides) <b>Chain:</b> A: <b>PDB Molecule:</b> 44k atpase fragment (n-terminal) of 70 kd heat- <b>PDBTitle:</b> how potassium affects the activity of the molecular2 chaperone hsc70. ii. potassium binds specifically in the3 atpase active site
15	<a href="#">c3iucC</a>			100.0	22	<b>PDB header:</b> chaperone <b>Chain:</b> C: <b>PDB Molecule:</b> heat shock 70kda protein 5 (glucose-regulated <b>PDBTitle:</b> crystal structure of the human 70kda heat shock protein 52 (bip/grp78) atpase domain in complex with adp
16	<a href="#">c2v7za</a>			100.0	21	<b>PDB header:</b> chaperone <b>Chain:</b> A: <b>PDB Molecule:</b> heat shock cognate 71 kda protein; <b>PDBTitle:</b> crystal structure of the 70-kda heat shock cognate protein2 from rattus norvegicus in post-atp hydrolysis state
17	<a href="#">c4rtfD</a>			100.0	22	<b>PDB header:</b> chaperone <b>Chain:</b> D: <b>PDB Molecule:</b> chaperone protein dnak; <b>PDBTitle:</b> crystal structure of molecular chaperone dnak from mycobacterium2 tuberculosis h37rv
18	<a href="#">c4czeA</a>			100.0	16	<b>PDB header:</b> structural protein <b>Chain:</b> A: <b>PDB Molecule:</b> rod shape-determining protein mreb; <b>PDBTitle:</b> c. crescentus mreb, double filament, empty
19	<a href="#">c1jcgA</a>			100.0	16	<b>PDB header:</b> structural protein <b>Chain:</b> A: <b>PDB Molecule:</b> rod shape-determining protein mreb; <b>PDBTitle:</b> mreb from thermotoga maritima, amppnp
20	<a href="#">c5jygA</a>			100.0	17	<b>PDB header:</b> structural protein <b>Chain:</b> A: <b>PDB Molecule:</b> actin-like atpase; <b>PDBTitle:</b> cryo-em structure of the mamk filament at 6.5 a
21	<a href="#">c3h1lqB</a>		not modelled	100.0	20	<b>PDB header:</b> structural protein <b>Chain:</b> B: <b>PDB Molecule:</b> ethanolamine utilization protein eutj; <b>PDBTitle:</b> crystal structure of ethanolamine utilization protein eutj from2 carboxydotermus hydrogenoformans
22	<a href="#">c1e4gT</a>		not modelled	100.0	14	<b>PDB header:</b> bacterial cell division <b>Chain:</b> T: <b>PDB Molecule:</b> cell division protein ftsa; <b>PDBTitle:</b> ftsa (atp-bound form) from thermotoga maritima
23	<a href="#">c2d0oA</a>		not modelled	100.0	14	<b>PDB header:</b> chaperone <b>Chain:</b> A: <b>PDB Molecule:</b> diol dehydratase-reactivating factor large <b>PDBTitle:</b> strcutre of diol dehydratase-reactivating factor complexed2 with adp and mg2+
24	<a href="#">d1dkgd2</a>		not modelled	100.0	22	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Actin/HSP70
25	<a href="#">c1olf4</a>		not modelled	100.0	13	<b>PDB header:</b> contractile protein <b>Chain:</b> 4: <b>PDB Molecule:</b> skeletal muscle actin; <b>PDBTitle:</b> molecular models of averaged rigor crossbridges from tomograms of2 insect flight muscle
26	<a href="#">d1bupa2</a>		not modelled	100.0	22	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Actin/HSP70
27	<a href="#">d2e8aa2</a>		not modelled	100.0	24	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Actin/HSP70
28	<a href="#">c5afuB</a>		not modelled	100.0	14	<b>PDB header:</b> motor protein <b>Chain:</b> B: <b>PDB Molecule:</b> dynactin; <b>PDBTitle:</b> cryo-em structure of dynein tail-dynactin-bicd2n complex
						<b>PDB header:</b> structural protein

29	<a href="#">c4xe7A</a>	Alignment	not modelled	100.0	11	<b>PDB header:</b> protein fibril <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized protein; <b>PDBTitle:</b> bacillus thuringiensis parv in apo form
30	<a href="#">c6izrk</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> structural genomics <b>Chain:</b> K: <b>PDB Molecule:</b> putative plasmid segregation protein parv; <b>PDBTitle:</b> whole structure of a 15-stranded parv filament from clostridium2 botulinum
31	<a href="#">c3wqtB</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> structural protein <b>Chain:</b> B: <b>PDB Molecule:</b> cell division protein ftsa; <b>PDBTitle:</b> staphylococcus aureus ftsa complexed with amppnp
32	<a href="#">c1mwmA</a>	Alignment	not modelled	100.0	14	<b>PDB header:</b> structural protein <b>Chain:</b> A: <b>PDB Molecule:</b> parv; <b>PDBTitle:</b> parv from plasmid r1 adp form
33	<a href="#">c4jd2B</a>	Alignment	not modelled	99.9	15	<b>PDB header:</b> structural protein <b>Chain:</b> B: <b>PDB Molecule:</b> actin-related protein 2; <b>PDBTitle:</b> crystal structure of bos taurus arp2/3 complex binding with mus2 musculus gmf
34	<a href="#">c3dwIB</a>	Alignment	not modelled	99.9	15	<b>PDB header:</b> structural protein <b>Chain:</b> B: <b>PDB Molecule:</b> actin-related protein 3; <b>PDBTitle:</b> crystal structure of fission yeast arp2/3 complex lacking the arp22 subunit
35	<a href="#">c5eoxB</a>	Alignment	not modelled	99.9	19	<b>PDB header:</b> peptide binding protein <b>Chain:</b> B: <b>PDB Molecule:</b> type 4 fimbrial biogenesis protein pilm; <b>PDBTitle:</b> pseudomonas aeruginosa pilm bound to adp
36	<a href="#">d1jcea2</a>	Alignment	not modelled	99.9	17	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Actin/HSP70
37	<a href="#">c4pl7B</a>	Alignment	not modelled	99.9	15	<b>PDB header:</b> structural protein, contractile protein <b>Chain:</b> B: <b>PDB Molecule:</b> actin,thymosin beta-4; <b>PDBTitle:</b> structure of komagataella pastoris actin-thymosin beta4 hybrid
38	<a href="#">c2p9IA</a>	Alignment	not modelled	99.9	19	<b>PDB header:</b> structural protein <b>Chain:</b> A: <b>PDB Molecule:</b> actin-like protein 3; <b>PDBTitle:</b> crystal structure of bovine arp2/3 complex
39	<a href="#">c2fsnB</a>	Alignment	not modelled	99.9	17	<b>PDB header:</b> structural protein <b>Chain:</b> B: <b>PDB Molecule:</b> hypothetical protein ta0583; <b>PDBTitle:</b> crystal structure of ta0583, an archaeal actin homolog, complex with2 adp
40	<a href="#">d1jcea1</a>	Alignment	not modelled	99.9	19	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Actin/HSP70
41	<a href="#">c4apwH</a>	Alignment	not modelled	99.9	11	<b>PDB header:</b> structural protein <b>Chain:</b> H: <b>PDB Molecule:</b> alp12; <b>PDBTitle:</b> alp12 filament structure
42	<a href="#">d2e8aa1</a>	Alignment	not modelled	99.9	18	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Actin/HSP70
43	<a href="#">d1dkgd1</a>	Alignment	not modelled	99.9	23	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Actin/HSP70
44	<a href="#">d1bupa1</a>	Alignment	not modelled	99.9	20	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Actin/HSP70
45	<a href="#">c6gejR</a>	Alignment	not modelled	99.9	14	<b>PDB header:</b> nuclear protein <b>Chain:</b> R: <b>PDB Molecule:</b> actin-like protein arp6; <b>PDBTitle:</b> chromatin remodeller-nucleosome complex at 3.6 a resolution.
46	<a href="#">c3js6A</a>	Alignment	not modelled	99.9	17	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized parv protein; <b>PDBTitle:</b> crystal structure of apo psk41 parv protein
47	<a href="#">c4i6mA</a>	Alignment	not modelled	99.9	15	<b>PDB header:</b> transcription/hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> actin-related protein 7; <b>PDBTitle:</b> structure of arp7-arp9-snfr2(hsa)-rtt102 subcomplex of swi/snfr2 chromatin remodeler.
48	<a href="#">c2ychA</a>	Alignment	not modelled	99.9	19	<b>PDB header:</b> cell cycle <b>Chain:</b> A: <b>PDB Molecule:</b> competence protein pilm; <b>PDBTitle:</b> pilm-pilin type iv pilus biogenesis complex
49	<a href="#">d1e4ft2</a>	Alignment	not modelled	99.8	18	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Actin/HSP70
50	<a href="#">c3qb0C</a>	Alignment	not modelled	99.8	16	<b>PDB header:</b> structural protein <b>Chain:</b> C: <b>PDB Molecule:</b> actin-related protein 4; <b>PDBTitle:</b> crystal structure of actin-related protein arp4 from s. cerevisiae2 complexed with atp
51	<a href="#">d2zgya2</a>	Alignment	not modelled	99.8	17	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Actin/HSP70
52	<a href="#">c6etxH</a>	Alignment	not modelled	99.7	16	<b>PDB header:</b> dna binding protein <b>Chain:</b> H: <b>PDB Molecule:</b> actin-related protein 5; <b>PDBTitle:</b> cryo-em structure of the human ino80 complex bound to nucleosome
53	<a href="#">c4fo0A</a>	Alignment	not modelled	99.7	17	<b>PDB header:</b> gene regulation <b>Chain:</b> A: <b>PDB Molecule:</b> actin-related protein 8; <b>PDBTitle:</b> human actin-related protein arp8 in its atp-bound state
54	<a href="#">d1huxa</a>	Alignment	not modelled	99.7	18	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> BadF/BadG/BcrA/BcrD-like
55	<a href="#">c5aftl</a>	Alignment	not modelled	99.6	14	<b>PDB header:</b> motor protein <b>Chain:</b> J: <b>PDB Molecule:</b> actin related protein 11; <b>PDBTitle:</b> cryoem structure of dynactin complex at 4.0 angstrom2 resolution

56	<a href="#">d2fsja1</a>	Alignment	not modelled	99.6	19	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Ta0583-like
57	<a href="#">c4cj7B</a>	Alignment	not modelled	99.6	13	<b>PDB header:</b> structural protein <b>Chain:</b> B: <b>PDB Molecule:</b> actin/actin family protein; <b>PDBTitle:</b> structure of crenactin, an archeal actin-like protein
58	<a href="#">c6fhsl</a>	Alignment	not modelled	99.6	16	<b>PDB header:</b> dna binding protein <b>Chain:</b> J: <b>PDB Molecule:</b> arp5; <b>PDBTitle:</b> cryoem structure of ino80core
59	<a href="#">c4i6mB</a>	Alignment	not modelled	99.5	16	<b>PDB header:</b> transcription/hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> actin-like protein arp9; <b>PDBTitle:</b> structure of arp7-arp9-snf2(hsa)-rtt102 subcomplex of swi/snf2 chromatin remodeler.
60	<a href="#">c3uleB</a>	Alignment	not modelled	99.5	21	<b>PDB header:</b> structural protein <b>Chain:</b> B: <b>PDB Molecule:</b> actin-related protein 2; <b>PDBTitle:</b> structure of bos taurus arp2/3 complex with bound inhibitor ck-869 and2 atp
61	<a href="#">c4am6A</a>	Alignment	not modelled	99.5	14	<b>PDB header:</b> nuclear protein <b>Chain:</b> A: <b>PDB Molecule:</b> actin-like protein arp8; <b>PDBTitle:</b> c-terminal domain of actin-related protein arp8 from s. cerevisiae
62	<a href="#">c6fmll</a>	Alignment	not modelled	99.4	15	<b>PDB header:</b> dna binding protein <b>Chain:</b> J: <b>PDB Molecule:</b> actin related protein 5; <b>PDBTitle:</b> cryoem structure ino80core nucleosome complex
63	<a href="#">d1nm1a2</a>	Alignment	not modelled	99.3	13	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Actin/HSP70
64	<a href="#">d2hf3a2</a>	Alignment	not modelled	99.3	13	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Actin/HSP70
65	<a href="#">d2fxua2</a>	Alignment	not modelled	99.3	15	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Actin/HSP70
66	<a href="#">c3gg4B</a>	Alignment	not modelled	99.2	16	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> the crystal structure of glycerol kinase from yersinia2 pseudotuberculosis
67	<a href="#">c4ehtA</a>	Alignment	not modelled	99.2	18	<b>PDB header:</b> electron transport <b>Chain:</b> A: <b>PDB Molecule:</b> activator of 2-hydroxyisocaproyl-coa dehydratase; <b>PDBTitle:</b> activator of the 2-hydroxyisocaproyl-coa dehydratase from clostridium2 difficile with bound adp
68	<a href="#">c2p9kB</a>	Alignment	not modelled	99.1	18	<b>PDB header:</b> structural protein <b>Chain:</b> B: <b>PDB Molecule:</b> actin-like protein 2; <b>PDBTitle:</b> crystal structure of bovine arp2/3 complex co-crystallized with atp2 and crosslinked with glutaraldehyde
69	<a href="#">d1yaga2</a>	Alignment	not modelled	99.0	16	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Actin/HSP70
70	<a href="#">c4xhpA</a>	Alignment	not modelled	99.0	11	<b>PDB header:</b> structural protein <b>Chain:</b> A: <b>PDB Molecule:</b> parm hybrid fusion protein; <b>PDBTitle:</b> bacillus thuringiensis parm hybrid protein with adp, containing two2 parm mutants
71	<a href="#">d1k8ka2</a>	Alignment	not modelled	98.9	15	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Actin/HSP70
72	<a href="#">d1k8kb1</a>	Alignment	not modelled	98.9	20	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Actin/HSP70
73	<a href="#">c2e2pA</a>	Alignment	not modelled	98.8	13	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> hexokinase; <b>PDBTitle:</b> crystal structure of sulfolobus tokodaii hexokinase in2 complex with adp
74	<a href="#">c3hz6A</a>	Alignment	not modelled	98.3	14	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> xylulokinase; <b>PDBTitle:</b> crystal structure of xylulokinase from chromobacterium violaceum
75	<a href="#">d2ewsa1</a>	Alignment	not modelled	98.3	14	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Fumble-like
76	<a href="#">c1nbwA</a>	Alignment	not modelled	98.3	19	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> glycerol dehydratase reactivase alpha subunit; <b>PDBTitle:</b> glycerol dehydratase reactivase
77	<a href="#">c6bqwH</a>	Alignment	not modelled	98.3	11	<b>PDB header:</b> cytosolic protein <b>Chain:</b> H: <b>PDB Molecule:</b> bacterial actin alfa; <b>PDBTitle:</b> alfa filament bound to amppnp
78	<a href="#">c2ap1A</a>	Alignment	not modelled	98.3	19	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> putative regulator protein; <b>PDBTitle:</b> crystal structure of the putative regulatory protein
79	<a href="#">c3ifrB</a>	Alignment	not modelled	98.2	18	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> carbohydrate kinase, fggy; <b>PDBTitle:</b> the crystal structure of xylulose kinase from rhodospirillum rubrum
80	<a href="#">c3wxib</a>	Alignment	not modelled	98.2	14	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> crystal structure of trypanosoma brucei gambiense glycerol kinase2 (ligand-free form)
81	<a href="#">c3gbtA</a>	Alignment	not modelled	98.1	14	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> gluconate kinase; <b>PDBTitle:</b> crystal structure of gluconate kinase from lactobacillus acidophilus
82	<a href="#">c3flrx</a>	Alignment	not modelled	98.1	17	<b>PDB header:</b> transferase <b>Chain:</b> X: <b>PDB Molecule:</b> glycerol kinase;

82	<a href="#">c2lca</a>	Alignment	not modelled	98.1	17	<b>PDBTitle:</b> crystal structure of the his-tagged h232r mutant of glycerol kinase2 from enterococcus casseliflavus with glycerol
83	<a href="#">d2d0oa3</a>	Alignment	not modelled	98.1	20	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ATPase domain of dehydratase reactivase alpha subunit
84	<a href="#">c2d4wA</a>	Alignment	not modelled	98.1	14	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> crystal structure of glycerol kinase from cellulomonas sp.2 nt3060
85	<a href="#">c5vm1A</a>	Alignment	not modelled	98.1	22	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> xylulokinase; <b>PDBTitle:</b> crystal structure of a xylose kinase from brucella ovis
86	<a href="#">d1nbwa3</a>	Alignment	not modelled	98.0	20	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ATPase domain of dehydratase reactivase alpha subunit
87	<a href="#">c2nlxA</a>	Alignment	not modelled	97.9	24	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> xylulose kinase; <b>PDBTitle:</b> crystal structure of the apo e. coli xylulose kinase
88	<a href="#">c5htxA</a>	Alignment	not modelled	97.9	23	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> putative xylulose kinase; <b>PDBTitle:</b> putative sugar kinases from arabidopsis thaliana in complex with adp
89	<a href="#">d1r59o2</a>	Alignment	not modelled	97.9	23	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Glycerol kinase
90	<a href="#">c4bc2A</a>	Alignment	not modelled	97.9	16	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> xylulose kinase; <b>PDBTitle:</b> crystal structure of human d-xylulokinase in complex with d-xylose and adenosine diphosphate
91	<a href="#">c2zf5O</a>	Alignment	not modelled	97.8	20	<b>PDB header:</b> transferase <b>Chain:</b> O: <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> crystal structure of highly thermostable glycerol kinase from a2 hyperthermophilic archaeon
92	<a href="#">c1zc6A</a>	Alignment	not modelled	97.8	15	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> probable n-acetylglucosamine kinase; <b>PDBTitle:</b> crystal structure of putative n-acetylglucosamine kinase from2 chromobacterium violaceum. northeast structural genomics target3 cvr23.
93	<a href="#">c1xupO</a>	Alignment	not modelled	97.8	21	<b>PDB header:</b> transferase <b>Chain:</b> O: <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> enterococcus casseliflavus glycerol kinase complexed with glycerol
94	<a href="#">c1t6dB</a>	Alignment	not modelled	97.8	10	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> exopolyphosphatase; <b>PDBTitle:</b> miras phasing of the aquifex aeolicus ppx/gppa phosphatase: crystal2 structure of the type ii variant
95	<a href="#">c5hv7A</a>	Alignment	not modelled	97.8	26	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> probable sugar kinase; <b>PDBTitle:</b> putative sugar kinases from synechococcus elongatus pcc7942 in complex2 with d-ribulose
96	<a href="#">c2dpnB</a>	Alignment	not modelled	97.8	22	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> crystal structure of the glycerol kinase from thermus2 thermophilus hb8
97	<a href="#">c3i8bA</a>	Alignment	not modelled	97.8	20	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> xylulose kinase; <b>PDBTitle:</b> the crystal structure of xylulose kinase from2 bifidobacterium adolescentis
98	<a href="#">c3g25B</a>	Alignment	not modelled	97.8	14	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> 1.9 angstrom crystal structure of glycerol kinase (glpk) from2 staphylococcus aureus in complex with glycerol.
99	<a href="#">d2p3ra2</a>	Alignment	not modelled	97.7	24	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Glycerol kinase
100	<a href="#">c2cgkB</a>	Alignment	not modelled	97.7	17	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> l-rhamnulose kinase; <b>PDBTitle:</b> crystal structure of l-rhamnulose kinase from escherichia coli in an2 open uncomplexed conformation.
101	<a href="#">c5ya2A</a>	Alignment	not modelled	97.7	21	<b>PDB header:</b> structural protein <b>Chain:</b> A: <b>PDB Molecule:</b> autoinducer-2 kinase; <b>PDBTitle:</b> crystal structure of lsrk-hpr complex with adp
102	<a href="#">c4e1jA</a>	Alignment	not modelled	97.7	21	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> crystal structure of glycerol kinase in complex with glycerol from2 sinorhizobium meliloti 1021
103	<a href="#">c3jvpA</a>	Alignment	not modelled	97.7	17	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> ribulokinase; <b>PDBTitle:</b> crystal structure of ribulokinase from bacillus halodurans
104	<a href="#">c2qm1D</a>	Alignment	not modelled	97.6	13	<b>PDB header:</b> transferase <b>Chain:</b> D: <b>PDB Molecule:</b> glucokinase; <b>PDBTitle:</b> crystal structure of glucokinase from enterococcus faecalis
105	<a href="#">c1qlbG</a>	Alignment	not modelled	97.6	23	<b>PDB header:</b> phosphotransferase <b>Chain:</b> G: <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> structure of the regulatory complex of escherichia coli iiglc with2 glycerol kinase
106	<a href="#">c5l9wb</a>	Alignment	not modelled	97.5	16	<b>PDB header:</b> ligase <b>Chain:</b> B: <b>PDB Molecule:</b> acetophenone carboxylase gamma subunit; <b>PDBTitle:</b> crystal structure of the apc core complex
107	<a href="#">c3vgkB</a>	Alignment	not modelled	97.5	21	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> glucokinase; <b>PDBTitle:</b> crystal structure of a rok family glucokinase from streptomyces2 griseus
108	<a href="#">c6d30A</a>	Alignment	not modelled	97.5	14	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> glucokinase;

100	<a href="#">c000M</a>	Alignment	not modelled	97.5	14	<b>PDBTitle:</b> crystal structure of glucokinase (nfhk) from naegleria fowleri
109	<a href="#">c4c23A</a>	Alignment	not modelled	97.5	17	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> l-fuculose kinase fuck; <b>PDBTitle:</b> l-fuculose kinase
110	<a href="#">c2w40C</a>	Alignment	not modelled	97.5	15	<b>PDB header:</b> transferase <b>Chain:</b> C: <b>PDB Molecule:</b> glycerol kinase, putative; <b>PDBTitle:</b> crystal structure of plasmodium falciparum glycerol kinase2 with bound glycerol
111	<a href="#">c4db3A</a>	Alignment	not modelled	97.5	15	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> n-acetyl-d-glucosamine kinase; <b>PDBTitle:</b> 1.95 angstrom resolution crystal structure of n-acetyl-d-glucosamine2 kinase from vibrio vulnificus.
112	<a href="#">c5m45K</a>	Alignment	not modelled	97.5	13	<b>PDB header:</b> ligase <b>Chain:</b> K: <b>PDB Molecule:</b> acetone carboxylase beta subunit; <b>PDBTitle:</b> structure of acetone carboxylase purified from xanthobacter2 autotrophicus
113	<a href="#">c1z6rC</a>	Alignment	not modelled	97.4	12	<b>PDB header:</b> transcription <b>Chain:</b> C: <b>PDB Molecule:</b> mlc protein; <b>PDBTitle:</b> crystal structure of mlc from escherichia coli
114	<a href="#">c4htIA</a>	Alignment	not modelled	97.4	18	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> beta-glucoside kinase; <b>PDBTitle:</b> Imo2764 protein, a putative n-acetylmannosamine kinase, from listeria2 monocytogenes
115	<a href="#">c3vovC</a>	Alignment	not modelled	97.4	20	<b>PDB header:</b> transferase <b>Chain:</b> C: <b>PDB Molecule:</b> glucokinase; <b>PDBTitle:</b> crystal structure of rok hexokinase from thermus thermophilus
116	<a href="#">c3ezwD</a>	Alignment	not modelled	97.4	21	<b>PDB header:</b> transferase <b>Chain:</b> D: <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> crystal structure of a hyperactive escherichia coli glycerol kinase2 mutant gly230 --> asp obtained using microfluidic crystallization3 devices
117	<a href="#">c2ch5D</a>	Alignment	not modelled	97.4	12	<b>PDB header:</b> transferase <b>Chain:</b> D: <b>PDB Molecule:</b> nagk protein; <b>PDBTitle:</b> crystal structure of human n-acetylglucosamine kinase in2 complex with n-acetylglucosamine
118	<a href="#">c5l9wB</a>	Alignment	not modelled	97.4	18	<b>PDB header:</b> ligase <b>Chain:</b> B: <b>PDB Molecule:</b> acetophenone carboxylase gamma subunit; <b>PDBTitle:</b> crystal structure of the apc core complex
119	<a href="#">d2fxua1</a>	Alignment	not modelled	97.3	12	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Actin/HSP70
120	<a href="#">c2aa4B</a>	Alignment	not modelled	97.3	19	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> putative n-acetylmannosamine kinase; <b>PDBTitle:</b> crystal structure of escherichia coli putative n-2 acetylmannosamine kinase, new york structural genomics3 consortium