























Phyre2

Email	mdejesus@rockefeller.edu
Description	RVBD0845 (-) _941193_942470
Date	Fri Jul 26 01:50:43 BST 2019
Unique Job ID	f2666c5c71878f99

Detailed template information

#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	c4ew8A_	 Alignment		100.0	20	PDB header: transferase Chain: A: PDB Molecule: sensor protein divl; PDBTitle: crystal structure of a c-terminal part of tyrosine kinase (divl) from2 caulobacter crescentus cb15 at 2.50 a resolution (psi community3 target, shapiro l.)
2	c2c2aA_	 Alignment		99.9	18	PDB header: transferase Chain: A: PDB Molecule: sensor histidine kinase; PDBTitle: structure of the entire cytoplasmic portion of a sensor2 histidine kinase protein
3	c3d36B_	 Alignment		99.9	18	PDB header: transferase/transferase inhibitor Chain: B: PDB Molecule: sporulation kinase b; PDBTitle: how to switch off a histidine kinase: crystal structure of2 geobacillus stearothermophilus kinb with the inhibitor sda
4	c4kp4B_	 Alignment		99.9	16	PDB header: transferase/signaling protein Chain: B: PDB Molecule: osmolarity sensor protein envz, histidine kinase; PDBTitle: deciphering cis-trans directionality and visualizing2 autophosphorylation in histidine kinases.
5	c4biyD_	 Alignment		99.9	17	PDB header: transferase Chain: D: PDB Molecule: sensor protein cpxa; PDBTitle: crystal structure of cpxahdc (monoclinic form 2)
6	c4u7nA_	 Alignment		99.9	16	PDB header: transferase Chain: A: PDB Molecule: histidine protein kinase sensor protein; PDBTitle: inactive structure of histidine kinase
7	c5idjA_	 Alignment		99.9	20	PDB header: transferase Chain: A: PDB Molecule: cell cycle histidine kinase ccka; PDBTitle: bifunctional histidine kinase ccka (domains dhp-ca) in complex with2 adp/mg2+
8	c4i5sA_	 Alignment		99.9	15	PDB header: transferase Chain: A: PDB Molecule: putative histidine kinase covs; vick-like protein; PDBTitle: structure and function of sensor histidine kinase
9	c3tz5A_	 Alignment		99.9	15	PDB header: transferase/transferase inhibitor Chain: A: PDB Molecule: [3-methyl-2-oxobutanoate dehydrogenase [lipoamide]] kinase, PDBTitle: crystal structure of branched-chain alpha-ketoacid dehydrogenase2 kinase/phenylbutyrate complex with adp
10	c2q8fA_	 Alignment		99.9	14	PDB header: transferase Chain: A: PDB Molecule: [pyruvate dehydrogenase [lipoamide]] kinase isozyme 1; PDBTitle: structure of pyruvate dehydrogenase kinase isoform 1
11	c1qjvA_	 Alignment		99.9	17	PDB header: transferase Chain: A: PDB Molecule: [3-methyl-2-oxobutanoate dehydrogenase [lipoamide]] kinase; PDBTitle: branched-chain alpha-ketoacid dehydrogenase kinase (bck) complexed with2 atp-gamma-s

12	c3d2rB_	Alignment		99.9	13	PDB header: transferase Chain: B: PDB Molecule: [pyruvate dehydrogenase [lipoamide]] kinase isozyme 4; PDBTitle: crystal structure of pyruvate dehydrogenase kinase isoform 4 in2 complex with adp
13	c4biuB_	Alignment		99.9	16	PDB header: transferase Chain: B: PDB Molecule: sensor protein cpxa; PDBTitle: crystal structure of cpxahdc (orthorhombic form 1)
14	c6dk8B_	Alignment		99.9	19	PDB header: signaling protein Chain: B: PDB Molecule: rets (regulator of exopolysaccharide and type iii PDBTitle: rets kinase region without cobalt
15	c3crlB_	Alignment		99.9	16	PDB header: transferase Chain: B: PDB Molecule: pyruvate dehydrogenase [lipoamide] kinase isozyme 2, PDBTitle: crystal structure of the pdhk2-l2 complex.
16	c4gczB_	Alignment		99.9	17	PDB header: signaling protein, de novo protein Chain: B: PDB Molecule: blue-light photoreceptor, sensor protein fixl; PDBTitle: structure of a blue-light photoreceptor
17	c1y8oA_	Alignment		99.9	12	PDB header: transferase Chain: A: PDB Molecule: [pyruvate dehydrogenase [lipoamide]] kinase isozyme 3; PDBTitle: crystal structure of the pdk3-l2 complex
18	c2bu8A_	Alignment		99.9	16	PDB header: transferase Chain: A: PDB Molecule: pyruvate dehydrogenase kinase isoenzyme 2; PDBTitle: crystal structures of human pyruvate dehydrogenase kinase 2 containing2 physiological and synthetic ligands
19	c4r39A_	Alignment		99.9	18	PDB header: transferase Chain: A: PDB Molecule: blue-light-activated histidine kinase 2; PDBTitle: histidine kinase domain from erythrobacter litoralis el346 blue-light2 activated histidine kinase
20	c3a0rA_	Alignment		99.9	14	PDB header: transferase Chain: A: PDB Molecule: sensor protein; PDBTitle: crystal structure of histidine kinase thka (tm1359) in complex with2 response regulator protein trra (tm1360)
21	c1b3qA_	Alignment	not modelled	99.9	15	PDB header: transferase Chain: A: PDB Molecule: protein (chemotaxis protein chea); PDBTitle: crystal structure of chea-289, a signal transducing histidine kinase
22	c3gieA_	Alignment	not modelled	99.8	20	PDB header: transferase Chain: A: PDB Molecule: sensor histidine kinase desk; PDBTitle: crystal structure of desk_h188e in complex with amp-pcp
23	d2c2aa2	Alignment	not modelled	99.8	19	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: Histidine kinase
24	c4gt8A_	Alignment	not modelled	99.8	29	PDB header: transferase Chain: A: PDB Molecule: sensor protein vras; PDBTitle: crystal structure of the catalytic and atp-binding domain from vras in2 complex with adp
25	c4fmtB_	Alignment	not modelled	99.8	14	PDB header: transferase Chain: B: PDB Molecule: chpt protein; PDBTitle: crystal structure of a chpt protein (cc_3470) from caulobacter2 crescentus cb15 at 2.30 a resolution
26	c5epvB_	Alignment	not modelled	99.8	11	PDB header: transferase Chain: B: PDB Molecule: blue-light-activated histidine kinase; PDBTitle: histidine kinase domain from the lov-hk blue-light receptor from2 brucella abortus
27	d1ysra1	Alignment	not modelled	99.8	19	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: Histidine kinase
28	c5idmA_	Alignment	not modelled	99.8	23	PDB header: transferase Chain: A: PDB Molecule: cell cycle histidine kinase ccka; PDBTitle: bifunctional histidine kinase ccka (domain, ca) in complex with c-di-2 gmp and amppnp/mg2+

29	c2ch4A	Alignment	not modelled	99.8	17	PDB header: transferase/chemotaxis Chain: A: PDB Molecule: chemotaxis protein chea; PDBTitle: complex between bacterial chemotaxis histidine kinase chea2 domains p4 and p5 and receptor-adaptor protein chew
30	c3a0tA	Alignment	not modelled	99.8	16	PDB header: transferase Chain: A: PDB Molecule: sensor protein; PDBTitle: catalytic domain of histidine kinase thka (tm1359) in complex with adp2 and mg ion (trigonal)
31	c6blkB	Alignment	not modelled	99.8	26	PDB header: transferase Chain: B: PDB Molecule: signal transduction histidine-protein kinase/phosphatase PDBTitle: mycobacterial sensor histidine kinase mprb
32	d1id0a	Alignment	not modelled	99.8	23	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: Histidine kinase
33	d1bxda	Alignment	not modelled	99.8	21	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: Histidine kinase
34	c4pl9A	Alignment	not modelled	99.8	18	PDB header: transferase Chain: A: PDB Molecule: ethylene receptor 1; PDBTitle: structure of the catalytic domain of etr1 from arabidopsis thaliana
35	c3sl2A	Alignment	not modelled	99.8	21	PDB header: transferase Chain: A: PDB Molecule: sensor histidine kinase yycg; PDBTitle: atp forms a stable complex with the essential histidine kinase walk2 (yycg) domain
36	d1gkza2	Alignment	not modelled	99.8	19	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: alpha-ketoacid dehydrogenase kinase, C-terminal domain
37	c4qpka	Alignment	not modelled	99.7	12	PDB header: signaling protein Chain: A: PDB Molecule: phosphotransferase; PDBTitle: 1.7 angstrom structure of a bacterial phosphotransferase
38	d1i58a	Alignment	not modelled	99.7	17	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: Histidine kinase
39	d1jm6a2	Alignment	not modelled	99.7	21	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: alpha-ketoacid dehydrogenase kinase, C-terminal domain
40	c4r3aA	Alignment	not modelled	99.7	21	PDB header: signaling protein Chain: A: PDB Molecule: blue-light-activated histidine kinase 2; PDBTitle: erythrobacter litoralis el346 blue-light activated histidine kinase
41	c6e95A	Alignment	not modelled	99.7	12	PDB header: signaling protein Chain: A: PDB Molecule: staphylococcus aureus agrc histidine kinase module fused to PDBTitle: chimeric structure of saccharomyces cerevisiae gcn4 leucine zipper2 fused to staphylococcus aureus agrc cytoplasmic histidine kinase3 module (dataset isotropically truncated by hkl2000)
42	c6nb0A	Alignment	not modelled	99.7	12	PDB header: transferase Chain: A: PDB Molecule: histidine kinase; PDBTitle: crystal structure of histidine kinase from burkholderia phymatum2 stm815
43	c3ehgA	Alignment	not modelled	99.7	24	PDB header: transferase Chain: A: PDB Molecule: sensor kinase (yocf protein); PDBTitle: crystal structure of the atp-binding domain of desk in complex with2 atp
44	c3jz3B	Alignment	not modelled	99.7	24	PDB header: transferase Chain: B: PDB Molecule: sensor protein qsec; PDBTitle: structure of the cytoplasmic segment of histidine kinase qsec
45	c3zxaA	Alignment	not modelled	99.6	30	PDB header: transferase Chain: A: PDB Molecule: hypoxia sensor histidine kinase response regulator dost; PDBTitle: crystal structure of the atp-binding domain of mycobacterium2 tuberculosis dost
46	c4ctiA	Alignment	not modelled	99.6	17	PDB header: signaling protein Chain: A: PDB Molecule: osmolarity sensor protein envz, af1503; PDBTitle: escherichia coli envz histidine kinase catalytic part fused to2 archaeoglobus fulgidus af1503 hamp domain
47	c3zxoB	Alignment	not modelled	99.5	32	PDB header: transferase Chain: B: PDB Molecule: redox sensor histidine kinase response regulator devs; PDBTitle: crystal structure of the mutant atp-binding domain of2 mycobacterium tuberculosis doss
48	d1r62a	Alignment	not modelled	99.5	18	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: Histidine kinase
49	c4bxiA	Alignment	not modelled	99.4	16	PDB header: atp-binding protein Chain: A: PDB Molecule: accessory gene regulator protein c; PDBTitle: crystal structure of atp binding domain of agrc from2 staphylococcus aureus
50	d2hkja3	Alignment	not modelled	99.3	17	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: DNA gyrase/MutL, N-terminal domain
51	d1th8a	Alignment	not modelled	99.2	22	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase

						Family: Histidine kinase
52	d1ixma	Alignment	not modelled	99.1	13	Fold: Sporulation response regulatory protein Spo0B Superfamily: Sporulation response regulatory protein Spo0B Family: Sporulation response regulatory protein Spo0B
53	c2zkbB	Alignment	not modelled	99.1	14	PDB header: isomerase Chain: B: PDB Molecule: type 2 dna topoisomerase 6 subunit b; PDBTitle: crystal structure of an intact type ii dna topoisomerase:2 insights into dna transfer mechanisms
54	c1mx0D	Alignment	not modelled	99.0	16	PDB header: isomerase Chain: D: PDB Molecule: type ii dna topoisomerase vi subunit b; PDBTitle: structure of topoisomerase subunit
55	c2q2eB	Alignment	not modelled	98.9	17	PDB header: isomerase Chain: B: PDB Molecule: type 2 dna topoisomerase 6 subunit b; PDBTitle: crystal structure of the topoisomerase vi holoenzyme from2 methanosarcina mazei
56	d1h7sa2	Alignment	not modelled	98.9	23	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: DNA gyrase/MutL, N-terminal domain
57	d1y8oa2	Alignment	not modelled	98.6	20	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: alpha-ketoacid dehydrogenase kinase, C-terminal domain
58	d1b63a2	Alignment	not modelled	98.5	23	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: DNA gyrase/MutL, N-terminal domain
59	c4geeA	Alignment	not modelled	98.5	20	PDB header: isomerase/isomerase inhibitor Chain: A: PDB Molecule: dna gyrase subunit b; PDBTitle: pyrrolopyrimidine inhibitors of dna gyrase b and topoisomerase iv,2 part i: structure guided discovery and optimization of dual targeting3 agents with potent, broad-spectrum enzymatic activity.
60	d1bknA2	Alignment	not modelled	98.5	23	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: DNA gyrase/MutL, N-terminal domain
61	c4b6cB	Alignment	not modelled	98.2	19	PDB header: isomerase Chain: B: PDB Molecule: dna gyrase subunit b,dna gyrase subunit b,dna gyrase PDBTitle: structure of the m. smegmatis gyrb atpase domain in complex with an2 aminopyrazinamide
62	c4emvA	Alignment	not modelled	98.2	17	PDB header: isomerase/isomerase inhibitor Chain: A: PDB Molecule: dna topoisomerase iv, b subunit; PDBTitle: crystal structure of a topoisomerase atp inhibitor
63	c1ea6A	Alignment	not modelled	98.2	33	PDB header: dna repair Chain: A: PDB Molecule: pms1 protein homolog 2; PDBTitle: n-terminal 40kda fragment of nhpms2 complexed with adp
64	c3na3A	Alignment	not modelled	98.1	18	PDB header: protein binding Chain: A: PDB Molecule: dna mismatch repair protein mlh1; PDBTitle: mutl protein homolog 1 isoform 1 from homo sapiens
65	c3h41B	Alignment	not modelled	98.1	25	PDB header: dna binding protein, protein binding Chain: B: PDB Molecule: dna mismatch repair protein pms1; PDBTitle: crystal structure of n terminal domain of a dna repair protein
66	c3ke6A	Alignment	not modelled	98.1	29	PDB header: unknown function Chain: A: PDB Molecule: protein rv1364c/mt1410; PDBTitle: the crystal structure of the rsbu and rsbw domains of rv1364c from2 mycobacterium tuberculosis
67	d1kija2	Alignment	not modelled	97.9	23	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: DNA gyrase/MutL, N-terminal domain
68	c5x9yC	Alignment	not modelled	97.9	31	PDB header: dna binding protein Chain: C: PDB Molecule: dna mismatch repair protein mutl; PDBTitle: crystal structure of the atpase domain from bacterial mismatch repair2 endonuclease aquifex aeolicus mutl.
69	d1ei1a2	Alignment	not modelled	97.8	17	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: DNA gyrase/MutL, N-terminal domain
70	d1s16a2	Alignment	not modelled	97.8	22	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: DNA gyrase/MutL, N-terminal domain
71	c1kijB	Alignment	not modelled	97.7	29	PDB header: isomerase Chain: B: PDB Molecule: dna gyrase subunit b; PDBTitle: crystal structure of the 43k atpase domain of thermus thermophilus2 gyrase b in complex with novobiocin
72	c1bknA	Alignment	not modelled	97.7	32	PDB header: dna repair Chain: A: PDB Molecule: mutl; PDBTitle: crystal structure of an n-terminal 40kd fragment of e. coli2 dna mismatch repair protein mutl
73	d1pvga2	Alignment	not modelled	97.7	16	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: DNA gyrase/MutL, N-terminal domain
74	c5j5pB	Alignment	not modelled	97.6	21	PDB header: isomerase/dna Chain: B: PDB Molecule: dna topoisomerase 4 subunit b; PDBTitle: amp-pnp-stabilized atpase domain of topoisomerase iv from2 streptococcus pneumoniae, complex type i

75	c5ix1A_	Alignment	not modelled	97.6	22	PDB header: transcription Chain: A: PDB Molecule: morc family cw-type zinc finger protein 3; PDBTitle: crystal structure of mouse morc3 atpase-cw cassette in complex with2 amppnp and h3k4me3 peptide
76	c1ei1B_	Alignment	not modelled	97.6	18	PDB header: isomerase Chain: B: PDB Molecule: dna gyrase b; PDBTitle: dimerization of e. coli dna gyrase b provides a structural mechanism2 for activating the atpase catalytic center
77	c3zm7E_	Alignment	not modelled	97.6	25	PDB header: isomerase Chain: E: PDB Molecule: dna gyrase subunit b; PDBTitle: crystal structure of the atpase region of mycobacterium2 tuberculosis gyrb with amppcp
78	c3g7bB_	Alignment	not modelled	97.6	17	PDB header: isomerase/isomerase inhibitor Chain: B: PDB Molecule: dna gyrase subunit b; PDBTitle: staphylococcus aureus gyrase b co-complex with methyl ({5-[4-(4-2 hydroxypiperidin-1-yl)-2-phenyl-1,3-thiazol-5-yl]-1h-pyrazol-3-3 yl}methyl)carbamate inhibitor
79	c4hymA_	Alignment	not modelled	97.5	24	PDB header: isomerase/isomerase inhibitor Chain: A: PDB Molecule: topoisomerase iv, subunit b; PDBTitle: pyrrolopyrimidine inhibitors of dna gyrase b and topoisomerase iv,2 part i: structure guided discovery and optimization of dual targeting3 agents with potent, broad-spectrum enzymatic activity.
80	c1s16B_	Alignment	not modelled	97.5	27	PDB header: isomerase Chain: B: PDB Molecule: topoisomerase iv subunit b; PDBTitle: crystal structure of e. coli topoisomerase iv pare 43kda subunit2 complexed with adppnp
81	c1zxnB_	Alignment	not modelled	97.3	15	PDB header: isomerase Chain: B: PDB Molecule: dna topoisomerase ii, alpha isozyne; PDBTitle: human dna topoisomerase iia atpase/adp
82	c4mt8A_	Alignment	not modelled	97.3	9	PDB header: transferase Chain: A: PDB Molecule: ethylene response sensor 1; PDBTitle: structure of the ers1 dimerization and histidine phosphotransfer2 domain from arabidopsis thaliana
83	c4ipeA_	Alignment	not modelled	97.3	30	PDB header: chaperone Chain: A: PDB Molecule: tnf receptor-associated protein 1; PDBTitle: crystal structure of mitochondrial hsp90 (trap1) with amppnp
84	c5ofbB_	Alignment	not modelled	97.2	26	PDB header: nuclear protein Chain: B: PDB Molecule: morc family cw-type zinc finger protein 2; PDBTitle: crystal structure of human morc2 (residues 1-603) with spinal muscular2 atrophy mutation s87l
85	d1s14a_	Alignment	not modelled	97.2	30	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: DNA gyrase/MutL, N-terminal domain
86	c1y4sA_	Alignment	not modelled	97.1	31	PDB header: chaperone Chain: A: PDB Molecule: chaperone protein htpg; PDBTitle: conformation rearrangement of heat shock protein 90 upon2 adp binding
87	d2c2aa1	Alignment	not modelled	97.1	10	Fold: ROP-like Superfamily: Homodimeric domain of signal transducing histidine kinase Family: Homodimeric domain of signal transducing histidine kinase
88	c5ukvA_	Alignment	not modelled	97.0	17	PDB header: transferase Chain: A: PDB Molecule: atp-binding protein; PDBTitle: dhp domain of phor of m. tuberculosis - semet
89	d1uyla_	Alignment	not modelled	96.9	20	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: Heat shock protein 90, HSP90, N-terminal domain
90	c2fwyA_	Alignment	not modelled	96.9	19	PDB header: chaperone Chain: A: PDB Molecule: heat shock protein hsp 90-alpha; PDBTitle: structure of human hsp90-alpha bound to the potent water2 soluble inhibitor pu-h64
91	c1qzrA_	Alignment	not modelled	96.8	18	PDB header: isomerase Chain: A: PDB Molecule: dna topoisomerase ii; PDBTitle: crystal structure of the atpase region of saccharomyces cerevisiae2 topoisomerase ii bound to icrf-187 (dexrazoxane)
92	c5tthA_	Alignment	not modelled	96.7	30	PDB header: chaperone Chain: A: PDB Molecule: c-terminal spycatcher fusion of wildtype zebrafish tnfr PDBTitle: heterodimeric spycatcher/spytag-fused zebrafish trap1 in atp/adp-2 hybrid state
93	c3lnuA_	Alignment	not modelled	96.7	27	PDB header: isomerase Chain: A: PDB Molecule: topoisomerase iv subunit b; PDBTitle: crystal structure of pare subunit
94	c3iedA_	Alignment	not modelled	96.7	25	PDB header: chaperone Chain: A: PDB Molecule: heat shock protein; PDBTitle: crystal structure of n-terminal domain of plasmodium falciparum hsp902 (pf14_0417) in complex with amppn
95	c4gfhA_	Alignment	not modelled	96.6	18	PDB header: isomerase/dna Chain: A: PDB Molecule: dna topoisomerase 2; PDBTitle: topoisomerase ii-dna-amppnp complex
96	c4j0bB_	Alignment	not modelled	96.6	28	PDB header: chaperone Chain: B: PDB Molecule: tnf receptor-associated protein 1; PDBTitle: structure of mitochondrial hsp90 (trap1) with adp-bef3
97	c2akpA_	Alignment	not modelled	96.6	34	PDB header: chaperone Chain: A: PDB Molecule: atp-dependent molecular chaperone hsp82; PDBTitle: hsp90 delta24-n210 mutant
98	c2iorA_	Alignment	not modelled	96.5	39	PDB header: chaperone Chain: A: PDB Molecule: chaperone protein htpg; PDBTitle: crystal structure of the n-terminal domain of htpg, the2 escherichia coli hsp90, bound to adp
						Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase

99	d1uyma_	Alignment	not modelled	96.4	21	Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: Heat shock protein 90, HSP90, N-terminal domain
100	c2iopD_	Alignment	not modelled	96.4	30	PDB header: chaperone Chain: D: PDB Molecule: chaperone protein htpg; PDBTitle: crystal structure of full-length htpg, the escherichia coli2 hsp90, bound to adp
101	c3omuB_	Alignment	not modelled	96.3	26	PDB header: chaperone Chain: B: PDB Molecule: heat shock protein 83; PDBTitle: crystal structure of the n-terminal domain of an hsp90 from2 trypanosoma brucei, tb10.26.1080 in the presence of a3 thienopyrimidine derivative
102	d1qy5a_	Alignment	not modelled	96.2	36	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: Heat shock protein 90, HSP90, N-terminal domain
103	c2o1uA_	Alignment	not modelled	96.1	34	PDB header: chaperone Chain: A: PDB Molecule: endoplasmic; PDBTitle: structure of full length grp94 with amp-pnp bound
104	c1zwhA_	Alignment	not modelled	96.0	28	PDB header: chaperone Chain: A: PDB Molecule: atp-dependent molecular chaperone hsp82; PDBTitle: yeast hsp82 in complex with the novel hsp90 inhibitor radester amine
105	d2iwxa1	Alignment	not modelled	96.0	28	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: Heat shock protein 90, HSP90, N-terminal domain
106	c5fwkA_	Alignment	not modelled	95.9	23	PDB header: signaling protein Chain: A: PDB Molecule: heat shock protein hsp 90 beta; PDBTitle: atomic cryoem structure of hsp90-cdc37-cdk4 complex
107	c2o1wB_	Alignment	not modelled	95.9	34	PDB header: chaperone Chain: B: PDB Molecule: endoplasmic; PDBTitle: structure of n-terminal plus middle domains (n+m) of grp94
108	c6gauB_	Alignment	not modelled	95.9	31	PDB header: dna binding protein Chain: B: PDB Molecule: dna gyrase subunit b,dna gyrase subunit a; PDBTitle: extremely 'open' clamp structure of dna gyrase: role of the2 corynebacteriales gyrb specific insert
109	c3pehB_	Alignment	not modelled	95.8	29	PDB header: chaperone Chain: B: PDB Molecule: endoplasmic homolog; PDBTitle: crystal structure of the n-terminal domain of an hsp90 from plasmodium2 falciparum, pfi1070c in the presence of a thienopyrimidine derivative
110	c2cg9A_	Alignment	not modelled	95.8	29	PDB header: chaperone Chain: A: PDB Molecule: atp-dependent molecular chaperone hsp82; PDBTitle: crystal structure of an hsp90-sba1 closed chaperone complex
111	d1joya_	Alignment	not modelled	95.7	8	Fold: ROP-like Superfamily: Homodimeric domain of signal transducing histidine kinase Family: Homodimeric domain of signal transducing histidine kinase
112	c5ulsA_	Alignment	not modelled	95.7	35	PDB header: chaperone Chain: A: PDB Molecule: endoplasmic; PDBTitle: structure of grp94 in the active conformation
113	d2gqpa1	Alignment	not modelled	95.6	32	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: Heat shock protein 90, HSP90, N-terminal domain
114	c3zrwB_	Alignment	not modelled	95.4	9	PDB header: signaling protein Chain: B: PDB Molecule: af1503 protein, osmolarity sensor protein envz; PDBTitle: the structure of the dimeric hamp-dhp fusion a291v mutant
115	c3cwwB_	Alignment	not modelled	94.1	9	PDB header: isomerase Chain: B: PDB Molecule: dna gyrase, b subunit, truncated; PDBTitle: crystal structure of b-subunit of the dna gyrase from myxococcus2 xanthus
116	c3lmmA_	Alignment	not modelled	92.2	27	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: uncharacterized protein; PDBTitle: crystal structure of the dip2311 protein from corynebacterium2 diphtheriae, northeast structural genomics consortium target cdr35
117	c4i3hA_	Alignment	not modelled	86.4	17	PDB header: isomerase/dna Chain: A: PDB Molecule: topoisomerase iv subunit b, dna topoisomerase 4 subunit a PDBTitle: a three-gate structure of topoisomerase iv from streptococcus2 pneumoniae
118	c3lmmB_	Alignment	not modelled	83.5	27	PDB header: structural genomics, unknown function Chain: B: PDB Molecule: uncharacterized protein; PDBTitle: crystal structure of the dip2311 protein from corynebacterium2 diphtheriae, northeast structural genomics consortium target cdr35
119	c6nukB_	Alignment	not modelled	49.5	17	PDB header: de novo protein Chain: B: PDB Molecule: ferredog-diesel; PDBTitle: de novo designed protein ferredog-diesel
120	c2mx4A_	Alignment	not modelled	46.9	50	PDB header: translation,protein binding Chain: A: PDB Molecule: eukaryotic translation initiation factor 4e-binding protein PDBTitle: nmr structure of phosphorylated 4e-bp2