























# Phyre2

Email	mdejesus@rockefeller.edu
Description	RVBD1144 (- )_1271161_1271913
Date	Wed Jul 31 22:05:23 BST 2019
Unique Job ID	fc9634bd449d3a24

Detailed template  
information

#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">c4xgnD_</a>	 Alignment		100.0	53	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> 3-hydroxyacyl-coa dehydrogenase; <b>PDBTitle:</b> crystal structure of 3-hydroxyacyl-coa dehydrogenase in complex with2 nad from burkholderia thailandensis
2	<a href="#">c3ppiA_</a>	 Alignment		100.0	45	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-hydroxyacyl-coa dehydrogenase type-2; <b>PDBTitle:</b> crystal structure of 3-hydroxyacyl-coa dehydrogenase type-2 from2 mycobacterium avium
3	<a href="#">d1uaya_</a>	 Alignment		100.0	59	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
4	<a href="#">c4o5oA_</a>	 Alignment		100.0	53	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-hydroxyacyl-coa dehydrogenase; <b>PDBTitle:</b> x-ray crystal structure of a 3-hydroxyacyl-coa dehydrogenase from2 brucella suis
5	<a href="#">d1e6wa_</a>	 Alignment		100.0	56	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
6	<a href="#">c4nncA_</a>	 Alignment		100.0	26	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> sorbitol dehydrogenase; <b>PDBTitle:</b> crystal structure of an oxidoreductase, short-chain2 dehydrogenase/reductase family protein from brucella suis
7	<a href="#">c5epoD_</a>	 Alignment		100.0	20	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> 7-alpha-hydroxysteroid dehydrogenase; <b>PDBTitle:</b> the three-dimensional structure of clostridium absonum 7alpha-2 hydroxysteroid dehydrogenase
8	<a href="#">c3rihB_</a>	 Alignment		100.0	21	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> short chain dehydrogenase or reductase; <b>PDBTitle:</b> crystal structure of a putative short chain dehydrogenase or reductase2 from mycobacterium abscessus
9	<a href="#">d1hdca_</a>	 Alignment		100.0	25	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
10	<a href="#">c4cr8D_</a>	 Alignment		100.0	24	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> n-acylmannosamine 1-dehydrogenase; <b>PDBTitle:</b> crystal structure of the n-acetyl-d-mannosamine dehydrogenase2 with nad
11	<a href="#">d1k2wa_</a>	 Alignment		100.0	23	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases

12	<a href="#">c6ci9D_</a>	Alignment		100.0	21	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> 3-oxoacyl-[acyl-carrier-protein] reductase; <b>PDBTitle:</b> rmm microcompartment-associated aminopropanol dehydrogenase nadp +2 aminoacetone holo-structure
13	<a href="#">c4urfB_</a>	Alignment		100.0	27	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> cyclohexanol dehydrogenase; <b>PDBTitle:</b> molecular genetic and crystal structural analysis of 1-(4-2 hydroxyphenyl)-ethanol dehydrogenase from aromatoleum aromaticum ebn1
14	<a href="#">c3tzqD_</a>	Alignment		100.0	24	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> short-chain type dehydrogenase/reductase; <b>PDBTitle:</b> crystal structure of a short-chain type dehydrogenase/reductase from2 mycobacterium marinum
15	<a href="#">c4nbvA_</a>	Alignment		100.0	29	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-oxoacyl-[acyl-carrier-protein] reductase putative short- <b>PDBTitle:</b> crystal structure of fabg from cupriavidus taiwanensis
16	<a href="#">c5idxB_</a>	Alignment		100.0	18	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> short-chain dehydrogenase/reductase sdr; <b>PDBTitle:</b> crystal structure of an oxidoreductase from burkholderia vietnamiensis
17	<a href="#">c6d9yB_</a>	Alignment		100.0	26	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> short-chain dehydrogenase/reductase sdr; <b>PDBTitle:</b> crystal structure of a short chain dehydrogenase/reductase sdr from2 burkholderia phymatum with partially occupied nad
18	<a href="#">c4egfA_</a>	Alignment		100.0	22	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> l-xylulose reductase; <b>PDBTitle:</b> crystal structure of a l-xylulose reductase from mycobacterium2 smegmatis
19	<a href="#">d1geea_</a>	Alignment		100.0	26	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
20	<a href="#">c3ak4C_</a>	Alignment		100.0	25	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> nadh-dependent quinuclidinone reductase; <b>PDBTitle:</b> crystal structure of nadh-dependent quinuclidinone reductase from2 agrobacterium tumefaciens
21	<a href="#">d1ydea1</a>	Alignment	not modelled	100.0	23	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
22	<a href="#">c5k9zB_</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> putative short-chain dehydrogenase/reductase; <b>PDBTitle:</b> crystal structure of putative short-chain dehydrogenase/reductase from2 burkholderia xenovorans lb400
23	<a href="#">c4afnB_</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 3-oxoacyl-[acyl-carrier-protein] reductase fabg; <b>PDBTitle:</b> crystal structure of 3-ketoacyl-(acyl-carrier-protein) reductase2 (fabg) from pseudomonas aeruginosa at 2.3a resolution
24	<a href="#">c3toxG_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> oxidoreductase <b>Chain:</b> G: <b>PDB Molecule:</b> short chain dehydrogenase; <b>PDBTitle:</b> crystal structure of a short chain dehydrogenase in complex with2 nad(p) from sinorhizobium meliloti 1021
25	<a href="#">c4dqxB_</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> probable oxidoreductase protein; <b>PDBTitle:</b> crystal structure of a short chain dehydrogenase from rhizobium etli2 cfn 42
26	<a href="#">d1q7ba_</a>	Alignment	not modelled	100.0	23	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
27	<a href="#">c3nugA_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-oxoacyl-(acyl-carrier protein) reductase; <b>PDBTitle:</b> crystal structure of wild type tetrameric pyridoxal 4-dehydrogenase2 from mesorhizobium loti
28	<a href="#">d1fmca_</a>	Alignment	not modelled	100.0	26	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases

29	<a href="#">c3lf2B_</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> short chain oxidoreductase q9hya2; <b>PDBTitle:</b> nadph bound structure of the short chain oxidoreductase q9hya2 from2 pseudomonas aeruginosa pao1 containing an atypical catalytic center
30	<a href="#">c4jroC_</a>	Alignment	not modelled	100.0	28	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> fabg protein; <b>PDBTitle:</b> crystal structure of 3-oxoacyl-[acyl-carrier protein]reductase (fabg)2 from listeria monocytogenes in complex with nadp+
31	<a href="#">c4fc6B_</a>	Alignment	not modelled	100.0	28	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> peroxisomal 2,4-dienoyl-coa reductase; <b>PDBTitle:</b> studies on dcr shed new light on peroxisomal beta-oxidation: crystal2 structure of the ternary complex of pdcr
32	<a href="#">c3svtA_</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> short-chain type dehydrogenase/reductase; <b>PDBTitle:</b> structure of a short-chain type dehydrogenase/reductase from2 mycobacterium ulcerans
33	<a href="#">d1iy8a_</a>	Alignment	not modelled	100.0	28	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
34	<a href="#">c3cxtA_</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> dehydrogenase with different specificities; <b>PDBTitle:</b> quaternary complex structure of gluconate 5-dehydrogenase from2 streptococcus suis type 2
35	<a href="#">c4cqmJ_</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> oxidoreductase <b>Chain:</b> J: <b>PDB Molecule:</b> carbonyl reductase family member 4; <b>PDBTitle:</b> crystal structure of heterotetrameric human ketoacyl2 reductase complexed with nad and nadp
36	<a href="#">d1xhla_</a>	Alignment	not modelled	100.0	15	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
37	<a href="#">c6ds1C_</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> putative oxidoreductase; <b>PDBTitle:</b> crystal structure of cj0485 dehydrogenase in complex with nadp+
38	<a href="#">c3wtcB_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> putative oxidoreductase; <b>PDBTitle:</b> crystal structure of gox2036
39	<a href="#">c5un1A_</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-ketoacyl-acp reductase; <b>PDBTitle:</b> crystal structure of a d-beta-hydroxybutyrate dehydrogenase from2 burkholderia multivorans
40	<a href="#">c5t2uC_</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> oxidoreductase, short chain dehydrogenase/reductase family <b>PDBTitle:</b> short chain dehydrogenase/reductase family protein
41	<a href="#">c3awdD_</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> putative polyol dehydrogenase; <b>PDBTitle:</b> crystal structure of gox2181
42	<a href="#">c5u9pB_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> gluconate 5-dehydrogenase; <b>PDBTitle:</b> crystal structure of a gluconate 5-dehydrogenase from burkholderia2 cenocepacia j2315 in complex with nadp and tartrate
43	<a href="#">c4iuyB_</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> short chain dehydrogenase/reductase; <b>PDBTitle:</b> crystal structure of short-chain dehydrogenase/reductase (apo-form)2 from a. baumannii clinical strain wm99c
44	<a href="#">c3emkA_</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> glucose/ribitol dehydrogenase; <b>PDBTitle:</b> 2.5a crystal structure of glucose/ribitol dehydrogenase from brucella2 melitensis
45	<a href="#">c2pd6D_</a>	Alignment	not modelled	100.0	27	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> estradiol 17-beta-dehydrogenase 8; <b>PDBTitle:</b> structure of human hydroxysteroid dehydrogenase type 8, hsd17b8
46	<a href="#">c3tscB_</a>	Alignment	not modelled	100.0	27	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> putative oxidoreductase; <b>PDBTitle:</b> crystal structure of short chain dehydrogenase map_2410 from2 mycobacterium paratuberculosis bound to nad
47	<a href="#">c3pk0B_</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> short-chain dehydrogenase/reductase sdr; <b>PDBTitle:</b> crystal structure of short-chain dehydrogenase/reductase sdr from2 mycobacterium smegmatis
48	<a href="#">c4imrA_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-oxoacyl-(acyl-carrier-protein) reductase; <b>PDBTitle:</b> crystal structure of 3-oxoacyl (acyl-carrier-protein) reductase2 (target efi-506442) from agrobacterium tumefaciens c58 with nadp3 bound
49	<a href="#">c3gk3D_</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> acetoacetyl-coa reductase; <b>PDBTitle:</b> crystal structure of acetoacetyl-coa reductase from burkholderia2 pseudomallei 1710b
50	<a href="#">d2bgka1</a>	Alignment	not modelled	100.0	23	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
51	<a href="#">c4wecA_</a>	Alignment	not modelled	100.0	28	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> short chain dehydrogenase; <b>PDBTitle:</b> crystal structure of a short chain dehydrogenase from mycobacterium2 smegmatis
52	<a href="#">d1pr9a_</a>	Alignment	not modelled	100.0	19	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
53	<a href="#">c2p68A_</a>	Alignment	not modelled	100.0	27	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-oxoacyl-[acyl-carrier-protein] reductase; <b>PDBTitle:</b> crystal structure of aq_1716 from aquifex aeolicus vf5
						<b>PDB header:</b> oxidoreductase

54	<a href="#">c4wuvB</a>	Alignment	not modelled	100.0	20	<b>Chain:</b> B: <b>PDB Molecule:</b> 2-hydroxycyclohexanecarboxyl-coa dehydrogenase; <b>PDBTitle:</b> crystal structure of a putative d-mannonate oxidoreductase from2 haemophilus influenza (avi_5165, target efi-513796) with bound nad
55	<a href="#">c4z9yA</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 2-deoxy-d-gluconate 3-dehydrogenase; <b>PDBTitle:</b> crystal structure of 2-keto-3-deoxy-d-gluconate dehydrogenase from2 pectobacterium carotovorum
56	<a href="#">c4weoD</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> putative acetoin(diacetyl) reductase; <b>PDBTitle:</b> crystal structure of a putative acetoin(diacetyl) reductase2 burkholderia cenocepacia
57	<a href="#">c5jy1C</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> putative short-chain dehydrogenase/reductase; <b>PDBTitle:</b> crystal structure of putative short-chain dehydrogenase/reductase from2 burkholderia xenovorans lb400 bound to nad
58	<a href="#">c3afnC</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> carbonyl reductase; <b>PDBTitle:</b> crystal structure of aldose reductase a1-r complexed with nadp
59	<a href="#">c4trrH</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> oxidoreductase <b>Chain:</b> H: <b>PDB Molecule:</b> putative d-beta-hydroxybutyrate dehydrogenase; <b>PDBTitle:</b> crystal structure of a putative putative d-beta-hydroxybutyrate2 dehydrogenase from burkholderia cenocepacia j2315
60	<a href="#">d1w6ua</a>	Alignment	not modelled	100.0	18	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
61	<a href="#">c6f9qC</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> biosynthetic protein <b>Chain:</b> C: <b>PDB Molecule:</b> 7s-cis-cis-nepetalactol cyclase; <b>PDBTitle:</b> binary complex of a 7s-cis-cis-nepetalactol cyclase from nepeta2 mussinii with nad+
62	<a href="#">c4j2hA</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> short chain alcohol dehydrogenase-related dehydrogenase; <b>PDBTitle:</b> crystal structure of a putative short-chain alcohol dehydrogenase from2 sinorhizobium meliloti 1021 (target nysgrc-011708)
63	<a href="#">c2cfcB</a>	Alignment	not modelled	100.0	27	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 2-(r)-hydroxypropyl-com dehydrogenase; <b>PDBTitle:</b> structural basis for stereo selectivity in the (r)- and2 (s)-hydroxypropylethane thiosulfonate dehydrogenases
64	<a href="#">c4lvuB</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> oxidoreductase, short chain dehydrogenase/reductase family; <b>PDBTitle:</b> crystal structure of a putative short chain dehydrogenase from2 burkholderia thailandensis
65	<a href="#">c5itvC</a>	Alignment	not modelled	100.0	27	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> dihydroantocapsin 7-dehydrogenase; <b>PDBTitle:</b> crystal structure of bacillus subtilis bacc dihydroantocapsin 7-2 dehydrogenase in complex with nadh
66	<a href="#">d1yxma1</a>	Alignment	not modelled	100.0	21	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
67	<a href="#">d1bdba</a>	Alignment	not modelled	100.0	22	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
68	<a href="#">c3k31B</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> eonyl-(acyl-carrier-protein) reductase; <b>PDBTitle:</b> crystal structure of eonyl-(acyl-carrier-protein) reductase from2 anaplasma phagocytophilum in complex with nad at 1.9a resolution
69	<a href="#">c5x8hA</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> short-chain dehydrogenase reductase; <b>PDBTitle:</b> crystal structure of the ketone reductase chkred20 from the genome of2 chryseobacterium sp. ca49
70	<a href="#">c4g81A</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> putative hexonate dehydrogenase; <b>PDBTitle:</b> crystal structure of a hexonate dehydrogenase ortholog (target efi-2 506402 from salmonella enterica, unliganded structure)
71	<a href="#">d2ae2a</a>	Alignment	not modelled	100.0	21	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
72	<a href="#">c4m8sB</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> putative 3-oxoacyl-[acyl-carrier protein] reductase; <b>PDBTitle:</b> crystal structure of 3-ketoacyl -(acyl carrier protein) reductase2 (fabg) from neisseria meningitidis
73	<a href="#">d1xkqa</a>	Alignment	not modelled	100.0	17	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
74	<a href="#">c4iboA</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> gluconate dehydrogenase; <b>PDBTitle:</b> crystal structure of a putative gluconate dehydrogenase from2 agrobacterium tumefaciens (target efi-506446)
75	<a href="#">c4nbrA</a>	Alignment	not modelled	100.0	29	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> hypothetical 3-oxoacyl-(acyl-carrier protein) reductase; <b>PDBTitle:</b> crystal structure of 3-oxoacyl-[acyl-carrier protein] reductase from2 brucella melitensis atcc 23457
76	<a href="#">c4rziB</a>	Alignment	not modelled	100.0	29	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 3-ketoacyl-acyl carrier protein reductase; <b>PDBTitle:</b> crystal structure of phab from synechocystis sp. pcc 6803
						<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> dehydrogenase/reductase sdr family

77	<a href="#">c5oigB_</a>	Alignment	not modelled	100.0	24	member 4; <b>PDBTitle:</b> crystal structure of the dehydrogenase/reductase sdr family member 42 (dhrs4) from caenorhabditis elegans
78	<a href="#">d1nffa_</a>	Alignment	not modelled	100.0	26	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
79	<a href="#">c4ni5A_</a>	Alignment	not modelled	100.0	32	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> oxidoreductase, short-chain dehydrogenase/reductase family <b>PDBTitle:</b> crystal structure of a short chain dehydrogenase from brucella suis
80	<a href="#">c3jirF_</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> oxidoreductase <b>Chain:</b> F: <b>PDB Molecule:</b> oxidoreductase, short chain dehydrogenase/reductase family; <b>PDBTitle:</b> 2.05 angstrom resolution crystal structure of a short chain2 dehydrogenase from bacillus anthracis str. 'ames ancestor' in complex3 with nad+
81	<a href="#">c5h5xH_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> oxidoreductase <b>Chain:</b> H: <b>PDB Molecule:</b> putative oxidoreductase; <b>PDBTitle:</b> crystal structure of nadh bound carbonyl reductase from streptomyces2 coelicolor
82	<a href="#">c3iccA_</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> putative 3-oxoacyl-(acyl carrier protein) reductase; <b>PDBTitle:</b> crystal structure of a putative 3-oxoacyl-(acyl carrier protein)2 reductase from bacillus anthracis at 1.87 a resolution
83	<a href="#">c4fn4A_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> short chain dehydrogenase; <b>PDBTitle:</b> short-chain nad(h)-dependent dehydrogenase/reductase from sulfobolus2 acidocaldarius
84	<a href="#">d1ulsa_</a>	Alignment	not modelled	100.0	25	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
85	<a href="#">c3imfA_</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> short chain dehydrogenase; <b>PDBTitle:</b> 1.99 angstrom resolution crystal structure of a short chain2 dehydrogenase from bacillus anthracis str. 'ames ancestor'
86	<a href="#">c3t7cC_</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> carveol dehydrogenase; <b>PDBTitle:</b> crystal structure of carveol dehydrogenase from mycobacterium avium2 bound to nad
87	<a href="#">c3vc7B_</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> putative oxidoreductase; <b>PDBTitle:</b> crystal structure of a putative oxidoreductase from sinorhizobium2 melliloti 1021
88	<a href="#">c4dmmA_</a>	Alignment	not modelled	100.0	31	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-oxoacyl-[acyl-carrier-protein] reductase; <b>PDBTitle:</b> 3-oxoacyl-[acyl-carrier-protein] reductase from synechococcus2 elongatus pcc 7942 in complex with nadp
89	<a href="#">c4gloC_</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> 3-oxoacyl-[acyl-carrier protein] reductase; <b>PDBTitle:</b> crystal structure of a short chain dehydrogenase homolog (target efi-2 505321) from burkholderia multivorans, with bound nad
90	<a href="#">d1o5ia_</a>	Alignment	not modelled	100.0	18	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
91	<a href="#">c2zatC_</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> dehydrogenase/reductase sdr family member 4; <b>PDBTitle:</b> crystal structure of a mammalian reductase
92	<a href="#">c4nbuD_</a>	Alignment	not modelled	100.0	29	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> 3-oxoacyl-(acyl-carrier-protein) reductase; <b>PDBTitle:</b> crystal structure of fabg from bacillus sp
93	<a href="#">c3ai3A_</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> nadh-sorbose reductase; <b>PDBTitle:</b> the crystal structure of l-sorbose reductase from gluconobacter2 frateurii complexed with nadph and l-sorbose
94	<a href="#">c4nqzF_</a>	Alignment	not modelled	100.0	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> F: <b>PDB Molecule:</b> enoyl-[acyl-carrier-protein] reductase [nadh] fabi; <b>PDBTitle:</b> crystal structure of the pseudomonas aeruginosa enoyl-acyl carrier2 protein reductase (fabi) in apo form
95	<a href="#">c4mowB_</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> glucose 1-dehydrogenase; <b>PDBTitle:</b> crystal structure of a putative glucose 1-dehydrogenase from2 burkholderia cenocepacia j2315
96	<a href="#">d2rhca1</a>	Alignment	not modelled	100.0	25	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
97	<a href="#">c2z1nA_</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> dehydrogenase; <b>PDBTitle:</b> crystal structure of ape0912 from aeropyrum pernix k1
98	<a href="#">c4gh5B_</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> short-chain dehydrogenase/reductase sdr; <b>PDBTitle:</b> crystal structure of s-2-hydroxypropyl coenzyme m dehydrogenase (s-2 hpcdh)
99	<a href="#">d1zema1</a>	Alignment	not modelled	100.0	24	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
100	<a href="#">c3tl3A_</a>	Alignment	not modelled	100.0	82	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> short-chain type dehydrogenase/reductase; <b>PDBTitle:</b> structure of a short-chain type dehydrogenase/reductase from2 mycobacterium ulcerans
101	<a href="#">c3uf0A_</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> short-chain dehydrogenase/reductase sdr; <b>PDBTitle:</b> crystal structure of a putative nad(p) dependent gluconate 5-2 dehydrogenase from beutenbergia cavernae(efi

						target efi-502044) with3 bound nadp (low occupancy)
102	<a href="#">c5ff9C_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> noroxomaritidine/norcroagsodine reductase; <b>PDBTitle:</b> noroxomaritidine/norcroagsodine reductase in complex with nadp+ and2 tyramine
103	<a href="#">c3gr6A_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> enoyl-[acyl-carrier-protein] reductase [nadh]; <b>PDBTitle:</b> crystal structure of the staphylococcus aureus enoyl-acyl carrier2 protein reductase (fabI) in complex with nadp and triclosan
104	<a href="#">c5bt9B_</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 3-oxoacyl-(acyl-carrier-protein) reductase; <b>PDBTitle:</b> crystal structure of folm alternative dihydrofolate reductase 1 from2 brucella canis complexed with nadp
105	<a href="#">c5jo9A_</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> ribitol 2-dehydrogenase; <b>PDBTitle:</b> structural characterization of the thermostable bradyrhizobium2 japonicum d-sorbitol dehydrogenase
106	<a href="#">c2uvdE_</a>	Alignment	not modelled	100.0	27	<b>PDB header:</b> oxidoreductase <b>Chain:</b> E: <b>PDB Molecule:</b> 3-oxoacyl-(acyl-carrier-protein) reductase; <b>PDBTitle:</b> the crystal structure of a 3-oxoacyl-(acyl carrier protein) reductase2 from bacillus anthracis (ba3989)
107	<a href="#">c4kwhA_</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> reductase homolog; <b>PDBTitle:</b> the crystal structure of angucycline c-6 ketoreductase lanv with bound2 nadp
108	<a href="#">c5jydA_</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> short chain dehydrogenase; <b>PDBTitle:</b> crystal structure of a putative short chain dehydrogenase from2 burkholderia cenocepacia
109	<a href="#">d1g0oa_</a>	Alignment	not modelled	100.0	23	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
110	<a href="#">c1w4zA_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> antibiotic biosynthesis <b>Chain:</b> A: <b>PDB Molecule:</b> ketoacyl reductase; <b>PDBTitle:</b> structure of actinorhodin polyketide (actiii) reductase
111	<a href="#">c3bmrA_</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> pteridine reductase; <b>PDBTitle:</b> structure of pteridine reductase 1 (ptr1) from trypanosoma2 brucei in ternary complex with cofactor (nadp+) and3 inhibitor (compound ax6)
112	<a href="#">c2p91A_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> enoyl-[acyl-carrier-protein] reductase [nadh]; <b>PDBTitle:</b> crystal structure of enoyl-[acyl-carrier-protein] reductase (nadh)2 from aquifex aeolicus vf5
113	<a href="#">c3uveC_</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> carveol dehydrogenase ((+)-trans-carveol dehydrogenase); <b>PDBTitle:</b> crystal structure of carveol dehydrogenase ((+)-trans-carveol2 dehydrogenase) from mycobacterium avium
114	<a href="#">c4i5eC_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> alcohol dehydrogenase/short-chain dehydrogenase; <b>PDBTitle:</b> crystal structure of ralstonia sp. alcohol dehydrogenase in complex2 with nadp+
115	<a href="#">d1ae1a_</a>	Alignment	not modelled	100.0	22	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
116	<a href="#">c4zjuA_</a>	Alignment	not modelled	100.0	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> enoyl-[acyl-carrier-protein] reductase [nadh]; <b>PDBTitle:</b> structure of a nadh-dependent enoyl-acp reductase from acinetobacter2 baumannii in complex with nad
117	<a href="#">d2c07a1</a>	Alignment	not modelled	100.0	26	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
118	<a href="#">c2c07A_</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-oxoacyl-(acyl-carrier protein) reductase; <b>PDBTitle:</b> oxoacyl-acp reductase of plasmodium falciparum
119	<a href="#">c4rgbB_</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> carveol dehydrogenase; <b>PDBTitle:</b> crystal structure of a putative carveol dehydrogenase from2 mycobacterium avium bound to nad
120	<a href="#">d1h5qa_</a>	Alignment	not modelled	100.0	19	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases