











# Phyre<sup>2</sup>

Email	mdejesus@rockefeller.edu
Description	RVBD1562c_(treZ)_1765406_1767148
Date	Fri Aug 2 13:30:15 BST 2019
Unique Job ID	8f4ab3e1a7e2ed52

Detailed template information

#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">c3m07A</a>	 Alignment		100.0	39	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> putative alpha amylase; <b>PDBTitle:</b> 1.4 angstrom resolution crystal structure of putative alpha amylase2 from salmonella typhimurium.
2	<a href="#">c1ehaA</a>	 Alignment		100.0	39	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> glycosyltrehalose trehalohydrolase; <b>PDBTitle:</b> crystal structure of glycosyltrehalose trehalohydrolase from2 sulfolobus solfataricus
3	<a href="#">c2by0A</a>	 Alignment		100.0	37	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> maltooligosyltrehalose trehalohydrolase; <b>PDBTitle:</b> is radiation damage dependent on the dose-rate used during2 macromolecular crystallography data collection
4	<a href="#">c3faxA</a>	 Alignment		100.0	20	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> reticulocyte binding protein; <b>PDBTitle:</b> the crystal structure of gbs pullulanase sap in complex with2 maltotetraose
5	<a href="#">c2ya1A</a>	 Alignment		100.0	21	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> putative alkaline amylopullulanase; <b>PDBTitle:</b> product complex of a multi-modular glycogen-degrading pneumococcal2 virulence factor spua
6	<a href="#">c3k1dA</a>	 Alignment		100.0	24	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> 1,4-alpha-glucan-branched enzyme; <b>PDBTitle:</b> crystal structure of glycogen branching enzyme synonym: 1,4-alpha-d-2 glucan:1,4-alpha-d-glucan 6-glucosyl-transferase from mycobacterium3 tuberculosis h37rv
7	<a href="#">c5gquA</a>	 Alignment		100.0	23	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> 1,4-alpha-glucan branching enzyme glgb; <b>PDBTitle:</b> crystal structure of branching enzyme from cyanothecae sp. atcc 51142
8	<a href="#">c2e8yA</a>	 Alignment		100.0	21	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> amyx protein; <b>PDBTitle:</b> crystal structure of pullulanase type i from bacillus subtilis str.2 168
9	<a href="#">c2ya0A</a>	 Alignment		100.0	21	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> putative alkaline amylopullulanase; <b>PDBTitle:</b> catalytic module of the multi-modular glycogen-degrading pneumococcal2 virulence factor spua
10	<a href="#">c3wdjA</a>	 Alignment		100.0	21	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> type i pullulanase; <b>PDBTitle:</b> crystal structure of pullulanase complexed with maltotetraose from2 anoxybacillus sp. lm18-11
11	<a href="#">c3amlA</a>	 Alignment		100.0	20	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> os06g0726400 protein; <b>PDBTitle:</b> structure of the starch branching enzyme i (bei) from oryza sativa l

12	<a href="#">c4j7rA</a>	Alignment		100.0	26	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> isoamylase; <b>PDBTitle:</b> crystal structure of chlamydomonas reinhardtii isoamylase 1 (isa1)
13	<a href="#">c3amkA</a>	Alignment		100.0	18	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> os06g0726400 protein; <b>PDBTitle:</b> structure of the starch branching enzyme i (bei) from oryza sativa l
14	<a href="#">c4bzyC</a>	Alignment		100.0	19	<b>PDB header:</b> transferase <b>Chain:</b> C: <b>PDB Molecule:</b> 1,4-alpha-glucan-branched enzyme; <b>PDBTitle:</b> crystal structure of human glycogen branching enzyme (gbe1)
15	<a href="#">c2fhfA</a>	Alignment		100.0	22	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> pullulanase; <b>PDBTitle:</b> crystal structure analysis of klebsiella pneumoniae pullulanase2 complexed with maltotetraose
16	<a href="#">c2x4ba</a>	Alignment		100.0	19	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> limit dextrinase; <b>PDBTitle:</b> barley limit dextrinase in complex with beta-cyclodextrin
17	<a href="#">c1m7xC</a>	Alignment		100.0	23	<b>PDB header:</b> transferase <b>Chain:</b> C: <b>PDB Molecule:</b> 1,4-alpha-glucan branching enzyme; <b>PDBTitle:</b> the x-ray crystallographic structure of branching enzyme
18	<a href="#">c5wvtA</a>	Alignment		100.0	22	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> pullulanase; <b>PDBTitle:</b> catalytic mechanism, cyclodextrin inhibition, and allosteric regulation of paenibacillus barengoltzii pullulanase
19	<a href="#">c1bf2A</a>	Alignment		100.0	20	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> isoamylase; <b>PDBTitle:</b> structure of pseudomonas isoamylase
20	<a href="#">c2vncB</a>	Alignment		100.0	23	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> glycogen operon protein glgx; <b>PDBTitle:</b> crystal structure of glycogen debranching enzyme trex from2 sulfobolbus solfatarius
21	<a href="#">c2wanA</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> pullulanase; <b>PDBTitle:</b> pullulanase from bacillus acidopullulyticus
22	<a href="#">c2wskA</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> glycogen debranching enzyme; <b>PDBTitle:</b> crystal structure of glycogen debranching enzyme glgx from escherichia coli k-12
23	<a href="#">c1ea9D</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> hydrolase <b>Chain:</b> D: <b>PDB Molecule:</b> cyclomaltodextrinase; <b>PDBTitle:</b> cyclomaltodextrinase
24	<a href="#">c1gviA</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> maltogenic amylase; <b>PDBTitle:</b> thermus maltogenic amylase in complex with beta-cd
25	<a href="#">c1jibA</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> neopullulanase; <b>PDBTitle:</b> complex of alpha-amylase ii (tva ii) from thermoactinomyces2 vulgaris r-47 with maltotetraose based on a crystal soaked3 with maltohexaose.
26	<a href="#">c5ot1A</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> pullulanase type ii, gh13 family; <b>PDBTitle:</b> the type iii pullulan hydrolase from thermococcus kodakarensis
27	<a href="#">c2d0gA</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> alpha-amylase i; <b>PDBTitle:</b> crystal structure of thermoactinomyces vulgaris r-47 alpha-2 amylase 1 (tva1) mutant d356n/e396q complexed with p5, a3 pullulan model oligosaccharide
28	<a href="#">c3edeB</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> cyclomaltodextrinase; <b>PDBTitle:</b> structural base for cyclodextrin hydrolysis

29	<a href="#">c4aefB</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> neopullulanase (alpha-amylase ii); <b>PDBTitle:</b> the crystal structure of thermostable amylase from the pyrococcus
30	<a href="#">c4aeeA</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> alpha amylase, catalytic region; <b>PDBTitle:</b> crystal structure of maltogenic amylase from s.marinus
31	<a href="#">c1jgiA</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> amylosucrase; <b>PDBTitle:</b> crystal structure of the active site mutant glu328gln of amylosucrase2 from neisseria polysaccharea in complex with the natural substrate3 sucrose
32	<a href="#">c3k8kB</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> membrane protein <b>Chain:</b> B: <b>PDB Molecule:</b> alpha-amylase, susg; <b>PDBTitle:</b> crystal structure of susg
33	<a href="#">c3zoaB</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> trehalose synthase/amylase tres; <b>PDBTitle:</b> the structure of trehalose synthase (tres) of mycobacterium2 smegmatis in complex with acarbose
34	<a href="#">d2bhua3</a>	Alignment	not modelled	100.0	43	<b>Fold:</b> TIM beta/alpha-barrel <b>Superfamily:</b> (Trans)glycosidases <b>Family:</b> Amylase, catalytic domain
35	<a href="#">c3czkA</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> sucrose hydrolase; <b>PDBTitle:</b> crystal structure analysis of sucrose hydrolase(suh) e322q-sucrose2 complex
36	<a href="#">d2fhfa5</a>	Alignment	not modelled	100.0	21	<b>Fold:</b> TIM beta/alpha-barrel <b>Superfamily:</b> (Trans)glycosidases <b>Family:</b> Amylase, catalytic domain
37	<a href="#">c4tvuA</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> trehalose synthase; <b>PDBTitle:</b> crystal structure of trehalose synthase from deinococcus radiodurans2 reveals a closed conformation for catalysis of the intramolecular3 isomerization
38	<a href="#">c5x7uA</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> trehalose synthase; <b>PDBTitle:</b> trehalose synthase from thermobaculum terrenum
39	<a href="#">c3ucqA</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> amylosucrase; <b>PDBTitle:</b> crystal structure of amylosucrase from deinococcus geothermalis
40	<a href="#">d1eh9a3</a>	Alignment	not modelled	100.0	45	<b>Fold:</b> TIM beta/alpha-barrel <b>Superfamily:</b> (Trans)glycosidases <b>Family:</b> Amylase, catalytic domain
41	<a href="#">c3a47A</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> oligo-1,6-glucosidase; <b>PDBTitle:</b> crystal structure of isomaltase from saccharomyces cerevisiae
42	<a href="#">c5ykbB</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> isomerase <b>Chain:</b> B: <b>PDB Molecule:</b> trehalose synthase; <b>PDBTitle:</b> the n253f mutant structure of trehalose synthase from deinococcus2 radiodurans reveals an open active-site conformation
43	<a href="#">c1m53A</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> isomaltulose synthase; <b>PDBTitle:</b> crystal structure of isomaltulose synthase (pali) from2 klebsiella sp. lx3
44	<a href="#">c3wy3A</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> alpha-glucosidase; <b>PDBTitle:</b> crystal structure of alpha-glucosidase mutant d202n in complex with2 glucose and glycerol
45	<a href="#">c1uokA</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> glucosidase <b>Chain:</b> A: <b>PDB Molecule:</b> oligo-1,6-glucosidase; <b>PDBTitle:</b> crystal structure of b. cereus oligo-1,6-glucosidase
46	<a href="#">c6aaavA</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> alpha-glucosyltransferase; <b>PDBTitle:</b> crystal structure of alpha-glucosyl transfer enzyme, xgta at 1.722 angstrom resolution
47	<a href="#">c4mb1A</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> oligo-1,6-glucosidase 1; <b>PDBTitle:</b> the structure of mall mutant enzyme g202p from bacillus subtilis
48	<a href="#">c4e2oA</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> hydrolase/hydrolase inhibitor <b>Chain:</b> A: <b>PDB Molecule:</b> alpha-amylase; <b>PDBTitle:</b> crystal structure of alpha-amylase from geobacillus thermoleovorans,2 gta, complexed with acarbose
49	<a href="#">c1zjaB</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> isomerase <b>Chain:</b> B: <b>PDB Molecule:</b> trehalulose synthase; <b>PDBTitle:</b> crystal structure of the trehalulose synthase mutb from2 pseudomonas mesoacidophila mx-45 (triclinic form)
50	<a href="#">c2wcsA</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> alpha amylase, catalytic region; <b>PDBTitle:</b> crystal structure of debranching enzyme from nostoc2 punctiforme (npde)
51	<a href="#">c5do8A</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> lmo0184 protein; <b>PDBTitle:</b> 1.8 angstrom crystal structure of listeria monocytogenes lmo0184 alpha-1,6-glucosidase
52	<a href="#">c4aieA</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> glucan 1,6-alpha-glucosidase; <b>PDBTitle:</b> structure of glucan-1,6-alpha-glucosidase from lactobacillus2 acidophilus ncfm
53	<a href="#">c4u33F</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> transferase <b>Chain:</b> F: <b>PDB Molecule:</b> alpha-1,4-glucan:maltose-1-phosphate maltosyltransferase; <b>PDBTitle:</b> structure of mtb glgE bound to maltose
54	<a href="#">c2zidA</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> dextran glucosidase; <b>PDBTitle:</b> crystal structure of dextran glucosidase e236q complex

55	<a href="#">c5brqA</a>	Alignment	not modelled	100.0	19	with 2 isomaltotriose <b>PDB header:</b> hydrolase <b>Chain: A: PDB Molecule:</b> glycoside hydrolase family 13; <b>PDBTitle:</b> crystal structure of bacillus licheniformis trehalose-6-phosphate2 hydrolase (tre)
56	<a href="#">c5h06C</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> hydrolase <b>Chain: C: PDB Molecule:</b> amyp; <b>PDBTitle:</b> crystal structure of amyp in complex with maltose
57	<a href="#">c2ze0A</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> hydrolase <b>Chain: A: PDB Molecule:</b> alpha-glucosidase; <b>PDBTitle:</b> alpha-glucosidase gsj
58	<a href="#">c5m99A</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> hydrolase <b>Chain: A: PDB Molecule:</b> alpha-amylase; <b>PDBTitle:</b> functional characterization and crystal structure of thermostable2 amylase from thermotoga petrophila, reveals high thermostability and an archaic form of dimerization
59	<a href="#">c5zcbA</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> hydrolase <b>Chain: A: PDB Molecule:</b> alpha-glucosidase; <b>PDBTitle:</b> crystal structure of alpha-glucosidase
60	<a href="#">c1wzaA</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> hydrolase <b>Chain: A: PDB Molecule:</b> alpha-amylase a; <b>PDBTitle:</b> crystal structure of alpha-amylase from h.orenii
61	<a href="#">d1m7xa3</a>	Alignment	not modelled	100.0	23	<b>Fold:</b> TIM beta/alpha-barrel <b>Superfamily:</b> (Trans)glycosidases <b>Family:</b> Amylase, catalytic domain
62	<a href="#">c1tcmB</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> glycosyltransferase <b>Chain: B: PDB Molecule:</b> cyclodextrin glycosyltransferase; <b>PDBTitle:</b> cyclodextrin glycosyltransferase w616a mutant from bacillus2 circulans strain 251
63	<a href="#">c3zt5D</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> hydrolase <b>Chain: D: PDB Molecule:</b> putative glucanohydrolase pep1a; <b>PDBTitle:</b> glge isoform 1 from streptomyces coelicolor with maltose2 bound
64	<a href="#">c3bmwA</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> transferase <b>Chain: A: PDB Molecule:</b> cyclomaltodextrin glucanotransferase; <b>PDBTitle:</b> cyclodextrin glycosyl transferase from thermoanerobacterium2 thermosulfurigenes em1 mutant s77p complexed with a maltoheptaose3 inhibitor
65	<a href="#">c1ghoA</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> hydrolase <b>Chain: A: PDB Molecule:</b> alpha-amylase; <b>PDBTitle:</b> five-domain alpha-amylase from bacillus stearothermophilus,2 maltose/acarbose complex
66	<a href="#">c1gjuA</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> transferase <b>Chain: A: PDB Molecule:</b> maltodextrin glycosyltransferase; <b>PDBTitle:</b> maltosyltransferase from thermotoga maritima
67	<a href="#">c4gkIA</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> hydrolase <b>Chain: A: PDB Molecule:</b> alpha-amylase; <b>PDBTitle:</b> crystal structure of a noncanonic maltogenic alpha-amylase amyB from 2 thermotoga neapolitana
68	<a href="#">c4jcIA</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> transferase <b>Chain: A: PDB Molecule:</b> cyclomaltodextrin glucanotransferase; <b>PDBTitle:</b> crystal structure of alpha-cgt from paenibacillus macerans at 1.72 angstrom resolution
69	<a href="#">c2z1kA</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> hydrolase <b>Chain: A: PDB Molecule:</b> (neo)pullulanase; <b>PDBTitle:</b> crystal structure of ttha1563 from thermus thermophilus hb8
70	<a href="#">d1bf2a3</a>	Alignment	not modelled	100.0	20	<b>Fold:</b> TIM beta/alpha-barrel <b>Superfamily:</b> (Trans)glycosidases <b>Family:</b> Amylase, catalytic domain
71	<a href="#">c4jcmA</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> transferase <b>Chain: A: PDB Molecule:</b> cyclodextrin glucanotransferase; <b>PDBTitle:</b> crystal structure of gamma-cgtase from alkalophilic bacillus clarkii at 1.65 angstrom resolution
72	<a href="#">d1g5aa2</a>	Alignment	not modelled	100.0	20	<b>Fold:</b> TIM beta/alpha-barrel <b>Superfamily:</b> (Trans)glycosidases <b>Family:</b> Amylase, catalytic domain
73	<a href="#">c1cygA</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> glycosyltransferase <b>Chain: A: PDB Molecule:</b> cyclodextrin glucanotransferase; <b>PDBTitle:</b> cyclodextrin glucanotransferase (e.c.2.4.1.19) (cgtase)
74	<a href="#">c5zxgB</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> hydrolase <b>Chain: B: PDB Molecule:</b> cyclic maltosyl-maltose hydrolase; <b>PDBTitle:</b> cyclic alpha-maltosyl-(1-->6)-maltose hydrolase from arthrobacter2 globiformis, ligand-free form
75	<a href="#">d1m53a2</a>	Alignment	not modelled	100.0	18	<b>Fold:</b> TIM beta/alpha-barrel <b>Superfamily:</b> (Trans)glycosidases <b>Family:</b> Amylase, catalytic domain
76	<a href="#">c3dhuC</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> hydrolase <b>Chain: C: PDB Molecule:</b> alpha-amylase; <b>PDBTitle:</b> crystal structure of an alpha-amylase from lactobacillus plantarum
77	<a href="#">c1lwhA</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> transferase <b>Chain: A: PDB Molecule:</b> 4-alpha-glucanotransferase; <b>PDBTitle:</b> crystal structure of t. maritima 4-alpha-glucanotransferase
78	<a href="#">c3vm7A</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> hydrolase <b>Chain: A: PDB Molecule:</b> alpha-amylase; <b>PDBTitle:</b> structure of an alpha-amylase from malbranchea cinnamomea
79	<a href="#">d1uoka2</a>	Alignment	not modelled	100.0	17	<b>Fold:</b> TIM beta/alpha-barrel <b>Superfamily:</b> (Trans)glycosidases <b>Family:</b> Amylase, catalytic domain
80	<a href="#">c2aaaA</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> glycosidase <b>Chain: A: PDB Molecule:</b> alpha-amylase; <b>PDBTitle:</b> calcium binding in alpha-amylases: an x-ray diffraction

						study at 2.12 angstroms resolution of two enzymes from aspergillus
81	<a href="#">c2dh3A</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> transport protein, signaling protein <b>Chain:</b> A: <b>PDB Molecule:</b> 4f2 cell-surface antigen heavy chain; <b>PDBTitle:</b> crystal structure of human ed-4f2hc
82	<a href="#">c2taaA</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> hydrolase (o-glycosyl) <b>Chain:</b> A: <b>PDB Molecule:</b> taka-amylase a; <b>PDBTitle:</b> structure and possible catalytic residues of taka-amylase a
83	<a href="#">d1lwha2</a>	Alignment	not modelled	100.0	22	<b>Fold:</b> TIM beta/alpha-barrel <b>Superfamily:</b> (Trans)glycosidases <b>Family:</b> Amylase, catalytic domain
84	<a href="#">c2gdvA</a>	Alignment	not modelled	100.0	14	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> sucrose phosphorylase; <b>PDBTitle:</b> sucrose phosphorylase from bifidobacterium adolescentis2 reacted with sucrose
85	<a href="#">d1h3ga3</a>	Alignment	not modelled	100.0	18	<b>Fold:</b> TIM beta/alpha-barrel <b>Superfamily:</b> (Trans)glycosidases <b>Family:</b> Amylase, catalytic domain
86	<a href="#">d1gvia3</a>	Alignment	not modelled	100.0	23	<b>Fold:</b> TIM beta/alpha-barrel <b>Superfamily:</b> (Trans)glycosidases <b>Family:</b> Amylase, catalytic domain
87	<a href="#">d1wzla3</a>	Alignment	not modelled	100.0	23	<b>Fold:</b> TIM beta/alpha-barrel <b>Superfamily:</b> (Trans)glycosidases <b>Family:</b> Amylase, catalytic domain
88	<a href="#">d1j0ha3</a>	Alignment	not modelled	100.0	23	<b>Fold:</b> TIM beta/alpha-barrel <b>Superfamily:</b> (Trans)glycosidases <b>Family:</b> Amylase, catalytic domain
89	<a href="#">c6irtA</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> membrane protein <b>Chain:</b> A: <b>PDB Molecule:</b> 4f2 cell-surface antigen heavy chain; <b>PDBTitle:</b> human lat1-4f2hc complex bound with bch
90	<a href="#">d1ea9c3</a>	Alignment	not modelled	100.0	22	<b>Fold:</b> TIM beta/alpha-barrel <b>Superfamily:</b> (Trans)glycosidases <b>Family:</b> Amylase, catalytic domain
91	<a href="#">d1wzaa2</a>	Alignment	not modelled	100.0	21	<b>Fold:</b> TIM beta/alpha-barrel <b>Superfamily:</b> (Trans)glycosidases <b>Family:</b> Amylase, catalytic domain
92	<a href="#">d1gjwa2</a>	Alignment	not modelled	100.0	18	<b>Fold:</b> TIM beta/alpha-barrel <b>Superfamily:</b> (Trans)glycosidases <b>Family:</b> Amylase, catalytic domain
93	<a href="#">d1pama4</a>	Alignment	not modelled	100.0	20	<b>Fold:</b> TIM beta/alpha-barrel <b>Superfamily:</b> (Trans)glycosidases <b>Family:</b> Amylase, catalytic domain
94	<a href="#">d3bmva4</a>	Alignment	not modelled	100.0	18	<b>Fold:</b> TIM beta/alpha-barrel <b>Superfamily:</b> (Trans)glycosidases <b>Family:</b> Amylase, catalytic domain
95	<a href="#">d2guya2</a>	Alignment	not modelled	100.0	22	<b>Fold:</b> TIM beta/alpha-barrel <b>Superfamily:</b> (Trans)glycosidases <b>Family:</b> Amylase, catalytic domain
96	<a href="#">d2aaaa2</a>	Alignment	not modelled	100.0	22	<b>Fold:</b> TIM beta/alpha-barrel <b>Superfamily:</b> (Trans)glycosidases <b>Family:</b> Amylase, catalytic domain
97	<a href="#">d1cxla4</a>	Alignment	not modelled	100.0	20	<b>Fold:</b> TIM beta/alpha-barrel <b>Superfamily:</b> (Trans)glycosidases <b>Family:</b> Amylase, catalytic domain
98	<a href="#">c1hvxA</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> alpha-amylase; <b>PDBTitle:</b> bacillus stearothermophilus alpha-amylase
99	<a href="#">d1qhoa4</a>	Alignment	not modelled	100.0	24	<b>Fold:</b> TIM beta/alpha-barrel <b>Superfamily:</b> (Trans)glycosidases <b>Family:</b> Amylase, catalytic domain
100	<a href="#">d1cgta4</a>	Alignment	not modelled	100.0	19	<b>Fold:</b> TIM beta/alpha-barrel <b>Superfamily:</b> (Trans)glycosidases <b>Family:</b> Amylase, catalytic domain
101	<a href="#">c1e40A</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> alpha-amylase; <b>PDBTitle:</b> tris/maltotriose complex of chimaeric amylase from b.2 amyloliquefaciens and b. licheniformis at 2.2a
102	<a href="#">c2qpuB</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> alpha-amylase type a isozyme; <b>PDBTitle:</b> sugar tongs mutant s378p in complex with acarbose
103	<a href="#">d1ji1a3</a>	Alignment	not modelled	100.0	20	<b>Fold:</b> TIM beta/alpha-barrel <b>Superfamily:</b> (Trans)glycosidases <b>Family:</b> Amylase, catalytic domain
104	<a href="#">d1cyga4</a>	Alignment	not modelled	100.0	19	<b>Fold:</b> TIM beta/alpha-barrel <b>Superfamily:</b> (Trans)glycosidases <b>Family:</b> Amylase, catalytic domain
105	<a href="#">c1bagA</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> alpha-amylase <b>Chain:</b> A: <b>PDB Molecule:</b> alpha-1,4-glucan-4-glucanohydrolase; <b>PDBTitle:</b> alpha-amylase from bacillus subtilis complexed with2 maltopentaose
106	<a href="#">c6gyaA</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> a-amylase; <b>PDBTitle:</b> amylase in complex with branched ligand
107	<a href="#">c1ud8A</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> amylase; <b>PDBTitle:</b> crystal structure of amyk38 with lithium ion
						<b>PDB header:</b> hydrolase

108	<a href="#">c1wpcA_</a>	Alignment	not modelled	100.0	19	<b>Chain:</b> A; <b>PDB Molecule:</b> glucan 1,4-alpha-maltohexaosidase; <b>PDBTitle:</b> crystal structure of maltohexaose-producing amylase complexed with2 pseudo-maltononaose
109	<a href="#">c1jd7A_</a>	Alignment	not modelled	100.0	13	<b>PDB header:</b> hydrolase <b>Chain:</b> A; <b>PDB Molecule:</b> alpha-amylase; <b>PDBTitle:</b> crystal structure analysis of the mutant k300r of2 pseudoalteromonas haloplancinis alpha-amylase
110	<a href="#">c5bn7A_</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> hydrolase <b>Chain:</b> A; <b>PDB Molecule:</b> maltodextrin glucosidase; <b>PDBTitle:</b> crystal structure of maltodextrin glucosidase from e.coli at 3.7 a2 resolution
111	<a href="#">c1jaeA_</a>	Alignment	not modelled	100.0	14	<b>PDB header:</b> glycosidase <b>Chain:</b> A; <b>PDB Molecule:</b> alpha-amylase; <b>PDBTitle:</b> structure of tenebrio molitor larval alpha-amylase
112	<a href="#">c1jdaA_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> hydrolase <b>Chain:</b> A; <b>PDB Molecule:</b> 1,4-alpha maltotetrahydrolase; <b>PDBTitle:</b> maltotetraose-forming exo-amylase
113	<a href="#">c1gcyA_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> hydrolase <b>Chain:</b> A; <b>PDB Molecule:</b> glucan 1,4-alpha-maltotetrahydrolase; <b>PDBTitle:</b> high resolution crystal structure of maltotetraose-forming2 exo-amylase
114	<a href="#">c3blpX_</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> hydrolase <b>Chain:</b> X; <b>PDB Molecule:</b> alpha-amylase 1; <b>PDBTitle:</b> role of aromatic residues in human salivary alpha-amylase
115	<a href="#">d1r7aa2</a>	Alignment	not modelled	100.0	20	<b>Fold:</b> TIM beta/alpha-barrel <b>Superfamily:</b> (Trans)glycosidases <b>Family:</b> Amylase, catalytic domain
116	<a href="#">c1mwoA_</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> hydrolase <b>Chain:</b> A; <b>PDB Molecule:</b> alpha amylase; <b>PDBTitle:</b> crystal structure analysis of the hyperthermstable2 pyrococcus woesei alpha-amylase
117	<a href="#">d1ob0a2</a>	Alignment	not modelled	100.0	20	<b>Fold:</b> TIM beta/alpha-barrel <b>Superfamily:</b> (Trans)glycosidases <b>Family:</b> Amylase, catalytic domain
118	<a href="#">c3bc9A_</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> hydrolase <b>Chain:</b> A; <b>PDB Molecule:</b> alpha amylase, catalytic region; <b>PDBTitle:</b> alpha-amylase b in complex with acarbose
119	<a href="#">d1ud2a2</a>	Alignment	not modelled	100.0	16	<b>Fold:</b> TIM beta/alpha-barrel <b>Superfamily:</b> (Trans)glycosidases <b>Family:</b> Amylase, catalytic domain
120	<a href="#">d2gjpa2</a>	Alignment	not modelled	100.0	19	<b>Fold:</b> TIM beta/alpha-barrel <b>Superfamily:</b> (Trans)glycosidases <b>Family:</b> Amylase, catalytic domain