

# Phyre2

Email	mdejesus@rockefeller.edu
Description	RVBD2750_(-)_3062826_3063644
Date	Wed Aug 7 12:50:40 BST 2019
Unique Job ID	65b9783a79d6b5a3

Detailed template information

#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">c3sx2F_</a>	Alignment		100.0	77	<b>PDB header:</b> oxidoreductase <b>Chain:</b> F; <b>PDB Molecule:</b> putative 3-ketoacyl-(acyl-carrier-protein) reductase; <b>PDBTitle:</b> crystal structure of a putative 3-ketoacyl-(acyl-carrier-protein)2 reductase from mycobacterium paratuberculosis in complex with nad
2	<a href="#">c3t7cC_</a>	Alignment		100.0	49	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C; <b>PDB Molecule:</b> carveol dehydrogenase; <b>PDBTitle:</b> crystal structure of carveol dehydrogenase from mycobacterium avium2 bound to nad
3	<a href="#">c4rgbB_</a>	Alignment		100.0	40	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B; <b>PDB Molecule:</b> carveol dehydrogenase; <b>PDBTitle:</b> crystal structure of a putative carveol dehydrogenase from2 mycobacterium avium bound to nad
4	<a href="#">c3tscB_</a>	Alignment		100.0	41	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B; <b>PDB Molecule:</b> putative oxidoreductase; <b>PDBTitle:</b> crystal structure of short chain dehydrogenase map_2410 from2 mycobacterium paratuberculosis bound to nad
5	<a href="#">c6ci9D_</a>	Alignment		100.0	27	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D; <b>PDB Molecule:</b> 3-oxoacyl-[acyl-carrier-protein] reductase; <b>PDBTitle:</b> rmm microcompartment-associated aminopropanol dehydrogenase nadp +2 aminoacetone holo-structure
6	<a href="#">d1iy8a_</a>	Alignment		100.0	28	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
7	<a href="#">c3uveC_</a>	Alignment		100.0	51	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C; <b>PDB Molecule:</b> carveol dehydrogenase ((+)-trans-carveol dehydrogenase); <b>PDBTitle:</b> crystal structure of carveol dehydrogenase ((+)-trans-carveol2 dehydrogenase) from mycobacterium avium
8	<a href="#">d1pr9a_</a>	Alignment		100.0	25	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
9	<a href="#">c5idxB_</a>	Alignment		100.0	22	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B; <b>PDB Molecule:</b> short-chain dehydrogenase/reductase sdr; <b>PDBTitle:</b> crystal structure of an oxidoreductase from burkholderia vietnamiensis
10	<a href="#">c5itvC_</a>	Alignment		100.0	22	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C; <b>PDB Molecule:</b> dihydroantcapsin 7-dehydrogenase; <b>PDBTitle:</b> crystal structure of bacillus subtilis bacc dihydroantcapsin 7-2 dehydrogenase in complex with nadh
11	<a href="#">c4urfB_</a>	Alignment		100.0	31	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B; <b>PDB Molecule:</b> cyclohexanol dehydrogenase; <b>PDBTitle:</b> molecular genetic and crystal structural analysis of 1-(4-2 hydroxyphenyl)-ethanol dehydrogenase from aromatoleum aromaticum ebn1

12	<a href="#">c3itdA_</a>	Alignment		100.0	25	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 17beta-hydroxysteroid dehydrogenase; <b>PDBTitle:</b> crystal structure of an inactive 17beta-hydroxysteroid dehydrogenase2 (y167f mutated form) from fungus cochliobolus lunatus
13	<a href="#">c5ojgB_</a>	Alignment		100.0	25	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> dehydrogenase/reductase sdr family member 4; <b>PDBTitle:</b> crystal structure of the dehydrogenase/reductase sdr family member 42 (dhrs4) from caenorhabditis elegans
14	<a href="#">c3wtcB_</a>	Alignment		100.0	29	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> putative oxidoreductase; <b>PDBTitle:</b> crystal structure of gox2036
15	<a href="#">c3oecA_</a>	Alignment		100.0	41	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> carveol dehydrogenase (mytha.01326.c, a0r518 homolog); <b>PDBTitle:</b> crystal structure of carveol dehydrogenase from mycobacterium2 thermoresistibile
16	<a href="#">c3svtA_</a>	Alignment		100.0	21	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> short-chain type dehydrogenase/reductase; <b>PDBTitle:</b> structure of a short-chain type dehydrogenase/reductase from2 mycobacterium ulcerans
17	<a href="#">d1geea_</a>	Alignment		100.0	28	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
18	<a href="#">c3ai3A_</a>	Alignment		100.0	22	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> nadph-sorbose reductase; <b>PDBTitle:</b> the crystal structure of l-sorbose reductase from gluconobacter2 frateurii complexed with nadph and l-sorbose
19	<a href="#">c4egfA_</a>	Alignment		100.0	25	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> l-xylulose reductase; <b>PDBTitle:</b> crystal structure of a l-xylulose reductase from mycobacterium2 smegmatis
20	<a href="#">c5unlA_</a>	Alignment		100.0	23	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-ketoacyl-acp reductase; <b>PDBTitle:</b> crystal structure of a d-beta-hydroxybutyrate dehydrogenase from2 burkholderia multivorans
21	<a href="#">d1g0oa_</a>	Alignment	not modelled	100.0	24	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
22	<a href="#">c6ds1C_</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> putative oxidoreductase; <b>PDBTitle:</b> crystal structure of cj0485 dehydrogenase in complex with nadp+
23	<a href="#">c4npcA_</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> sorbitol dehydrogenase; <b>PDBTitle:</b> crystal structure of an oxidoreductase, short-chain2 dehydrogenase/reductase family protein from brucella suis
24	<a href="#">c3rihB_</a>	Alignment	not modelled	100.0	27	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> short chain dehydrogenase or reductase; <b>PDBTitle:</b> crystal structure of a putative short chain dehydrogenase or reductase2 from mycobacterium abscessus
25	<a href="#">d1ja9a_</a>	Alignment	not modelled	100.0	24	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
26	<a href="#">c4z9yA_</a>	Alignment	not modelled	100.0	27	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 2-deoxy-d-gluconate 3-dehydrogenase; <b>PDBTitle:</b> crystal structure of 2-keto-3-deoxy-d-gluconate dehydrogenase from2 peptobacterium carotovorum
27	<a href="#">c3lf2B_</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> short chain oxidoreductase q9hya2; <b>PDBTitle:</b> nadph bound structure of the short chain oxidoreductase q9hya2 from2 pseudomonas aeruginosa pao1 containing an atypical catalytic center
28	<a href="#">c4g81A_</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> putative hexonate dehydrogenase; <b>PDBTitle:</b> crystal structure of a hexonate dehydrogenase ortholog (target efi-2 506402 from salmonella enterica, unliganded structure <b>PDB header:</b> oxidoreductase

29	<a href="#">c3pgxB_</a>	Alignment	not modelled	100.0	34	<b>Chain:</b> B; <b>PDB Molecule:</b> carveol dehydrogenase; <b>PDBTitle:</b> crystal structure of a putative carveol dehydrogenase from2 mycobacterium paratuberculosis bound to nicotinamide adenine3 dinucleotide
30	<a href="#">c3toxG_</a>	Alignment	not modelled	100.0	33	<b>PDB header:</b> oxidoreductase <b>Chain:</b> G; <b>PDB Molecule:</b> short chain dehydrogenase; <b>PDBTitle:</b> crystal structure of a short chain dehydrogenase in complex with2 nad(p) from sinorhizobium meliloti 1021
31	<a href="#">c6f9qC_</a>	Alignment	not modelled	100.0	31	<b>PDB header:</b> biosynthetic protein <b>Chain:</b> C; <b>PDB Molecule:</b> 7s-cis-cis-nepetalactol cyclase; <b>PDBTitle:</b> binary complex of a 7s-cis-cis-nepetalactol cyclase from nepeta2 mussinii with nad+
32	<a href="#">d2ae2a_</a>	Alignment	not modelled	100.0	21	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
33	<a href="#">d1fmca_</a>	Alignment	not modelled	100.0	28	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
34	<a href="#">d1xhla_</a>	Alignment	not modelled	100.0	22	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
35	<a href="#">d1yxma1</a>	Alignment	not modelled	100.0	19	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
36	<a href="#">c4trrH_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> oxidoreductase <b>Chain:</b> H; <b>PDB Molecule:</b> putative d-beta-hydroxybutyrate dehydrogenase; <b>PDBTitle:</b> crystal structure of a putative putative d-beta-hydroxybutyrate2 dehydrogenase from burkholderia cenocepacia j2315
37	<a href="#">c6d9yB_</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B; <b>PDB Molecule:</b> short-chain dehydrogenase/reductase sdr; <b>PDBTitle:</b> crystal structure of a short chain dehydrogenase/reductase sdr from2 burkholderia phymatum with partially occupied nad
38	<a href="#">c5jy1C_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C; <b>PDB Molecule:</b> putative short-chain dehydrogenase/reductase; <b>PDBTitle:</b> crystal structure of putative short-chain dehydrogenase/reductase from2 burkholderia xenovorans lb400 bound to nad
39	<a href="#">c2zatC_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C; <b>PDB Molecule:</b> dehydrogenase/reductase sdr family member 4; <b>PDBTitle:</b> crystal structure of a mammalian reductase
40	<a href="#">d1w6ua_</a>	Alignment	not modelled	100.0	21	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
41	<a href="#">c5jc8C_</a>	Alignment	not modelled	100.0	35	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C; <b>PDB Molecule:</b> putative short-chain dehydrogenase/reductase; <b>PDBTitle:</b> crystal structure of a putative short-chain dehydrogenase/reductase2 from burkholderia xenovorans
42	<a href="#">c3ak4C_</a>	Alignment	not modelled	100.0	28	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C; <b>PDB Molecule:</b> nadh-dependent quinuclidinone reductase; <b>PDBTitle:</b> crystal structure of nadh-dependent quinuclidinone reductase from2 agrobacterium tumefaciens
43	<a href="#">c4nbrA_</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A; <b>PDB Molecule:</b> hypothetical 3-oxoacyl-(acyl-carrier protein) reductase; <b>PDBTitle:</b> crystal structure of 3-oxoacyl-[acyl-carrier protein] reductase from2 brucella melitensis atcc 23457
44	<a href="#">d1h5qa_</a>	Alignment	not modelled	100.0	23	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
45	<a href="#">c5x8hA_</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A; <b>PDB Molecule:</b> short-chain dehydrogenase reductase; <b>PDBTitle:</b> crystal structure of the ketone reductase chkred20 from the genome of2 chryseobacterium sp. ca49
46	<a href="#">d1k2wa_</a>	Alignment	not modelled	100.0	25	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
47	<a href="#">d2bgka1</a>	Alignment	not modelled	100.0	21	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
48	<a href="#">c5epoD_</a>	Alignment	not modelled	100.0	31	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D; <b>PDB Molecule:</b> 7-alpha-hydroxysteroid dehydrogenase; <b>PDBTitle:</b> the three-dimensional structure of clostridium absonum 7alpha-2 hydroxysteroid dehydrogenase
49	<a href="#">c4wecA_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A; <b>PDB Molecule:</b> short chain dehydrogenase; <b>PDBTitle:</b> crystal structure of a short chain dehydrogenase from mycobacterium2 smegmatis
50	<a href="#">c3awdD_</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D; <b>PDB Molecule:</b> putative polyol dehydrogenase; <b>PDBTitle:</b> crystal structure of gox2181
51	<a href="#">d2rhca1</a>	Alignment	not modelled	100.0	26	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
52	<a href="#">d1zema1</a>	Alignment	not modelled	100.0	22	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
53	<a href="#">c5h5xH_</a>	Alignment	not modelled	100.0	28	<b>PDB header:</b> oxidoreductase <b>Chain:</b> H; <b>PDB Molecule:</b> putative oxidoreductase; <b>PDBTitle:</b> crystal structure of nadh bound carbonyl reductase from

					streptomyces2 coelicolor
54	<a href="#">c3cxtA</a>	Alignment	not modelled	100.0	27 <b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> dehydrogenase with different specificities; <b>PDBTitle:</b> quaternary complex structure of gluconate 5-dehydrogenase from2 streptococcus suis type 2
55	<a href="#">c5k9zB</a>	Alignment	not modelled	100.0	27 <b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> putative short-chain dehydrogenase/reductase; <b>PDBTitle:</b> crystal structure of putative short-chain dehydrogenase/reductase from2 burkholderia xenovorans lb400
56	<a href="#">c5o30A</a>	Alignment	not modelled	100.0	19 <b>PDB header:</b> lyase <b>Chain:</b> A: <b>PDB Molecule:</b> putative oxidoreductase; <b>PDBTitle:</b> crystal structure of the novel halohydrin dehalogenase hgeg
57	<a href="#">c4j2hA</a>	Alignment	not modelled	100.0	30 <b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> short chain alcohol dehydrogenase-related dehydrogenase; <b>PDBTitle:</b> crystal structure of a putative short-chain alcohol dehydrogenase from2 sinorhizobium meliloti 1021 (target nysgrc-011708)
58	<a href="#">c4wuvB</a>	Alignment	not modelled	100.0	25 <b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 2-hydroxycyclohexanecarboxyl-coa dehydrogenase; <b>PDBTitle:</b> crystal structure of a putative d-mannonate oxidoreductase from2 haemophilus influenza (avi_5165, target efi-513796) with bound nad
59	<a href="#">c4nbvA</a>	Alignment	not modelled	100.0	33 <b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-oxoacyl-[acyl-carrier-protein] reductase putative short- <b>PDBTitle:</b> crystal structure of fabg from cupriavidus taiwanensis
60	<a href="#">c4fn4A</a>	Alignment	not modelled	100.0	24 <b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> short chain dehydrogenase; <b>PDBTitle:</b> short-chain nad(h)-dependent dehydrogenase/reductase from sulfobolus2 acidocaldarius
61	<a href="#">c1w4zA</a>	Alignment	not modelled	100.0	26 <b>PDB header:</b> antibiotic biosynthesis <b>Chain:</b> A: <b>PDB Molecule:</b> ketoacyl reductase; <b>PDBTitle:</b> structure of actinorhodin polyketide (actiii) reductase
62	<a href="#">c4imrA</a>	Alignment	not modelled	100.0	20 <b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-oxoacyl-(acyl-carrier-protein) reductase; <b>PDBTitle:</b> crystal structure of 3-oxoacyl (acyl-carrier-protein) reductase2 (target efi-506442) from agrobacterium tumefaciens c58 with nadp3 bound
63	<a href="#">c3pk0B</a>	Alignment	not modelled	100.0	26 <b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> short-chain dehydrogenase/reductase sdr; <b>PDBTitle:</b> crystal structure of short-chain dehydrogenase/reductase sdr from2 mycobacterium smegmatis
64	<a href="#">c4hp8A</a>	Alignment	not modelled	100.0	28 <b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 2-deoxy-d-gluconate 3-dehydrogenase; <b>PDBTitle:</b> crystal structure of a putative 2-deoxy-d-gluconate 3-dehydrogenase2 from agrobacterium tumefaciens (target efi-506435) with bound nadp
65	<a href="#">c3nugA</a>	Alignment	not modelled	100.0	32 <b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-oxoacyl-(acyl-carrier protein) reductase; <b>PDBTitle:</b> crystal structure of wild type tetrameric pyridoxal 4-dehydrogenase2 from mesorhizobium loti
66	<a href="#">c4cr8D</a>	Alignment	not modelled	100.0	27 <b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> n-acylmannosamine 1-dehydrogenase; <b>PDBTitle:</b> crystal structure of the n-acetyl-d-mannosamine dehydrogenase2 with nad
67	<a href="#">c5jydA</a>	Alignment	not modelled	100.0	26 <b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> short chain dehydrogenase; <b>PDBTitle:</b> crystal structure of a putative short chain dehydrogenase from2 burkholderia cenocepacia
68	<a href="#">c5u9pB</a>	Alignment	not modelled	100.0	28 <b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> gluconate 5-dehydrogenase; <b>PDBTitle:</b> crystal structure of a gluconate 5-dehydrogenase from burkholderia2 cenocepacia j2315 in complex with nadp and tartrate
69	<a href="#">c4iboA</a>	Alignment	not modelled	100.0	22 <b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> gluconate dehydrogenase; <b>PDBTitle:</b> crystal structure of a putative gluconate dehydrogenase from2 agrobacterium tumefaciens (target efi-506446)
70	<a href="#">d1xkqa</a>	Alignment	not modelled	100.0	23 <b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
71	<a href="#">c3gvcB</a>	Alignment	not modelled	100.0	26 <b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> probable short-chain type dehydrogenase/reductase; <b>PDBTitle:</b> crystal structure of probable short-chain dehydrogenase-reductase from2 mycobacterium tuberculosis
72	<a href="#">c2cfcB</a>	Alignment	not modelled	100.0	24 <b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 2-(r)-hydroxypropyl-com dehydrogenase; <b>PDBTitle:</b> structural basis for stereo selectivity in the (r)- and2 (s)-hydroxypropylethane thiosulfonate dehydrogenases
73	<a href="#">c3ijrF</a>	Alignment	not modelled	100.0	27 <b>PDB header:</b> oxidoreductase <b>Chain:</b> F: <b>PDB Molecule:</b> oxidoreductase, short chain dehydrogenase/reductase family; <b>PDBTitle:</b> 2.05 angstrom resolution crystal structure of a short chain2 dehydrogenase from bacillus anthracis str. 'ames ancestor' in complex3 with nad+
74	<a href="#">c4afnB</a>	Alignment	not modelled	100.0	33 <b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 3-oxoacyl-[acyl-carrier-protein] reductase fabg; <b>PDBTitle:</b> crystal structure of 3-ketoacyl-(acyl-carrier-protein) reductase2 (fabg) from pseudomonas aeruginosa at 2.3a resolution
75	<a href="#">c2q2qG</a>	Alignment	not modelled	100.0	27 <b>PDB header:</b> oxidoreductase <b>Chain:</b> G: <b>PDB Molecule:</b> beta-d-hydroxybutyrate dehydrogenase; <b>PDBTitle:</b> structure of d-3-hydroxybutyrate dehydrogenase from pseudomonas putida
76	<a href="#">c4fc6B</a>	Alignment	not modelled	100.0	24 <b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> peroxisomal 2,4-dienoyl-coa reductase; <b>PDBTitle:</b> studies on dcr shed new light on peroxisomal beta-oxidation: crystal2 structure of the ternary complex of pdcr

77	<a href="#">dlgega_</a>	Alignment	not modelled	100.0	30	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
78	<a href="#">d1ae1a_</a>	Alignment	not modelled	100.0	21	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
79	<a href="#">c3v2gA_</a>	Alignment	not modelled	100.0	32	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-oxoacyl-[acyl-carrier-protein] reductase; <b>PDBTitle:</b> crystal structure of a dehydrogenase/reductase from sinorhizobium2 melliloti 1021
80	<a href="#">c2p68A_</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-oxoacyl-[acyl-carrier-protein] reductase; <b>PDBTitle:</b> crystal structure of aq_1716 from aquifex aeolicus vf5
81	<a href="#">c3tzqD_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> short-chain type dehydrogenase/reductase; <b>PDBTitle:</b> crystal structure of a short-chain type dehydrogenase/reductase from2 mycobacterium marinum
82	<a href="#">d1hdca_</a>	Alignment	not modelled	100.0	30	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
83	<a href="#">c2b4qB_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> rhamnolipids biosynthesis 3-oxoacyl-[acyl-carrier-protein] <b>PDBTitle:</b> pseudomonas aeruginosa rhlg/nadp active-site complex
84	<a href="#">c3r3sD_</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> oxidoreductase; <b>PDBTitle:</b> structure of the ygha oxidoreductase from salmonella enterica
85	<a href="#">c4iuyB_</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> short chain dehydrogenase/reductase; <b>PDBTitle:</b> crystal structure of short-chain dehydrogenase/reductase (apo-form)2 from a. baumannii clinical strain wm99c
86	<a href="#">c3pxxE_</a>	Alignment	not modelled	100.0	38	<b>PDB header:</b> oxidoreductase <b>Chain:</b> E: <b>PDB Molecule:</b> carveol dehydrogenase; <b>PDBTitle:</b> crystal structure of carveol dehydrogenase from mycobacterium avium2 bound to nicotinamide adenine dinucleotide
87	<a href="#">c4gloC_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> 3-oxoacyl-[acyl-carrier protein] reductase; <b>PDBTitle:</b> crystal structure of a short chain dehydrogenase homolog (target efi-2 505321) from burkholderia multivorans, with bound nad
88	<a href="#">d1ulua_</a>	Alignment	not modelled	100.0	23	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
89	<a href="#">c4qecB_</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> elxo; <b>PDBTitle:</b> elxo with nadp bound
90	<a href="#">c4gh5B_</a>	Alignment	not modelled	100.0	28	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> short-chain dehydrogenase/reductase sdr; <b>PDBTitle:</b> crystal structure of s-2-hydroxypropyl coenzyme m dehydrogenase (s-2 hpcdh)
91	<a href="#">c3k31B_</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> enoyl-(acyl-carrier-protein) reductase; <b>PDBTitle:</b> crystal structure of enoyl-(acyl-carrier-protein) reductase from2 anaplasma phagocytophilum in complex with nad at 1.9a resolution
92	<a href="#">c4nqzF_</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> oxidoreductase <b>Chain:</b> F: <b>PDB Molecule:</b> enoyl-[acyl-carrier-protein] reductase [nadh] fabi; <b>PDBTitle:</b> crystal structure of the pseudomonas aeruginosa enoyl-acyl carrier2 protein reductase (fabi) in apo form
93	<a href="#">c4nk4E_</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> E: <b>PDB Molecule:</b> enoyl-[acyl-carrier-protein] reductase [nadh]; <b>PDBTitle:</b> crystal structure of fabi from candidatus liberibacter asiaticus
94	<a href="#">c5g4kB_</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> oxidoreductase, short chain dehydrogenase/reductase <b>PDBTitle:</b> phloroglucinol reductase from clostridium sp. apo-form
95	<a href="#">c5o3zK_</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> oxidoreductase <b>Chain:</b> K: <b>PDB Molecule:</b> sorbitol-6-phosphate dehydrogenase; <b>PDBTitle:</b> crystal structure of sorbitol-6-phosphate 2-dehydrogenase srd from2 erwinia amylovora
96	<a href="#">c4mowB_</a>	Alignment	not modelled	100.0	29	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> glucose 1-dehydrogenase; <b>PDBTitle:</b> crystal structure of a putative glucose 1-dehydrogenase from2 burkholderia cenocepacia j2315
97	<a href="#">d1zk4a1</a>	Alignment	not modelled	100.0	24	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
98	<a href="#">c3grkE_</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> oxidoreductase <b>Chain:</b> E: <b>PDB Molecule:</b> enoyl-(acyl-carrier-protein) reductase (nadh); <b>PDBTitle:</b> crystal structure of short chain dehydrogenase reductase2 sdr glucose-ribitol dehydrogenase from brucella melitensis
99	<a href="#">c3iccA_</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> putative 3-oxoacyl-(acyl carrier protein) reductase; <b>PDBTitle:</b> crystal structure of a putative 3-oxoacyl-(acyl carrier protein)2 reductase from bacillus anthracis at 1.87 a resolution
100	<a href="#">c2yz7B_</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> d-3-hydroxybutyrate dehydrogenase; <b>PDBTitle:</b> x-ray analyses of 3-hydroxybutyrate dehydrogenase from2 alcaligenes faecalis
101	<a href="#">c5sr6C_</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> oxidoreductase, short chain

101	<a href="#">c3et0C_</a>	Alignment	not modelled	100.0	31	dehydrogenase/reductase family; <b>PDBTitle:</b> crystal structure of an oxidoreductase from brucella ovis <b>PDB header:</b> oxidoreductase
102	<a href="#">c3imfA_</a>	Alignment	not modelled	100.0	23	<b>Chain:</b> A: <b>PDB Molecule:</b> short chain dehydrogenase; <b>PDBTitle:</b> 1.99 angstrom resolution crystal structure of a short chain2 dehydrogenase from bacillus anthracis str. 'ames ancestor'
103	<a href="#">c4rziB_</a>	Alignment	not modelled	100.0	28	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 3-ketoacyl-acyl carrier protein reductase; <b>PDBTitle:</b> crystal structure of phab from synechocystis sp. pcc 6803
104	<a href="#">c2pd6D_</a>	Alignment	not modelled	100.0	34	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> estradiol 17-beta-dehydrogenase 8; <b>PDBTitle:</b> structure of human hydroxysteroid dehydrogenase type 8, hsd17b8
105	<a href="#">c3afnC_</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> carbonyl reductase; <b>PDBTitle:</b> crystal structure of aldose reductase a1-r complexed with nadp
106	<a href="#">c3uf0A_</a>	Alignment	not modelled	100.0	29	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> short-chain dehydrogenase/reductase sdr; <b>PDBTitle:</b> crystal structure of a putative nad(p) dependent gluconate 5-2 dehydrogenase from beutenbergia cavernae(efi target efi-502044) with3 bound nadp (low occupancy)
107	<a href="#">c4i5eC_</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> alcohol dehydrogenase/short-chain dehydrogenase; <b>PDBTitle:</b> crystal structure of ralstonia sp. alcohol dehydrogenase in complex2 with nadp+
108	<a href="#">c3sjuA_</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> keto reductase; <b>PDBTitle:</b> hedamycin polyketide ketoreductase bound to nadph
109	<a href="#">c5thkH_</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> oxidoreductase <b>Chain:</b> H: <b>PDB Molecule:</b> putative dehydrogenase; <b>PDBTitle:</b> crystal structure of a putative dehydrogenase from burkholderia2 cenocepacia with bound nadp
110	<a href="#">c2c07A_</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-oxoacyl-(acyl-carrier protein) reductase; <b>PDBTitle:</b> oxoacyl-acyl reductase of plasmodium falciparum
111	<a href="#">d2c07a1</a>	Alignment	not modelled	100.0	26	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
112	<a href="#">c5t5qC_</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> short-chain dehydrogenase/reductase sdr:glucose/ribitol <b>PDBTitle:</b> crystal structure of short-chain dehydrogenase/reductase2 sdr:glucose/ribitol dehydrogenase from brucella melitensis
113	<a href="#">d2pd4a1</a>	Alignment	not modelled	100.0	19	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
114	<a href="#">c5t2uC_</a>	Alignment	not modelled	100.0	28	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> oxidoreductase, short chain dehydrogenase/reductase family <b>PDBTitle:</b> short chain dehydrogenase/reductase family protein
115	<a href="#">c2z1nA_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> dehydrogenase; <b>PDBTitle:</b> crystal structure of ape0912 from aeropyrum pernix k1
116	<a href="#">c5ff9C_</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> noroxomaritidine/norcraugsodine reductase; <b>PDBTitle:</b> noroxomaritidine/norcraugsodine reductase in complex with nadp+ and2 tyramine
117	<a href="#">d1q7ba_</a>	Alignment	not modelled	100.0	32	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
118	<a href="#">d1vl8a_</a>	Alignment	not modelled	100.0	28	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
119	<a href="#">c4h15B_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> short chain alcohol dehydrogenase-related dehydrogenase; <b>PDBTitle:</b> crystal structure of a short chain alcohol dehydrogenase-related2 dehydrogenase (target id nysgrc-011812) from sinorhizobium melloti3 1021 in space group p21
120	<a href="#">c3gr6A_</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> enoyl-[acyl-carrier-protein] reductase [nadh]; <b>PDBTitle:</b> crystal structure of the staphylococcus aureus enoyl-acyl carrier2 protein reductase (fabI) in complex with nadp and triclosan