
















































# Phyre2

Email [mdejesus@rockefeller.edu](mailto:mdejesus@rockefeller.edu)  
 Description RVBD2780\_(ald)\_3086830\_3087945  
 Date Wed Aug 7 12:50:44 BST 2019  
 Unique Job ID 9a71269b997498c7

Detailed template information




















#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">c1pjcA_</a>	 Alignment		100.0	49	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> protein (l-alanine dehydrogenase); <b>PDBTitle:</b> l-alanine dehydrogenase complexed with nad
2	<a href="#">c4izhA_</a>	 Alignment		100.0	30	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> nad/nadp transhydrogenase alpha subunit 1; <b>PDBTitle:</b> crystal structure of the alpha1 dimer of thermus thermophilus2 transhydrogenase in p6
3	<a href="#">c2bruB_</a>	 Alignment		100.0	28	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> nad(p) transhydrogenase subunit alpha; <b>PDBTitle:</b> complex of the domain i and domain iii of escherichia coli2 transhydrogenase
4	<a href="#">c3p2yA_</a>	 Alignment		100.0	30	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> alanine dehydrogenase/pyridine nucleotide transhydrogenase; <b>PDBTitle:</b> crystal structure of alanine dehydrogenase/pyridine nucleotide2 transhydrogenase from mycobacterium smegmatis
5	<a href="#">c4dioB_</a>	 Alignment		100.0	28	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> nad(p) transhydrogenase subunit alpha part 1; <b>PDBTitle:</b> the crystal structure of transhydrogenase from sinorhizobium melliloti
6	<a href="#">c2eezG_</a>	 Alignment		100.0	56	<b>PDB header:</b> oxidoreductase <b>Chain:</b> G: <b>PDB Molecule:</b> alanine dehydrogenase; <b>PDBTitle:</b> crystal structure of alanine dehydrogenase from themus thermophilus
7	<a href="#">c1l7eC_</a>	 Alignment		100.0	29	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> nicotinamide nucleotide transhydrogenase, <b>PDBTitle:</b> crystal structure of r. rubrum transhydrogenase domain i2 with bound nadh
8	<a href="#">c2vhyB_</a>	 Alignment		100.0	100	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> alanine dehydrogenase; <b>PDBTitle:</b> crystal structure of apo l-alanine dehydrogenase from mycobacterium2 tuberculosis
9	<a href="#">c2qrlA_</a>	 Alignment		100.0	18	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> saccharopine dehydrogenase, nad+, l-lysine-forming; <b>PDBTitle:</b> crystal structure of oxalylglycine-bound saccharopine dehydrogenase2 (l-lys forming) from saccharomyces cerevisiae
10	<a href="#">d1pjca2</a>	 Alignment		100.0	40	<b>Fold:</b> Flavodoxin-like <b>Superfamily:</b> Formate/glycerate dehydrogenase catalytic domain-like <b>Family:</b> L-alanine dehydrogenase-like
11	<a href="#">d1l7da2</a>	 Alignment		100.0	30	<b>Fold:</b> Flavodoxin-like <b>Superfamily:</b> Formate/glycerate dehydrogenase catalytic domain-like <b>Family:</b> L-alanine dehydrogenase-like

12	<a href="#">c1ybaC_</a>	 Alignment		100.0	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> d-3-phosphoglycerate dehydrogenase; <b>PDBTitle:</b> the active form of phosphoglycerate dehydrogenase
13	<a href="#">c1ygyA_</a>	 Alignment		100.0	18	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> d-3-phosphoglycerate dehydrogenase; <b>PDBTitle:</b> crystal structure of d-3-phosphoglycerate dehydrogenase from <i>Mycobacterium tuberculosis</i>
14	<a href="#">c3k5pA_</a>	 Alignment		100.0	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> d-3-phosphoglycerate dehydrogenase; <b>PDBTitle:</b> crystal structure of amino acid-binding act: d-isomer specific 2-2 hydroxyacid dehydrogenase catalytic domain from <i>Brucella melitensis</i>
15	<a href="#">c3n7uD_</a>	 Alignment		100.0	12	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> formate dehydrogenase; <b>PDBTitle:</b> nad-dependent formate dehydrogenase from higher-plant <i>Arabidopsis thaliana</i> in complex with nad and azide
16	<a href="#">c3fn4A_</a>	 Alignment		100.0	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> nad-dependent formate dehydrogenase; <b>PDBTitle:</b> apo-form of nad-dependent formate dehydrogenase from bacterium <i>Moraxella sp. c-1</i> in closed conformation
17	<a href="#">c2eklA_</a>	 Alignment		100.0	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> d-3-phosphoglycerate dehydrogenase; <b>PDBTitle:</b> structure of st1218 protein from <i>Sulfolobus tokodaii</i>
18	<a href="#">c6ih2B_</a>	 Alignment		100.0	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> phosphite dehydrogenase; <b>PDBTitle:</b> crystal structure of phosphite dehydrogenase from <i>Ralstonia sp. 4506</i>
19	<a href="#">c2gcaB_</a>	 Alignment		100.0	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> glyoxylate reductase/hydroxypyruvate reductase; <b>PDBTitle:</b> ternary crystal structure of human glyoxylate2 reductase/hydroxypyruvate reductase
20	<a href="#">c2nacA_</a>	 Alignment		100.0	12	<b>PDB header:</b> oxidoreductase(aldehyde(d),nad+(a)) <b>Chain:</b> A: <b>PDB Molecule:</b> nad-dependent formate dehydrogenase; <b>PDBTitle:</b> high resolution structures of holo and apo formate dehydrogenase
21	<a href="#">c2cukC_</a>	 Alignment	not modelled	100.0	18	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> glycerate dehydrogenase/glyoxylate reductase; <b>PDBTitle:</b> crystal structure of tt0316 protein from <i>Thermophilus hb8</i>
22	<a href="#">c1wwkA_</a>	 Alignment	not modelled	100.0	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> phosphoglycerate dehydrogenase; <b>PDBTitle:</b> crystal structure of phosphoglycerate dehydrogenase from <i>Pyrococcus horikoshii</i> ot3
23	<a href="#">c2g76A_</a>	 Alignment	not modelled	100.0	12	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> d-3-phosphoglycerate dehydrogenase; <b>PDBTitle:</b> crystal structure of human 3-phosphoglycerate dehydrogenase
24	<a href="#">c5tx7A_</a>	 Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> d-isomer specific 2-hydroxyacid dehydrogenase family <b>PDBTitle:</b> crystal structure of d-isomer specific 2-hydroxyacid dehydrogenase2 from <i>Desulfovibrio vulgaris</i>
25	<a href="#">c4g2nA_</a>	 Alignment	not modelled	100.0	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> d-isomer specific 2-hydroxyacid dehydrogenase, nad-binding; <b>PDBTitle:</b> crystal structure of putative d-isomer specific 2-hydroxyacid2 dehydrogenase, nad-binding from <i>Polaromonas sp. js666</i>
26	<a href="#">c4e5kC_</a>	 Alignment	not modelled	100.0	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> phosphite dehydrogenase (thermostable variant); <b>PDBTitle:</b> thermostable phosphite dehydrogenase in complex with nad and sulfite
27	<a href="#">c2j6iC_</a>	 Alignment	not modelled	100.0	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> formate dehydrogenase; <b>PDBTitle:</b> <i>Candida boidinii</i> formate dehydrogenase (fdh) c-terminal

						mutant
28	<a href="#">c4xkjA_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> d-lactate dehydrogenase; <b>PDBTitle:</b> a novel d-lactate dehydrogenase from sporolactobacillus sp
29	<a href="#">c1gdhA_</a>	Alignment	not modelled	100.0	10	<b>PDB header:</b> oxidoreductase(choh (d)-nad(p)+ (a)) <b>Chain:</b> A: <b>PDB Molecule:</b> d-glycerate dehydrogenase; <b>PDBTitle:</b> crystal structure of a nad-dependent d-glycerate2 dehydrogenase at 2.4 angstroms resolution
30	<a href="#">c1dxyA_</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> d-2-hydroxyisocaproate dehydrogenase; <b>PDBTitle:</b> structure of d-2-hydroxyisocaproate dehydrogenase
31	<a href="#">c6p2iA_</a>	Alignment	not modelled	100.0	13	<b>PDB header:</b> oxidoreductase, biosynthetic protein <b>Chain:</b> A: <b>PDB Molecule:</b> glycerate dehydrogenase; <b>PDBTitle:</b> acyclic imino acid reductase (bsp5) in complex with nadph and d-arg
32	<a href="#">c4zgsE_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> E: <b>PDB Molecule:</b> putative d-lactate dehydrogenase; <b>PDBTitle:</b> identification of the pyruvate reductase of chlamydomonas reinhardtii
33	<a href="#">c3wwzB_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> d-lactate dehydrogenase (fermentative); <b>PDBTitle:</b> the crystal structure of d-lactate dehydrogenase from pseudomonas2 aeruginosa
34	<a href="#">c2dbqA_</a>	Alignment	not modelled	100.0	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> glyoxylate reductase; <b>PDBTitle:</b> crystal structure of glyoxylate reductase (ph0597) from pyrococcus2 horikoshii ot3, complexed with nadp (i41)
35	<a href="#">c4prkB_</a>	Alignment	not modelled	100.0	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 4-phosphoerythronate dehydrogenase; <b>PDBTitle:</b> crystal structure of d-lactate dehydrogenase (d-ldh) from2 lactobacillus jensenii
36	<a href="#">c2yq4C_</a>	Alignment	not modelled	100.0	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> d-isomer specific 2-hydroxyacid dehydrogenase; <b>PDBTitle:</b> crystal structure of d-isomer specific 2-hydroxyacid dehydrogenase2 from lactobacillus delbrueckii ssp. bulgaricus
37	<a href="#">c3bazA_</a>	Alignment	not modelled	100.0	10	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> hydroxyphenylpyruvate reductase; <b>PDBTitle:</b> structure of hydroxyphenylpyruvate reductase from coleus blumei in2 complex with nadp+
38	<a href="#">c2d0iC_</a>	Alignment	not modelled	100.0	12	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> d-lactate dehydrogenase; <b>PDBTitle:</b> crystal structure ph0520 protein from pyrococcus horikoshii ot3
39	<a href="#">c2pi1C_</a>	Alignment	not modelled	100.0	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> d-lactate dehydrogenase; <b>PDBTitle:</b> crystal structure of d-lactate dehydrogenase from aquifex2 aeolicus complexed with nad and lactic acid
40	<a href="#">c3evtA_</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> phosphoglycerate dehydrogenase; <b>PDBTitle:</b> crystal structure of phosphoglycerate dehydrogenase from lactobacillus2 plantarum
41	<a href="#">c4cukA_</a>	Alignment	not modelled	100.0	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> d-lactate dehydrogenase; <b>PDBTitle:</b> structure of salmonella d-lactate dehydrogenase in complex2 with nadh
42	<a href="#">c5j23D_</a>	Alignment	not modelled	100.0	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> 2-hydroxyacid dehydrogenase; <b>PDBTitle:</b> crystal structure of nadph-dependent glyoxylate/hydroxypyruvate2 reductase smc04462 (smghrb) from sinorhizobium melloti in complex3 with 2'-phospho- adp-ribose
43	<a href="#">c4s1vD_</a>	Alignment	not modelled	100.0	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> d-3-phosphoglycerate dehydrogenase-related protein; <b>PDBTitle:</b> crystal structure of phosphoglycerate oxidoreductase from vibrio2 cholerae o395
44	<a href="#">d1pjca1</a>	Alignment	not modelled	100.0	53	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
45	<a href="#">c1xdwA_</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> nad+-dependent (r)-2-hydroxyglutarate <b>PDBTitle:</b> nad+-dependent (r)-2-hydroxyglutarate dehydrogenase from2 acidaminococcus fermentans
46	<a href="#">c1j4aA_</a>	Alignment	not modelled	100.0	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> d-lactate dehydrogenase; <b>PDBTitle:</b> insights into domain closure, substrate specificity and2 catalysis of d-lactate dehydrogenase from lactobacillus3 bulgaricus
47	<a href="#">c4lswA_</a>	Alignment	not modelled	100.0	12	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> d-2-hydroxyacid dehydrogenase protein; <b>PDBTitle:</b> crystallization and structural analysis of 2-hydroxyacid dehydrogenase2 from ketogulonigenium vulgare y25
48	<a href="#">c3gg9C_</a>	Alignment	not modelled	100.0	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> d-3-phosphoglycerate dehydrogenase oxidoreductase protein; <b>PDBTitle:</b> crystal structure of putative d-3-phosphoglycerate dehydrogenase2 oxidoreductase from ralstonia solanacearum
49	<a href="#">c2w2kB_</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> d-mandelate dehydrogenase; <b>PDBTitle:</b> crystal structure of the apo forms of rhodotorula graminis2 d-mandelate dehydrogenase at 1.8a.
50	<a href="#">c2omeA_</a>	Alignment	not modelled	100.0	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> c-terminal-binding protein 2; <b>PDBTitle:</b> crystal structure of human ctbp2 dehydrogenase complexed with nad(h)
51	<a href="#">c3wwyA_</a>	Alignment	not modelled	100.0	10	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> d-lactate dehydrogenase; <b>PDBTitle:</b> the crystal structure of d-lactate dehydrogenase from fusobacterium2 nucleatum subsp. nucleatum
						<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> d-3-phosphoglycerate dehydrogenase,

52	<a href="#">c4njmA</a>	Alignment	not modelled	100.0	14	putative; <b>PDBTitle:</b> crystal structure of phosphoglycerate bound 3-phosphoglycerate2 dehydrogenase in entamoeba histolytica
53	<a href="#">c5mh5A</a>	Alignment	not modelled	100.0	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> d-2-hydroxyacid dehydrogenase; <b>PDBTitle:</b> d-2-hydroxyacid dehydrogenases (d2-hdh) from haloferax mediterranei in2 complex with 2-keto-hexanoic acid and nadp+ (1.4 a resolution)
54	<a href="#">c2o4cB</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> erythronate-4-phosphate dehydrogenase; <b>PDBTitle:</b> crystal structure of d-erythronate-4-phosphate dehydrogenase complexed2 with nad
55	<a href="#">c3wnvA</a>	Alignment	not modelled	100.0	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> glyoxylate reductase; <b>PDBTitle:</b> crystal structure of a glyoxylate reductase from paecilomyces2 thermophila
56	<a href="#">c3hg7A</a>	Alignment	not modelled	100.0	12	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> d-isomer specific 2-hydroxyacid dehydrogenase family <b>PDBTitle:</b> crystal structure of d-isomer specific 2-hydroxyacid dehydrogenase2 family protein from aeromonas salmonicida subsp. salmonicida a449
57	<a href="#">c4zqbB</a>	Alignment	not modelled	100.0	12	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> nadp-dependent dehydrogenase; <b>PDBTitle:</b> crystal structure of nadp-dependent dehydrogenase from2 rhodobactersphaeroides in complex with nadp and sulfate
58	<a href="#">c4n18A</a>	Alignment	not modelled	100.0	12	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> d-isomer specific 2-hydroxyacid dehydrogenase family <b>PDBTitle:</b> crystal structure of d-isomer specific 2-hydroxyacid dehydrogenase2 family protein from klebsiella pneumoniae 342
59	<a href="#">c4xcvA</a>	Alignment	not modelled	100.0	12	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> nadp-dependent 2-hydroxyacid dehydrogenase; <b>PDBTitle:</b> probable 2-hydroxyacid dehydrogenase from rhizobium etli cfn 42 in2 complex with nadph
60	<a href="#">c5dt9A</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> erythronate-4-phosphate dehydrogenase; <b>PDBTitle:</b> crystal structure of a putative d-erythronate-4-phosphate2 dehydrogenase from vibrio cholerae
61	<a href="#">c4wegA</a>	Alignment	not modelled	100.0	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> nad-dependent dehydrogenase; <b>PDBTitle:</b> crystal structure of nadph-dependent glyoxylate/hydroxypyruvate2 reductase smc02828 (smghra) from sinorhizobium meliloti in complex3 with nadp and sulfate
62	<a href="#">c1qp8A</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> formate dehydrogenase; <b>PDBTitle:</b> crystal structure of a putative formate dehydrogenase from2 pyrobaculum aerophilum
63	<a href="#">c3oetF</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> F: <b>PDB Molecule:</b> erythronate-4-phosphate dehydrogenase; <b>PDBTitle:</b> d-erythronate-4-phosphate dehydrogenase complexed with nad
64	<a href="#">c4dgsA</a>	Alignment	not modelled	100.0	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> dehydrogenase; <b>PDBTitle:</b> the crystals structure of dehydrogenase from rhizobium meliloti
65	<a href="#">c3kboB</a>	Alignment	not modelled	100.0	12	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> glyoxylate/hydroxypyruvate reductase a; <b>PDBTitle:</b> 2.14 angstrom crystal structure of putative oxidoreductase (ycdw) from2 salmonella typhimurium in complex with nadp
66	<a href="#">c4hy3D</a>	Alignment	not modelled	100.0	12	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> phosphoglycerate oxidoreductase; <b>PDBTitle:</b> crystal structure of a phosphoglycerate oxidoreductase from rhizobium2 etli
67	<a href="#">d1l7da1</a>	Alignment	not modelled	100.0	30	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
68	<a href="#">c2rirA</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> dipicolinate synthase, a chain; <b>PDBTitle:</b> crystal structure of dipicolinate synthase, a chain, from bacillus2 subtilis
69	<a href="#">c3gvxA</a>	Alignment	not modelled	100.0	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> glycerate dehydrogenase related protein; <b>PDBTitle:</b> crystal structure of glycerate dehydrogenase related2 protein from thermoplasma acidophilum
70	<a href="#">c4xa8A</a>	Alignment	not modelled	100.0	12	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> d-isomer specific 2-hydroxyacid dehydrogenase nad-binding; <b>PDBTitle:</b> crystal structure of d-isomer specific 2-hydroxyacid dehydrogenase2 from xanthobacter autotrophicus py2
71	<a href="#">c3d4oA</a>	Alignment	not modelled	99.9	18	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> dipicolinate synthase subunit a; <b>PDBTitle:</b> crystal structure of dipicolinate synthase subunit a (np_243269.1)2 from bacillus halodurans at 2.10 a resolution
72	<a href="#">d1gdha1</a>	Alignment	not modelled	99.9	11	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
73	<a href="#">d1ygya1</a>	Alignment	not modelled	99.9	17	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
74	<a href="#">d1mx3a1</a>	Alignment	not modelled	99.9	15	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
75	<a href="#">d2naca1</a>	Alignment	not modelled	99.9	11	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
						<b>Fold:</b> NAD(P)-binding Rossmann-fold domains

76	<a href="#">d1j4aa1</a>	Alignment	not modelled	99.9	16	<b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
77	<a href="#">d2dlda1</a>	Alignment	not modelled	99.9	18	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
78	<a href="#">d1sc6a1</a>	Alignment	not modelled	99.9	14	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
79	<a href="#">d1dxya1</a>	Alignment	not modelled	99.9	16	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
80	<a href="#">d1qp8a1</a>	Alignment	not modelled	99.9	15	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
81	<a href="#">c6f3oC</a>	Alignment	not modelled	99.8	13	<b>PDB header:</b> hydrolase <b>Chain:</b> C: <b>PDB Molecule:</b> adenosylhomocysteinase; <b>PDBTitle:</b> crystal structure of s-adenosyl-l-homocysteine hydrolase from2 pseudomonas aeruginosa complexed with adenine, k+ and zn2+ cations
82	<a href="#">c3gvpB</a>	Alignment	not modelled	99.8	18	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> adenosylhomocysteinase 3; <b>PDBTitle:</b> human sahh-like domain of human adenosylhomocysteinase 3
83	<a href="#">c6aphA</a>	Alignment	not modelled	99.7	16	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> adenosylhomocysteinase; <b>PDBTitle:</b> crystal structure of adenosylhomocysteinase from elizabethkingia2 anophelis nuhp1 in complex with nad and adenosine
84	<a href="#">c1d4fD</a>	Alignment	not modelled	99.7	18	<b>PDB header:</b> hydrolase <b>Chain:</b> D: <b>PDB Molecule:</b> s-adenosylhomocysteine hydrolase; <b>PDBTitle:</b> crystal structure of recombinant rat-liver d244e mutant s-2 adenosylhomocysteine hydrolase
85	<a href="#">c3dhyC</a>	Alignment	not modelled	99.7	20	<b>PDB header:</b> hydrolase <b>Chain:</b> C: <b>PDB Molecule:</b> adenosylhomocysteinase; <b>PDBTitle:</b> crystal structures of mycobacterium tuberculosis s-adenosyl-l-2 homocysteine hydrolase in ternary complex with substrate and3 inhibitors
86	<a href="#">c3n58D</a>	Alignment	not modelled	99.7	18	<b>PDB header:</b> hydrolase <b>Chain:</b> D: <b>PDB Molecule:</b> adenosylhomocysteinase; <b>PDBTitle:</b> crystal structure of s-adenosyl-l-homocysteine hydrolase from brucella2 melitensis in ternary complex with nad and adenosine, orthorhombic3 form
87	<a href="#">c5v96A</a>	Alignment	not modelled	99.7	19	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> s-adenosyl-l-homocysteine hydrolase; <b>PDBTitle:</b> crystal structure of s-adenosyl-l-homocysteine hydrolase from2 naegleria fowleri with bound nad and adenosine
88	<a href="#">c3x2fA</a>	Alignment	not modelled	99.7	25	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> adenosylhomocysteinase; <b>PDBTitle:</b> a thermophilic s-adenosylhomocysteine hydrolase
89	<a href="#">d1l4a1</a>	Alignment	not modelled	99.7	16	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
90	<a href="#">d1v8ba1</a>	Alignment	not modelled	99.6	19	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
91	<a href="#">c5hm8C</a>	Alignment	not modelled	99.6	23	<b>PDB header:</b> hydrolase <b>Chain:</b> C: <b>PDB Molecule:</b> adenosylhomocysteinase; <b>PDBTitle:</b> 2.85 angstrom crystal structure of s-adenosylhomocysteinase from2 cryptosporidium parvum in complex with adenosine and nad.
92	<a href="#">c3oneA</a>	Alignment	not modelled	99.6	23	<b>PDB header:</b> hydrolase/hydrolase substrate <b>Chain:</b> A: <b>PDB Molecule:</b> adenosylhomocysteinase; <b>PDBTitle:</b> crystal structure of lupinus luteus s-adenosyl-l-homocysteine2 hydrolase in complex with adenine
93	<a href="#">c1v8bA</a>	Alignment	not modelled	99.6	24	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> adenosylhomocysteinase; <b>PDBTitle:</b> crystal structure of a hydrolase
94	<a href="#">c3d64A</a>	Alignment	not modelled	99.6	20	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> adenosylhomocysteinase; <b>PDBTitle:</b> crystal structure of s-adenosyl-l-homocysteine hydrolase from2 burkholderia pseudomallei
95	<a href="#">d1np3a2</a>	Alignment	not modelled	99.3	21	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
96	<a href="#">c4n7rB</a>	Alignment	not modelled	99.3	25	<b>PDB header:</b> oxidoreductase/protein binding <b>Chain:</b> B: <b>PDB Molecule:</b> glutamyl-trna reductase 1, chloroplastic; <b>PDBTitle:</b> crystal structure of arabidopsis glutamyl-trna reductase in complex2 with its binding protein
97	<a href="#">c1qpiA</a>	Alignment	not modelled	99.2	22	<b>PDB header:</b> reductase <b>Chain:</b> A: <b>PDB Molecule:</b> glutamyl-trna reductase; <b>PDBTitle:</b> glutamyl-trna reductase from methanopyrus kandleri
98	<a href="#">c5uscB</a>	Alignment	not modelled	99.2	21	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> prephenate dehydrogenase; <b>PDBTitle:</b> crystal structure of prephenate dehydrogenase tyra from bacillus2 anthracis in complex with nad and l-tyrosine
99	<a href="#">c3oj0A</a>	Alignment	not modelled	99.1	21	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> glutamyl-trna reductase; <b>PDBTitle:</b> crystal structure of glutamyl-trna reductase from thermoplasma2 volcanium (nucleotide binding domain)
100	<a href="#">d1gpja2</a>	Alignment	not modelled	99.1	22	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Aminoacid dehydrogenase-like, C-terminal domain
101	<a href="#">c4tskA</a>	Alignment	not modelled	99.1	18	<b>PDB header:</b> oxidoreductase,isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> ketol-acid reductoisomerase; <b>PDBTitle:</b> ketol-acid reductoisomerase from alicyclobacillus acidocaldarius

102	<a href="#">d1sc6a2</a>	 Alignment	not modelled	99.1	11	<b>Fold:</b> Flavodoxin-like <b>Superfamily:</b> Formate/glycerate dehydrogenase catalytic domain-like <b>Family:</b> Formate/glycerate dehydrogenases, substrate-binding domain
103	<a href="#">c6aqjB</a>	 Alignment	not modelled	99.0	18	<b>PDB header:</b> isomerase <b>Chain:</b> B: <b>PDB Molecule:</b> ketol-acid reductoisomerase (nadp(+)); <b>PDBTitle:</b> crystal structures of staphylococcus aureus ketol-acid2 reductoisomerase in complex with two transition state analogs that have biocidal activity.
104	<a href="#">d1leha1</a>	 Alignment	not modelled	99.0	17	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Aminoacid dehydrogenase-like, C-terminal domain
105	<a href="#">d2naca2</a>	 Alignment	not modelled	99.0	15	<b>Fold:</b> Flavodoxin-like <b>Superfamily:</b> Formate/glycerate dehydrogenase catalytic domain-like <b>Family:</b> Formate/glycerate dehydrogenases, substrate-binding domain
106	<a href="#">c5b37A</a>	 Alignment	not modelled	99.0	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> tryptophan dehydrogenase; <b>PDBTitle:</b> crystal structure of l-tryptophan dehydrogenase from nostoc2 punctiforme
107	<a href="#">c4kqxB</a>	 Alignment	not modelled	99.0	26	<b>PDB header:</b> oxidoreductase/oxidoreductase inhibitor <b>Chain:</b> B: <b>PDB Molecule:</b> ketol-acid reductoisomerase; <b>PDBTitle:</b> mutant slackia exigua kari ddv in complex with nad and an inhibitor
108	<a href="#">c4ypoB</a>	 Alignment	not modelled	99.0	22	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> ketol-acid reductoisomerase; <b>PDBTitle:</b> crystal structure of mycobacterium tuberculosis ketol-acid2 reductoisomerase in complex with mg2+
109	<a href="#">c4xdzB</a>	 Alignment	not modelled	98.9	27	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> ketol-acid reductoisomerase; <b>PDBTitle:</b> holo structure of ketol-acid reductoisomerase from ignisphaera2 aggregans
110	<a href="#">d1dxya2</a>	 Alignment	not modelled	98.9	11	<b>Fold:</b> Flavodoxin-like <b>Superfamily:</b> Formate/glycerate dehydrogenase catalytic domain-like <b>Family:</b> Formate/glycerate dehydrogenases, substrate-binding domain
111	<a href="#">c3c24A</a>	 Alignment	not modelled	98.9	20	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> putative oxidoreductase; <b>PDBTitle:</b> crystal structure of a putative oxidoreductase (yp_511008.1) from2 jannaschia sp. ccs1 at 1.62 a resolution
112	<a href="#">c1np3B</a>	 Alignment	not modelled	98.9	22	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> ketol-acid reductoisomerase; <b>PDBTitle:</b> crystal structure of class i acetohydroxy acid isomeroreductase from2 pseudomonas aeruginosa
113	<a href="#">d1a4ia1</a>	 Alignment	not modelled	98.9	26	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Aminoacid dehydrogenase-like, C-terminal domain
114	<a href="#">d1b0aa1</a>	 Alignment	not modelled	98.9	29	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Aminoacid dehydrogenase-like, C-terminal domain
115	<a href="#">d1ygya2</a>	 Alignment	not modelled	98.9	18	<b>Fold:</b> Flavodoxin-like <b>Superfamily:</b> Formate/glycerate dehydrogenase catalytic domain-like <b>Family:</b> Formate/glycerate dehydrogenases, substrate-binding domain
116	<a href="#">c4xdyB</a>	 Alignment	not modelled	98.9	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> ketol-acid reductoisomerase; <b>PDBTitle:</b> structure of nadh-preferring ketol-acid reductoisomerase from an2 uncultured archaean
117	<a href="#">c5yeqB</a>	 Alignment	not modelled	98.9	23	<b>PDB header:</b> isomerase <b>Chain:</b> B: <b>PDB Molecule:</b> ketol-acid reductoisomerase (nadp(+)); <b>PDBTitle:</b> the structure of sac-kari protein
118	<a href="#">d2pgda2</a>	 Alignment	not modelled	98.8	22	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
119	<a href="#">c4gbjB</a>	 Alignment	not modelled	98.8	20	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 6-phosphogluconate dehydrogenase nad-binding; <b>PDBTitle:</b> crystal structure of nad-binding 6-phosphogluconate dehydrogenase from2 dyadobacter fermentans
120	<a href="#">d1gdha2</a>	 Alignment	not modelled	98.8	11	<b>Fold:</b> Flavodoxin-like <b>Superfamily:</b> Formate/glycerate dehydrogenase catalytic domain-like <b>Family:</b> Formate/glycerate dehydrogenases, substrate-binding domain