







# Phyre<sup>2</sup>

Email	mdejesus@rockefeller.edu
Description	RVBD3768 (-) _4214248_4214607
Date	Fri Aug 9 18:20:47 BST 2019
Unique Job ID	4abb5731e993b80e

Detailed template information

#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">c3fh1A_</a>			99.9	17	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized ntf2-like protein; <b>PDBTitle:</b> crystal structure of a ntf2-like protein of unknown function (mll8193)2 from mesorhizobium loti at 1.60 a resolution
2	<a href="#">c5ehvA_</a>			99.9	13	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized protein; <b>PDBTitle:</b> crystal structure of known function protein from kribbella flavaida dsm2 17836
3	<a href="#">c3f40A_</a>			99.9	15	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized ntf2-like protein; <b>PDBTitle:</b> crystal structure of ntf2-like protein of unknown function2 (yp_677363.1) from cytophaga hutchinsonii atcc 33406 at 1.27 a3 resolution
4	<a href="#">c3ff2A_</a>			99.9	20	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized cystatin fold protein (yp_497570.1) from <b>PDBTitle:</b> crystal structure of an uncharacterized cystatin fold protein2 (saro_2299) from novosphingobium aromaticivorans dsm at 1.90 a3 resolution
5	<a href="#">c3h3hA_</a>			99.8	23	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized snoal-like protein; <b>PDBTitle:</b> crystal structure of a snoal-like protein of unknown function2 (bth_ji0226) from burkholderia thailandensis e264 at 1.60 a3 resolution
6	<a href="#">d2k54a1</a>			99.8	19	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> Atu0742-like
7	<a href="#">c3k0zB_</a>			99.8	14	<b>PDB header:</b> lyase <b>Chain:</b> B: <b>PDB Molecule:</b> putative polyketide cyclase; <b>PDBTitle:</b> crystal structure of putative polyketide cyclase (np_977253.1) from2 bacillus cereus atcc 10987 at 1.91 a resolution
8	<a href="#">c3msoA_</a>			99.8	19	<b>PDB header:</b> isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> steroid delta-isomerase; <b>PDBTitle:</b> crystal structure of a steroid delta-isomerase (np_250810.1) from2 pseudomonas aeruginosa at 2.57 a resolution
9	<a href="#">d1nwwa_</a>			99.8	12	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> Limonene-1,2-epoxide hydrolase-like
10	<a href="#">c3wmdA_</a>			99.8	17	<b>PDB header:</b> isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> probable monensin biosynthesis isomerase; <b>PDBTitle:</b> crystal structure of epoxide hydrolase monbi
11	<a href="#">c4lmiA_</a>			99.8	13	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized protein; <b>PDBTitle:</b> crystal structure of putative ketosteroid isomerase from kribbella2 flavaida dsm 17836

12	<a href="#">c4h3uB</a>	Alignment		99.8	17	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> B; <b>PDB Molecule:</b> hypothetical protein; <b>PDBTitle:</b> crystal structure of hypothetical protein with ketosteroid isomerase-2 like protein fold from catenulispora acidiphila dsm 44928
13	<a href="#">d3dm8a1</a>	Alignment		99.8	10	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> Rpa4348-like
14	<a href="#">c3hk4B</a>	Alignment		99.8	21	<b>PDB header:</b> lyase <b>Chain:</b> B; <b>PDB Molecule:</b> mlr7391 protein; <b>PDBTitle:</b> crystal structure of a putative snoal-like polyketide cyclase2 [carbohydrate phosphatase] (mlr7391) from mesorhizobium loti at 1.963 a resolution
15	<a href="#">d2gexa1</a>	Alignment		99.8	17	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> Snoal-like polyketide cyclase
16	<a href="#">c5cxoA</a>	Alignment		99.8	18	<b>PDB header:</b> hydrolase <b>Chain:</b> A; <b>PDB Molecule:</b> epoxide hydrolase; <b>PDBTitle:</b> intriguing role of epoxide hydrolase/cyclase-like enzyme salbii in2 pyran ring formation in polyether salinomycin
17	<a href="#">d2bnga1</a>	Alignment		99.8	16	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> Limonene-1,2-epoxide hydrolase-like
18	<a href="#">c5aigA</a>	Alignment		99.8	17	<b>PDB header:</b> hydrolase <b>Chain:</b> A; <b>PDB Molecule:</b> limonene-1,2-epoxide hydrolase; <b>PDBTitle:</b> discovery and characterization of thermophilic limonene-1,2-epoxide2 hydrolases from hot spring metagenomic libraries. tomsk-sample-3 valpromide complex
19	<a href="#">c4kvhA</a>	Alignment		99.8	19	<b>PDB header:</b> unknown function <b>Chain:</b> A; <b>PDB Molecule:</b> ketosteroid isomerase fold protein hmuk_0747; <b>PDBTitle:</b> crystal structure of ketosteroid isomerase fold protein hmuk_0747
20	<a href="#">c3f8xD</a>	Alignment		99.8	20	<b>PDB header:</b> isomerase <b>Chain:</b> D; <b>PDB Molecule:</b> putative delta-5-3-ketosteroid isomerase; <b>PDBTitle:</b> crystal structure of a putative delta-5-3-ketosteroid isomerase2 (eca2236) from pectobacterium atrosepticum scri1043 at 1.55 a3 resolution
21	<a href="#">c3g0KA</a>	Alignment	not modelled	99.8	14	<b>PDB header:</b> ca-binding protein <b>Chain:</b> A; <b>PDB Molecule:</b> putative membrane protein; <b>PDBTitle:</b> crystal structure of a protein of unknown function with a cystatin-like fold (saro_2880) from novosphingobium aromaticivorans dsm at 3 1.30 a resolution
22	<a href="#">d3ec9a1</a>	Alignment	not modelled	99.8	20	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> PhzA/PhzB-like
23	<a href="#">d3en8a1</a>	Alignment	not modelled	99.8	25	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> Rpa4348-like
24	<a href="#">c4u13B</a>	Alignment	not modelled	99.8	14	<b>PDB header:</b> transferase <b>Chain:</b> B; <b>PDB Molecule:</b> putative polyketide cyclase sma1630; <b>PDBTitle:</b> crystal structure of putative polyketide cyclase (protein sma1630)2 from sinorhizobium meliloti at 2.3 a resolution
25	<a href="#">d1zl1sa1</a>	Alignment	not modelled	99.8	16	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> PhzA/PhzB-like
26	<a href="#">c3f14A</a>	Alignment	not modelled	99.8	16	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A; <b>PDB Molecule:</b> uncharacterized ntf2-like protein; <b>PDBTitle:</b> crystal structure of ntf2-like protein of unknown function2 (yp_680363.1) from cytophaga hutchinsonii atcc 33406 at 1.45 a3 resolution
27	<a href="#">d1oh0a</a>	Alignment	not modelled	99.8	19	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> Ketosteroid isomerase-like
28	<a href="#">d3dmca1</a>	Alignment	not modelled	99.8	17	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> PhzA/PhzB-like
						<b>PDB header:</b> structural genomics, unknown function

29	<a href="#">c1z1sA_</a>	Alignment	not modelled	99.8	15	<b>Chain:</b> A: <b>PDB Molecule:</b> hypothetical protein pa3332; <b>PDBTitle:</b> crystal structure of putative isomerase pa3332 from2 pseudomonas aeruginosa
30	<a href="#">d1ohpa1</a>	Alignment	not modelled	99.8	25	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> Ketosteroid isomerase-like
31	<a href="#">d3ebta1</a>	Alignment	not modelled	99.8	16	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> SnoAL-like polyketide cyclase
32	<a href="#">c3fgyB_</a>	Alignment	not modelled	99.8	18	<b>PDB header:</b> unknown function <b>Chain:</b> B: <b>PDB Molecule:</b> uncharacterized ntf2-like protein; <b>PDBTitle:</b> crystal structure of a ntf2-like protein (bxe_b1094) from burkholderia2 xenovorans lb400 at 1.59 a resolution
33	<a href="#">c6a5hb_</a>	Alignment	not modelled	99.8	16	<b>PDB header:</b> biosynthetic protein <b>Chain:</b> B: <b>PDB Molecule:</b> 101015d; <b>PDBTitle:</b> the structure of [4+2] and [6+4] cyclase in the biosynthetic pathway2 of unidentified natural product
34	<a href="#">d3dxoa1</a>	Alignment	not modelled	99.8	15	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> Atu0744-like
35	<a href="#">c3f9sB_</a>	Alignment	not modelled	99.8	13	<b>PDB header:</b> lyase <b>Chain:</b> B: <b>PDB Molecule:</b> putative polyketide cyclase; <b>PDBTitle:</b> crystal structure of a putative polyketide cyclase (lferr_0659) from2 acidithiobacillus ferrooxidans atcc at 1.76 a resolution
36	<a href="#">c6d34B_</a>	Alignment	not modelled	99.7	20	<b>PDB header:</b> biosynthetic protein <b>Chain:</b> B: <b>PDB Molecule:</b> terc; <b>PDBTitle:</b> apo crystal structure of terc, a terfestatin biosynthesis enzyme
37	<a href="#">d1s5aa_</a>	Alignment	not modelled	99.7	13	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> PhzA/PhzB-like
38	<a href="#">d1tuha_</a>	Alignment	not modelled	99.7	17	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> Hypothetical protein egc068 from a soil-derived mobile gene cassette
39	<a href="#">c1tuha_</a>	Alignment	not modelled	99.7	17	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> hypothetical protein egc068; <b>PDBTitle:</b> structure of bal32a from a soil-derived mobile gene cassette
40	<a href="#">c3f8hA_</a>	Alignment	not modelled	99.7	21	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> putative polyketide cyclase; <b>PDBTitle:</b> crystal structure of a putative polyketide cyclase (tm1040_3560) from2 silicibacter sp. tm1040 at 2.00 a resolution
41	<a href="#">d2geya1</a>	Alignment	not modelled	99.7	17	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> SnoAL-like polyketide cyclase
42	<a href="#">c5aiiP_</a>	Alignment	not modelled	99.7	19	<b>PDB header:</b> hydrolase <b>Chain:</b> P: <b>PDB Molecule:</b> limonene-1,2-epoxide hydrolase; <b>PDBTitle:</b> discovery and characterization of thermophilic limonene-1,2-epoxide2 hydrolases from hot spring metagenomic libraries.3 ch55-sample-peg complex
43	<a href="#">d2a15a1</a>	Alignment	not modelled	99.7	16	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> Ketosteroid isomerase-like
44	<a href="#">c4lgqA_</a>	Alignment	not modelled	99.7	20	<b>PDB header:</b> lyase <b>Chain:</b> A: <b>PDB Molecule:</b> putative polyketide cyclase; <b>PDBTitle:</b> crystal structure of a putative polyketide cyclase (cv_0247) from2 chromobacterium violaceum atcc 12472 at 2.72 a resolution
45	<a href="#">c3g8za_</a>	Alignment	not modelled	99.7	16	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> protein of unknown function with cystatin-like fold; <b>PDBTitle:</b> crystal structure of protein of unknown function with cystatin-like2 fold (np_639274.1) from xanthomonas campestris at 1.90 a resolution
46	<a href="#">c3kkgA_</a>	Alignment	not modelled	99.7	15	<b>PDB header:</b> lyase <b>Chain:</b> A: <b>PDB Molecule:</b> putative snoal-like polyketide cyclase; <b>PDBTitle:</b> crystal structure of putative snoal-like polyketide cyclase2 (yp_509242.1) from jannaschia sp. ccs1 at 1.40 a resolution
47	<a href="#">c3f7xA_</a>	Alignment	not modelled	99.7	21	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> putative polyketide cyclase; <b>PDBTitle:</b> crystal structure of a putative polyketide cyclase (pp0894) from2 pseudomonas putida kt2440 at 1.24 a resolution
48	<a href="#">c3ehcA_</a>	Alignment	not modelled	99.7	16	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> snoal-like polyketide cyclase; <b>PDBTitle:</b> crystal structure of a snoal-like polyketide cyclase (atu3018) from2 agrobacterium tumefaciens str. c58 at 2.12 a resolution
49	<a href="#">c3i0yC_</a>	Alignment	not modelled	99.7	19	<b>PDB header:</b> isomerase <b>Chain:</b> C: <b>PDB Molecule:</b> putative polyketide cyclase; <b>PDBTitle:</b> crystal structure of a putative polyketide cyclase (xcc0381) from2 xanthomonas campestris pv. campestris at 1.50 a resolution
50	<a href="#">c5x7IA_</a>	Alignment	not modelled	99.7	22	<b>PDB header:</b> isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> tsrd; <b>PDBTitle:</b> structure of tsrd from streptomyces laurentii
51	<a href="#">d1sjwa_</a>	Alignment	not modelled	99.7	16	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> SnoAL-like polyketide cyclase
52	<a href="#">c3b4oB_</a>	Alignment	not modelled	99.6	14	<b>PDB header:</b> biosynthetic protein <b>Chain:</b> B: <b>PDB Molecule:</b> phenazine biosynthesis protein a/b; <b>PDBTitle:</b> crystal structure of phenazine biosynthesis protein phza/b2 from burkholderia cepacia r18194, apo form
53	<a href="#">c3grda_</a>	Alignment	not modelled	99.6	15	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized ntf2-superfamily protein; <b>PDBTitle:</b> crystal structure of ntf2-superfamily protein with unknown

						function2 (np_977240.1) from bacillus cereus atcc 10987 at 1.25 a resolution
54	<a href="#">c3fljA</a>	Alignment	not modelled	99.6	19	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized protein conserved in bacteria with a <b>PDBTitle:</b> crystal structure of uncharacterized protein conserved in bacteria2 with a cystatin-like fold (yp_168589.1) from silicibacter pomeroyi3 dss-3 at 2.00 a resolution
55	<a href="#">d2f99a1</a>	Alignment	not modelled	99.6	13	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> Snoal-like polyketide cyclase
56	<a href="#">c3ff0A</a>	Alignment	not modelled	99.6	15	<b>PDB header:</b> biosynthetic protein <b>Chain:</b> A: <b>PDB Molecule:</b> phenazine biosynthesis protein phzb 2; <b>PDBTitle:</b> crystal structure of a phenazine biosynthesis-related protein (phzb2) from pseudomonas aeruginosa at 1.90 a resolution
57	<a href="#">c3rgaA</a>	Alignment	not modelled	99.6	18	<b>PDB header:</b> isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> epoxide hydrolase; <b>PDBTitle:</b> crystal structure of epoxide hydrolase for polyether lasalocid a2 biosynthesis
58	<a href="#">d1m98a2</a>	Alignment	not modelled	99.5	14	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> Orange carotenoid protein, C-terminal domain
59	<a href="#">c5x9jB</a>	Alignment	not modelled	99.5	8	<b>PDB header:</b> isomerase <b>Chain:</b> B: <b>PDB Molecule:</b> prhc; <b>PDBTitle:</b> strucutre of prhc from penicillium brasiliannum nbrc 6234
60	<a href="#">c6fejA</a>	Alignment	not modelled	99.4	13	<b>PDB header:</b> photosynthesis <b>Chain:</b> A: <b>PDB Molecule:</b> all4940 protein; <b>PDBTitle:</b> anabaena apo-c-terminal domain homolog protein
61	<a href="#">c3ke7A</a>	Alignment	not modelled	99.4	14	<b>PDB header:</b> isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> putative ketosteroid isomerase; <b>PDBTitle:</b> crystal structure of putative ketosteroid isomerase (yp_001303366.1)2 from parabacteroides distasonis atcc 8503 at 1.45 a resolution
62	<a href="#">c3robC</a>	Alignment	not modelled	99.3	16	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> C: <b>PDB Molecule:</b> uncharacterized conserved protein; <b>PDBTitle:</b> the crystal structure of a conserved protein from planctomyces2 limnophilus dsm 3776
63	<a href="#">c5x9kA</a>	Alignment	not modelled	99.3	11	<b>PDB header:</b> isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> austinol synthesis protein h; <b>PDBTitle:</b> strucutre of aush from aspergillus nidulans
64	<a href="#">c3gwra</a>	Alignment	not modelled	99.3	17	<b>PDB header:</b> protein binding <b>Chain:</b> A: <b>PDB Molecule:</b> putative calcium/calmodulin-dependent protein kinase type <b>PDBTitle:</b> crystal structure of putative calcium/calmodulin-dependent protein2 kinase type ii association domain (yp_315894.1) from thiobacillus3 denitrificans atcc 25259 at 2.00 a resolution
65	<a href="#">c5wqhE</a>	Alignment	not modelled	99.2	6	<b>PDB header:</b> isomerase <b>Chain:</b> E: <b>PDB Molecule:</b> isomerase trt14; <b>PDBTitle:</b> structure of fungal meroterpenoid isomerase trt14 complexed with2 substrate analog and endo-terretonin d
66	<a href="#">d3bb9a1</a>	Alignment	not modelled	99.1	16	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> SO0125-like
67	<a href="#">c3bb9D</a>	Alignment	not modelled	99.1	14	<b>PDB header:</b> unknown function <b>Chain:</b> D: <b>PDB Molecule:</b> putative orphan protein; <b>PDBTitle:</b> crystal structure of a putative ketosteroid isomerase (sfri_1973) from2 shewanella frigidimarina ncimb 400 at 1.80 a resolution
68	<a href="#">d2rcda1</a>	Alignment	not modelled	99.1	17	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> BxeB1374-like
69	<a href="#">c3hx8A</a>	Alignment	not modelled	99.1	19	<b>PDB header:</b> isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> putative ketosteroid isomerase; <b>PDBTitle:</b> crystal structure of putative ketosteroid isomerase (np_103587.1) from2 mesorhizobium loti at 1.45 a resolution
70	<a href="#">d2gxfa1</a>	Alignment	not modelled	99.0	20	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> YybH-like
71	<a href="#">d3d9ra1</a>	Alignment	not modelled	99.0	16	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> ECA1476-like
72	<a href="#">c3f7sA</a>	Alignment	not modelled	98.9	15	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized ntf2-like protein; <b>PDBTitle:</b> crystal structure of a ntf2-like protein of unknown function (pp_4556)2 from pseudomonas putida kt2440 at 2.11 a resolution
73	<a href="#">c3f51A</a>	Alignment	not modelled	98.9	22	<b>PDB header:</b> protein binding <b>Chain:</b> A: <b>PDB Molecule:</b> putative calcium/calmodulin dependent protein kinase ii <b>PDBTitle:</b> crystal structure of putative calcium/calmodulin dependent protein2 kinase ii association domain (np_636218.1) from xanthomonas3 campestris at 1.70 a resolution
74	<a href="#">c4ovmE</a>	Alignment	not modelled	98.9	19	<b>PDB header:</b> unknown function <b>Chain:</b> E: <b>PDB Molecule:</b> uncharacterized protein sgcj; <b>PDBTitle:</b> crystal structure of sgcj protein from streptomyces carzinostaticus
75	<a href="#">d3cnxa1</a>	Alignment	not modelled	98.9	15	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> SAV4671-like
76	<a href="#">c5ig0A</a>	Alignment	not modelled	98.9	17	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> camk/camk2 protein kinase; <b>PDBTitle:</b> crystal structure of s. rosetta camkii hub
77	<a href="#">d2owpa1</a>	Alignment	not modelled	98.9	17	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> BxeB1374-like

78	<a href="#">d3cu3a1</a>	Alignment	not modelled	98.9	14	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> BaiE/LinA-like
79	<a href="#">c3g16A_</a>	Alignment	not modelled	98.9	19	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized protein with cystatin-like fold; <b>PDBTitle:</b> crystal structure of protein of unknown function with cystatin-like2 fold (yp_001022489.1) from methylobium petroleophilum pm1 at 1.45 a3 resolution
80	<a href="#">d3b7ca1</a>	Alignment	not modelled	98.8	12	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> SO0125-like
81	<a href="#">c4i4kB_</a>	Alignment	not modelled	98.8	19	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> B: <b>PDB Molecule:</b> uncharacterized protein sgjc; <b>PDBTitle:</b> streptomyces globisporus c-1027 9-membered enediyne conserved protein2 sgce6
82	<a href="#">d3er7a1</a>	Alignment	not modelled	98.8	14	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> Exig0174-like
83	<a href="#">c3soyA_</a>	Alignment	not modelled	98.8	17	<b>PDB header:</b> membrane protein <b>Chain:</b> A: <b>PDB Molecule:</b> ntf2-like superfamily protein; <b>PDBTitle:</b> nuclear transport factor 2 (ntf2-like) superfamily protein from2 salmonella enterica subsp. enterica serovar typhimurium str. lt2
84	<a href="#">d2r4ia1</a>	Alignment	not modelled	98.8	13	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> CHU142-like
85	<a href="#">d2rgqa1</a>	Alignment	not modelled	98.7	23	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> Rv3472-like
86	<a href="#">c3gzrA_</a>	Alignment	not modelled	98.7	17	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized protein with a ntf2-like fold; <b>PDBTitle:</b> crystal structure of an uncharacterized protein with a cystatin-like2 fold (cc_2572) from caulobacter vibrioides at 1.40 a resolution
87	<a href="#">d3blza1</a>	Alignment	not modelled	98.7	9	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> Sbal0622-like
88	<a href="#">c5xe7A_</a>	Alignment	not modelled	98.7	21	<b>PDB header:</b> dna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> ecf rna polymerase sigma factor sigj; <b>PDBTitle:</b> crystal structure of mycobacterium tuberculosis extracytoplasmic2 function sigma factor sigj
89	<a href="#">d2chca1</a>	Alignment	not modelled	98.7	15	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> Rv3472-like
90	<a href="#">d2rfra1</a>	Alignment	not modelled	98.6	19	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> BaiE/LinA-like
91	<a href="#">c6bjuD_</a>	Alignment	not modelled	98.6	13	<b>PDB header:</b> unknown function <b>Chain:</b> D: <b>PDB Molecule:</b> atzh; <b>PDBTitle:</b> the structure of atzh: a little known member of the atrazine breakdown2 pathway
92	<a href="#">d3b8la1</a>	Alignment	not modelled	98.6	16	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> BaiE/LinA-like
93	<a href="#">d2ux0a1</a>	Alignment	not modelled	98.6	12	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> Association domain of calcium/calmodulin-dependent protein kinase type II alpha subunit, CAMK2A
94	<a href="#">c1m98A_</a>	Alignment	not modelled	98.6	14	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> orange carotenoid protein; <b>PDBTitle:</b> crystal structure of orange carotenoid protein
95	<a href="#">c6of9G_</a>	Alignment	not modelled	98.6	14	<b>PDB header:</b> unknown function <b>Chain:</b> G: <b>PDB Molecule:</b> camkii hub; <b>PDBTitle:</b> structure of the chlamydamonas reinhardtii camkii hub homology domain
96	<a href="#">c3fsdA_</a>	Alignment	not modelled	98.5	15	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> ntf2-like protein of unknown function in nutrient uptake; <b>PDBTitle:</b> crystal structure of ntf2-like protein of unknown function in nutrient2 uptake (yp_427473.1) from rhodospirillum rubrum atcc 11170 at 1.70 a3 resolution
97	<a href="#">d1hkxa_</a>	Alignment	not modelled	98.5	13	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> Association domain of calcium/calmodulin-dependent protein kinase type II alpha subunit, CAMK2A
98	<a href="#">c3a76B_</a>	Alignment	not modelled	98.4	18	<b>PDB header:</b> lyase <b>Chain:</b> B: <b>PDB Molecule:</b> gamma-hexachlorocyclohexane dehydrochlorinase; <b>PDBTitle:</b> the crystal structure of lina
99	<a href="#">c5ig4A_</a>	Alignment	not modelled	98.4	14	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> predicted protein; <b>PDBTitle:</b> crystal structure of n. vectensis camkii-a hub
100	<a href="#">c5ig5E_</a>	Alignment	not modelled	98.3	9	<b>PDB header:</b> transferase <b>Chain:</b> E: <b>PDB Molecule:</b> camkii-b hub; <b>PDBTitle:</b> crystal structure of n. vectensis camkii-b hub at ph 4.2
101	<a href="#">d2f86b1</a>	Alignment	not modelled	98.3	11	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> Association domain of calcium/calmodulin-dependent protein kinase type II alpha subunit, CAMK2A
102	<a href="#">c3fkaD_</a>	Alignment	not modelled	98.3	15	<b>PDB header:</b> unknown function <b>Chain:</b> D: <b>PDB Molecule:</b> uncharacterized ntf-2 like protein; <b>PDBTitle:</b> crystal structure of a ntf-2 like protein of unknown function2 (spo1084) from silicibacter pomeroyi dss-3 at 1.69 a

						resolution
103	<a href="#">c3kspA_</a>		not modelled	98.3	13	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> calcium/calmodulin-dependent kinase ii association domain; <b>PDBTitle:</b> crystal structure of a putative ca/calmodulin-dependent kinase ii2 association domain (exig_1688) from exiguobacterium sibiricum 255-153 at 2.59 a resolution
104	<a href="#">c4lehA_</a>		not modelled	98.2	10	<b>PDB header:</b> lyase <b>Chain:</b> A: <b>PDB Molecule:</b> bile acid 7-alpha dehydratase, baie; <b>PDBTitle:</b> crystal structure of a bile-acid 7-alpha dehydratase (closci_03134)2 from clostridium scindens atcc 35704 at 2.90 a resolution
105	<a href="#">c5u35A_</a>		not modelled	98.1	15	<b>PDB header:</b> de novo protein <b>Chain:</b> A: <b>PDB Molecule:</b> de novo ntf2 with large cavity; <b>PDBTitle:</b> crystal structure of a de novo designed protein with curved beta-sheet
106	<a href="#">d3ef8a1</a>		not modelled	98.1	15	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> BaiE/LinA-like
107	<a href="#">c3dukD_</a>		not modelled	97.9	15	<b>PDB header:</b> unknown function <b>Chain:</b> D: <b>PDB Molecule:</b> ntf2-like protein of unknown function; <b>PDBTitle:</b> crystal structure of a ntf2-like protein of unknown function2 (mfla_0564) from methylobacillus flagellatus kt at 2.200 a resolution
108	<a href="#">d3ebya1</a>		not modelled	97.9	20	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> Ring hydroxylating beta subunit
109	<a href="#">c5tpjA_</a>		not modelled	97.8	14	<b>PDB header:</b> de novo protein <b>Chain:</b> A: <b>PDB Molecule:</b> denovo ntf2; <b>PDBTitle:</b> crystal structure of a de novo designed protein with curved beta-sheet
110	<a href="#">c3lygA_</a>		not modelled	97.8	19	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> ntf2-like protein of unknown function; <b>PDBTitle:</b> crystal structure of ntf2-like protein of unknown function2 (yp_270605.1) from colwellia psychrerythraea 34h at 1.61 a resolution
111	<a href="#">c5l33A_</a>		not modelled	97.7	15	<b>PDB header:</b> de novo protein <b>Chain:</b> A: <b>PDB Molecule:</b> denovo ntf2; <b>PDBTitle:</b> crystal structure of a de novo designed protein with curved beta-sheet
112	<a href="#">c4gb5A_</a>		not modelled	97.6	10	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized protein; <b>PDBTitle:</b> crystal structure of kfla4162 protein from kribbella flava
113	<a href="#">d3e99a1</a>		not modelled	97.6	13	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> Ring hydroxylating beta subunit
114	<a href="#">d3ejva1</a>		not modelled	97.6	18	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> BaiE/LinA-like
115	<a href="#">c3gzxB_</a>		not modelled	97.6	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> biphenyl dioxygenase subunit beta; <b>PDBTitle:</b> crystal structure of the biphenyl dioxygenase in complex with biphenyl2 from comamonas testosteroni sp. strain b-356
116	<a href="#">d3stda_</a>		not modelled	97.4	10	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> Scytalone dehydratase
117	<a href="#">d1idpa_</a>		not modelled	97.3	9	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> Scytalone dehydratase
118	<a href="#">d1zo2a1</a>		not modelled	97.2	12	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> NTF2-like
119	<a href="#">d2qiy1a1</a>		not modelled	97.2	15	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> NTF2-like
120	<a href="#">d1tp6a_</a>		not modelled	97.1	23	<b>Fold:</b> Cystatin-like <b>Superfamily:</b> NTF2-like <b>Family:</b> PA1314-like